AUTHOR INDEX

VOLUME 65, 1990

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ABERNETHY, L. J., ALLAN, P. L. and DRUMMOND, G. B. Ultrasound assessment of the position of the tongue during induction of anaesthesia 744–748
ADAMANTIDIS, M. M. *see* ADNET, P. J. 791–795
ADAMS, A. P. *see* ATKINSON, R. S., (*R*) 153; KING, T. A. 400–414
ADNET, P. J., KRIVOSIC-HORBER, R. M., HAUDECOEUR, G., ADAMANTIDIS, M. M., REYFORD, G. H., IMBENOTTE, M. and CORDONNIER, C. Use of the calcium agonist BAY K 8644 for *in vitro* diagnosis of susceptibility to malignant hyperthermia 791–795
AGLIO, L. S. and JOHNSON, M. D. Anaesthetic management of myocardial infarction in a parturient 258–261
AGOSTON, S. *see* WIERDA, J. M. K. H., (*C*) 839
AITKENHEAD, A. R. *see* LIU, D., (*ARS*) 575–576P; (*ARS*) 577–578P
ALLAN, P. L. *see* ABERNETHY, L. J. 744–748
ALSTON, R. P. Unpredictable spinal anaesthesia, (*C*) 151
ALTEMEYER, K. H. *see* ENSINGER, H. 786–790
ANDREWS, L. J. *see* JONES, R. D. M. 661–667
ANKER-MØLLER, E. *see* ARENDT-NIELSEN, L. 639–642
APPLETON, D. *see* MICHAEL, S., (*ARS*) 589P
ARENDT-NIELSEN, L., ANKER-MØLLER, E., BJERRING, P. and SPANGSBERG, N. Onset phase of spinal bupivacaine analgesia assessed quantitatively by laser stimulation 639–642
ARENDT-NIELSEN, L., ØBERG, B. and BJERRING, P. Analgesic efficacy of i.m. alfentanil 164–168
ARENDT-NIELSEN, L., ØBERG, B. and BJERRING, P. Quantitative assessment of extradural bupivacaine analgesia 633–638
ASBURY, A. J. *see* MILLER, C. D. 415–417
ATKINSON, R. S. and ADAMS, A. P., (editors) *Recent Advances in Anaesthesia and Analgesia, No. 16*, (*R*) 153
AVRAMOV, M. N. and MORI, K. Nitrous oxide antagonizes CNS stimulation by laudanosine in mice 704–707

BACH, A. B. *see* KRISTOFFERSEN, E. 504–507
BAILEY, P. L. Sinus arrest induced by trivial nasal stimulation during alfentanil–nitrous oxide anaesthesia 718–720
BAKER, A. B. An international consensus on monitoring, (*C*) 295
BAKHLE, Y. S. Pharmacokinetic and metabolic properties of lung 79–93
BANNER, M. J. *see* KIRBY, R. J., (*R*) 844–845
BANNISTER, J. Unpredictable spinal anaesthesia, (*C*) 152
BARKER, P. *see* LANGTON, J., (*ARS*) 582–583P
BARRE, J. *see* MEISTELMAN, C., (*ARS*) 273P
BARRON, D. W. *see* WRIGHT, P. M. C., (*ARS*) 592–593P
BARROWCLIFFE, M. P. *see* VALENTINE, S. J., (*ARS*) 279–280P
BASKETT, P. J. F. *Resuscitation Handbook*, (*R*) 844
BATCHELOR, A. M., STAFFORD, M. A. and CROSSLEY, A. W. A. Effect of ibuprofen on pain during injection of propofol, (*ARS*) 576–577P
BATES, J. H. T. *see* MILIC-EMILI, J. 4–12
BAUDOUIN, C. *see* SAMSOON, G., (*ARS*) 577P
BAXTER, J. N. *see* CAMPBELL, I. T. 726–729
BEATTY, P. C. W., BEECH, M. and HEALY, T. E. J. Continuous measurement of FRC during general anaesthesia, (*ARS*) 276P
BEATTY, P. C. W. *see* BEECH, M., (*ARS*) 275P; DROPPERT, P. M., (*ARS*) 277P; (*ARS*) 591P
BEECH, M., BEATTY, P. C. W. and HEALY, T. E. J. Breath by breath gas exchange measurement during general anaesthesia, (*ARS*) 275P
BEECH, M. *see* BEATTY, P. C. W., (*ARS*) 276P; DROPPERT, P. M., (*ARS*) 591P
BEEMER, G. H., BJORKSTEN, A. R. and CRANKSHAW, D. P. Pharmacodynamics of atracurium during propofol, thiopentone and opioid anaesthesia 675–683; Pharmacokinetics of atracurium during continuous infusion 668–674
BEEN, M. *see* GUZMAN, F., (*R*) 600
BELAICHE, S. *see* BOURGAIN, J. L. 737–743
BENAKIS, A. *see* PITTET, J. F. 779–785
BENSON, P., MANNION, E., STEWART, R., BYRNE, P. and MCSHANE, A. J. Simultaneous intraoperative oesophageal and tracheal pH monitoring, (*ARS*) 582P
BENUMOF, J. *see* KATZ, J., (*R*) 299
ØOBERG, B. *see* ARENDT-NIELSEN, L. 164–168
BERG, P. *see* QUAYNOR, H. 766–769
BERGMAN, C. A. *see* HIRSHMAN, C. A. 30–42
BERNARD, C. *Lectures on Anaesthetics and on Asphyxia* (English translation of 1st Edn), (*R*) 441
BETHUNE, D. W. and BURNS, A. A user-friendly disconnection alarm, (*C*) 595
BEVAN, D. R., (editor) *Metabolic Response to Surgery. Baillière's Clinical Anesthesiology. International Practice and Research*, Vol. 3, No. 2, (*R*) 296
BEVAN, D. R. *see* SZALADOS, J. E., (*ARS*) 272–273P
BEWES, P. *see* KING, M., (*R*) 733
BHAGWANJEE, S., ROCKE, D. A., ROUT, C. C., KOOVARJEE, R. V. and BRIJBALL, R. Prevention of hypotension following spinal anaesthesia for elective Caesarean section by wrapping of the legs 819–822
BHATIA, K. *see* DYSON, A. 268–270
BIHARI, D. and HOLADAY, J. W., (editors) *Update in Intensive Care and Emergency Medicine, Volume 9: Brain Failure*, (*R*) 297
BINGHAM, R. M. *see* HATCH, D. J. 262–267
BIRCH, B. Subcutaneous flumazenil and recovery from midazolam, (*C*) 292
BIRCHER, N. G. *see* KAYE, W., (*R*) 298
BJERRING, P. *see* ARENDT-NIELSEN, L. 164–168; 633–638; 639–642
BJORKSTEN, A. R. *see* BEEMER, G. H. 675–683; 668–674
BLACK, A. E., HATCH, D. J. and NAUTH-MISIR, N. Complications of nasotracheal intubation in neonates, infants and children: a review of 4 years' experience in a children's hospital 461–467
BLOGG, C. *see* YOUNG, J. D., (*ARS*) 572–573P

BLOGG, C. E. *see* BOULTON, T. B., (*R*) 601; POPAT, M. T., (*ARS*) 581P
BLOOM, S. R. *see* DESBOROUGH, J. P. 833–836
BODENHAM, A. Anaesthetic hazards of aortocaval fistula 723–725
BOER, F., ROS, P., BOVILL, J. G., VAN BRUMMELEN, P. and VAN DER KROGT, J. Effect of propofol on peripheral vascular resistance during cardiopulmonary bypass 184–189
BOGOD, D. G. *see* PIGGOTT, S. E. 325–329
BONNAY, M. *see* MEISTELMAN, C., (*ARS*) 273P
BORGEAT, A., POPOVIC, V., NICOLE, A. and SCHWANDER, D. Acute pulmonary oedema following administration of ornithine-8-vasopressin 548–551
BOUCHIER-HAYES, D. *see* MCCOY, D., (*ARS*) 584–585P; MCGRATH, K., (*ARS*) 584P
BOULES, Z. *see* MCLOUGHLIN, C. 620–623
BOULTON, T. B. and BLOGG, C. E. *Ostlere & Bryce-Smith's Anaesthetics for Medical Students*, 10th Edn, (*R*) 601
BOURGAIN, J. L., DESRUENNES, E., COSSET, M. F., MAMELLE, G., BELAICHE, S. and TRUFFA-BACHI, J. Measurement of end-expiratory pressure during transtracheal high frequency jet ventilation for laryngoscopy 737–743
BOVILL, J. G. *see* BOER, F. 184–189
BOWMAN, W. C. *Pharmacology of Neuromuscular Function*, 2nd Edn, (*R*) 600
BRACEY, B. J. *see* EMMOTT, R. S. 480–486
BRENNAN, L., HALFACRE, J. A. and WOODS, S. D. Regional anaesthesia in porphyria, (*C*) 594
BRIJBALL, R. *see* BHAGWANJEE, S. 819–822
BROCK-UTNE, J. G. *see* RAIDOO, D. M. 248–250
BROWN, J. H. *see* MILLER, C. D. 415–417
BRUNER, J. M. and LEONARD, P. F. *Electricity, Safety and the Patient*, (*R*) 600–601
BRYDON, C. *see* KOX, W., (*ARS*) 278P
BURNS, A. *see* BETHUNE, D. W., (*C*) 595
BURNS, A. M., SHELLEY, M. P., WALKER, S. and PARK, G. R. Serum acute phase proteins after orthotopic liver transplantation 418–420
BURRIN, J. M. *see* HALL, G. M. 251–253
BUTTERWORTH, J. F. IV, CARNES, R. S. III, SAMUEL, M. P., JANEWAY, D. and POEHLING, G. G. Effect of adrenaline on plasma concentrations of bupivacaine following intra-articular injection of bupivacaine for knee arthroscopy 537–539
BYRNE, P. *see* BENSON, P., (*ARS*) 582P

CAIKNS, J. *see* KING, M., (*R*) 733
CAMPBELL, D. and SPENCE, A. A. *Noriss and Campbell's Anaesthetics, Resuscitation and Intensive Care*, 7th Edn, (*R*) 153
CAMPBELL, I. T., BAXTER, J. N., TWEEDIE, I. E., TAYLOR, G. T. and KEENS, S. J. I.v. fluids during surgery 726–729
CAMPBELL, I. T. *see* FRASER, S., (*ARS*) 289P; SAMUELS, T. A., (*ARS*) 278–279P
CARABINE, U. A. *see* WRIGHT, P. M. C. 628–632
CARLI, F., RAMACHANDRA, V., GANDY, J., MERRITT, H., FORD, G. C., READ, M. and HALLIDAY, D. Effect of general anaesthesia on whole body protein turnover in patients undergoing elective surgery 373–379
CARLI, F. *see* SMITH, D. 754–759
CARNES, R. S. III *see* BUTTERWORTH, J. F. IV 537–539
CARRIE, L. E. S. Extradural, spinal or combined block for obstetric surgical anaesthesia 225–333
CASEY, K. R. *see* REEDER, M. K., (*ARS*) 572P; (*ARS*) 591–592P
CHAKRABARTI, M. K. *see* HATCH, D. J. 262–267; WANG, C., (*ARS*) 590P
CHAMNEY, A. R. *see* SIMONS, R. S., (*ARS*) 579–580P
CHAN, K. *see* JONES, R. D. M. 661–667
CHARTERS, P. and JONES, A. S. Pivoting larynx—an unusual clinical observation at laryngoscopy 424–426
CHARTERS, P. *see* FAHY, L. 813–815; HORTON, W. A. 801–805; (*ARS*) 583–584P
CHRISTENSEN, S., FARROW-GILLESPIE, A. and LERMAN, J. Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children 456–460
CHRUBASIK, J. *see* SHIR, Y. 204–209
CHUNG, D. C. and LAM, A. M., (editors) *Essentials of Anesthesiology*, 2nd Edn, (*R*) 600
CLANACHAN, A. S. *see* WHITING, R. W., (*ARS*) 286P
CLARK, C. Management of major trauma, (*C*) 840
CLARKE, R. S. J. *see* MCKAY, A. C. 190–196; MCLOUGHLIN, C. C., (*ARS*) 587–588P
CLARKSON, K. *see* CROWLEY, K. 337–341
CLYBURN, P. A., ROSEN, M. R. and VICKERS, M. D. I.v. infusions of morphine and regional analgesia by extradural block, (*C*) 596–597
COCKSHOTT, I. D. *see* SERVIN, F. 177–183
COENEN, E. *see* LERNO, G. 254–257
COLE, L., HANNING, C. D., ROBERTSON, S. and QUINN, K. Further development of the morphine hydrogel suppository, (*ARS*) 273–274P
COLE, P. V. *see* LLOYD-THOMAS, A. R. 306–312; 313–318
COLLINS, P. D. *see* VENN, P. J. H., (*ARS*) 287P
COLQUHOUN, A. *see* MARTIN, C. S. 330–332
CONACHER, I. D. Pain relief after thoracotomy 806–812
COOK, S. *see* GUZMAN, F., (*R*) 600
CORBEY, M. *see* QUAYNOR, H. 766–769
CORDONNIER, C. *see* ADNET, P. J. 791–795
COSSET, M. F. *see* BOURGAIN, J. L. 737–743
CRANKSHAW, D. P. *see* BEEMER, G. H. 668–674; 675–683
CROFTS, S. L. *see* HUTCHISON, G. L. 500–503
CROSSLEY, A. W. A. *see* BATCHELOR, A. M., (*ARS*) 576–577P
CROWLEY, K., CLARKSON, K., HANNON, V., MCSHANE, A. and KELLY, D. G. Diuretics after transurethral prostatectomy: a double-blind controlled trial comparing frusemide and mannitol 337–341
CUNDY, J. M. Postoperative patient-controlled analgesia, (*C*) 440
CUNNINGHAM, A. J. *see* MCCOY, D., (*ARS*) 584–585P; MCGRATH, K., (*ARS*) 584P
CURRIE, J., OWEN, H., PLUMMER, J. L. and TEITZEL, R. Postoperative PCA with alfentanil: efficacy of background infusions, (*ARS*) 576P

DAHL, M. *see* DZWONCZYK, R., (*C*) 842
DAMM, D. *see* SHIR, Y. 204–209
DAVIES, W. *see* HOWELL, P. 648–653
DEARLOVE, O. R. *see* MEAKIN, G. 816–818
DESBOROUGH, J. Extradural somatostatin, (*C*) 152
DESBOROUGH, J. P., TAYLOR, I., HATTERSLEY, A., GARDEN, A., WOLFF, A., BLOOM, S. R. and MORGAN, M. Massive histamine release in a patient with systemic mastocytosis 833–836
DESILVA, F., SMITH, S. O. and LAURENCE, A. S. I.v. dantrolene before day-case suxamethonium use: domiciliary assessment of morbidity, (*ARS*) 588–589P
DESILVA, F. *see* SMITH, S. O., (*ARS*) 284P
DESMONTS, J. M. *see* SERVIN, F. 177–183
DESRUENNES, E. *see* BOURGAIN, J. L. 737–743
DEVLIN, J. C. *see* SAMUELS, T. A., (*ARS*) 278–279P
DIRKS, B. *see* ENSINGER, H. 786–790
DONATI, F. *see* SZALADOS, J. E., (*ARS*) 272–273P
DORÉ, C. J. *see* NEWTON, D. E. F. 609–615
DØRUP, J. *see* OLSEN, K. H., (*C*) 293
DOUGLAS, E. *see* POWER, I. 448–455
DOWNS, J. B. *see* KIRBY, R. J., (*R*) 844–845

DROPPERT, P. M., MEAKIN, G., MORTIMER, A. J., BEATTY, P. C. W. and HEALY, T. E. J. Efficiency of a new enclosed afferent reservoir breathing system during controlled ventilation, (*ARS*) 277P
DROPPERT, P. M., MEAKIN, G., BEATTY, P. C. W., BEECH, M., SHELLY, M. P., MORTIMER, A. J. and HEALY, T. E. J. Fresh gas flow requirements of a new enclosed afferent reservoir breathing system during spontaneous ventilation, (*ARS*) 591P
DRUMMOND, G. B. I.v. infusions of morphine and regional analgesia by extradural block, (*C*) 595–596
DRUMMOND, G. B. *see* ABERNETHY, L. J. 744–748
DUNCKER, D. J. *see* VAN WOERKENS, L. J. 393–399
DUNDEE, J. W. Sexual fantasies during midazolam sedation, (*ARS*) 281P
DUNDEE, J. W. and YANG, J. P6 acupuncture antiemesis in cancer chemotherapy: comparison of needling and percutaneous electrical stimulation, (*ARS*) 281P
DYAR, O. J. *see* POPAT, M. T., (*ARS*) 581P
DYSON, A., HARRIS, J. and BHATIA, K. Rapidity and accuracy of tracheal intubation in a mannequin: comparison of the fibreoptic with the Bullard laryngoscope 268–270
DZWONCZYK, R., MCDONALD, J. S., GUPTA, B. and DAHL, M. A second time-study of the anaesthetist's intraoperative period, (*C*) 842

EDDLESTON, J. M. *see* GWINNUTT, C. L. 829–832
EDWARDS, D. *see* GWINNUTT, C. L. 829–832
EIMERL, D. *see* SHIR, Y. 204–209
EISENKRAFT, J. B. Effects of anaesthetics on the pulmonary circulation 63–78
ELLIOT, R. H., LUCIER, G. C. and ROTH, S. H. Effects of aminophylline on the isolated phrenic nerve–hemidiaphragm preparation are potentiated by halothane and isoflurane, (*ARS*) 573P
ELLIS, F. R. *see* URWYLER, A. 421–423
EMMOTT, R. S., BRACEY, B. J., GOLDHILL, D. R., YATE, P. M. and FLYNN, P. J. Cardiovascular effects of doxacurium, pancuronium and vecuronium in anaesthetized patients presenting for coronary artery bypass surgery 480–486
ENEVER, G. *see* RAFTERY, S., (*ARS*) 575P
ENGELBRECHT, H. E. *see* RAIDOO, D. M. 248–250
ENGLISH, M. J. M. and SCOTT, W. A. C. Body temperature and anaesthesia, (*C*) 438–439
ENSINGER, H., DIRKS, B., ALTEMEYER, K. H. and GRÜNERT, A. The role of α_1-adrenoceptors in adrenaline-induced hyperkalaemia 786–790
ERIKSSON, L. I., LEANDER, E. and LENNMARKEN, C. Surveillance and safety, (*C*) 594–595
ERIKSSON, L. I., LENNMARKEN, C., STAUN, P. and VIBY-MOGENSEN, J. Use of post-tetanic count in assessment of a repetitive vecuronium-induced neuromuscular block 487–493
EWART, M. C. *see* GIN, T. 616–619
EYRICH, K. *see* REINHART, K., (*R*) 298

FAHY, L., HORTON, W. A. and CHARTERS, P. Factor analysis in patients with a history of failed tracheal intubation during pregnancy 813–815
FAHY, L. *see* HORTON, W. A., (*ARS*) 583–584P; 801–805
FAIRHURST, J. *see* FRASER, S., (*ARS*) 289P
FALCONER, R. J. and ROBINSON, B. J. Comparison of pulse oximeters: accuracy at low arterial pressure in volunteers 552–557
FARINOTTI, R. *see* SERVIN, F. 177–183
FARQUHAR, I. K. and HARRISON, J. D. Comparison of sedation with midazolam or diazemuls for upper gastrointestinal endoscopy, (*ARS*) 580P
FARROW-GILLESPIE, A. *see* CHRISTENSEN, S. 456–460
FAUVEL, N. J. *see* FELDMAN, S., (*ARS*) 585P; HARROP-GRIFFITHS, A. W., (*ARS*) 587P
FEE, J. P. H. *see* MCLOUGHLIN, C. 620–623
FELDMAN, S., FAUVEL, N. J. and HARROP-GRIFFITHS, A. W. Onset of neuromuscular block—an hypothesis, (*ARS*) 585P
FELDMAN, S., HARROP-GRIFFITHS, W. and HIRSCH, N., (editors) *Problems in Anaesthesia, Analysis and Management*, (*R*) 297
FELDMAN, S. *see* HARROP-GRIFFITHS, A. W., (*ARS*) 587P; SCURR, C., (*R*) 843
FENECK, R. O. *see* GOLDHILL, D. R. 749–753
FINEGAN, B. A. *see* WHITING, R. W., (*ARS*) 286P
FITCH, W. *see* MILLER, C. D. 698–703
FLEISCHER, J. E. *see* SCHELLER, M. S. 388–392
FLETCHER, J. *see* SEBEL, P. S., (*ARS*) 573–574P
FLETCHER, R. Pulse oximetry and the arterial to end-tidal P_{CO_2} difference in cyanotic children, (*ARS*) 274P
FLYNN, P. J. *see* EMMOTT, R. S. 480–486
FOËX, P. *see* SEAR, J. W., (*ARS*) 284–285P
FORD, G. C. *see* CARLI, F. 373–379
FORSMAN, M., TUBYLEWICZ OLSNES, B., SEMB, G. and STEEN, P. A. Effects of nimodipine on cerebral blood flow and neuropsychological outcome after cardiac surgery 514–520
FRANCIS, G. A. Transdermal hyoscine and postoperative nausea and vomiting, (*C*) 151
FRASER, S., GREEN, C., UNDERHILL, S., FAIRHURST, J., MAYCOCK, P. and CAMPBELL, I. T. Metabolic effects of dobutamine, (*ARS*) 289P
FRID, I. *see* WENNBERG, E. 654–660
FRITH, C. D. *see* NEWTON, D. E. F. 609–615

GALLACHER, C. J. and LUBARSKY, D. A. *Preparing for the Anesthesia Orals—Board Stiff*, (*R*) 843
GALLAGHER, C. *see* SEBEL, P. S., (*ARS*) 573–574P
GALLAGHER, H. and TRACEY, J. A. Organophosphorus insecticide poisoning, (*C*) 293–294
GAMBLE, J. *see* KOX, W. J., (*R*) 442
GANDY, J. *see* CARLI, F. 373–379
GARDEN, A. *see* DESBOROUGH, J. P. 833–836
GAVAGHAN, D. *see* SEAR, J. W., (*ARS*) 290–291P
GENT, J. P. *see* GUO, Z., (*ARS*) 589–590P
GEORGE, P. J. M. *see* GOLDHILL, D. R. 749–753
GIBNEY, E. J. *see* MCGRATH, K., (*ARS*) 584P
VAN DER GIESSEN, W. J. *see* VAN WOERKENS, L. J. 393–399
GILL, S. S., LEWIS, R. and REILLY, C. S. Comparative study of a stepdown infusion of propofol and a low dose infusion supplemented by boluses, (*ARS*) 282–283P
GILL, S. S., WRIGHT, E. M. and REILLY, C. S. Pharmacokinetic interaction of propofol and fentanyl: single bolus injection study 760–765
GIN, T., EWART, M. C., YAU, G. and OH, T. E. Effect of oral omeprazole on intragastric pH and volume in women undergoing elective Caesarean section 616–619
GLASS, P. S. A. *see* SEBEL, P. S., (*ARS*) 573–574P
GOLDHILL, D. R., HILL, A. J., WHITBURN, R. H., FENECK, R. O., GEORGE, P. J. M. and KEELING, P. Carboxyhaemoglobin concentrations, pulse oximetry and arterial blood-gas tensions during jet ventilation for Nd–YAG laser bronchoscopy 749–753
GOLDHILL, D. R. *see* EMMOTT, R. S. 480–486
GOLDMAN, M. D. *see* REEDER, M. K., (*ARS*) 572P; (*ARS*) 591–592P
GOODCHILD, C. S. *see* GUO, Z., (*ARS*) 589–590P
GOODMAN, N. W. Chaos in ventilatory timing in anaesthetized man?, (*ARS*) 274–275P; A second time-study of the anaesthetist's intraoperative period, (*C*) 841–842

GOUCKE, C. R. and GRAZIOTTI, P. Extradural abscess following local anaesthetic and steroid injection for chronic low back pain 427–429
GRAHAM, S. G. *see* LIU, D., (*ARS*) 575–576P
GRAVENSTEIN, J. S. and HOLZER, J. F., (editors) *Safety and Cost Containment in Anesthesia*, (*R*) 297
GRAY, B. M. *see* SMITH, M. 240–242
GRAY, I. G. *see* HUTCHISON, G. L. 500–503
GRAZIOTTI, P. *see* GOUCKE, C. R. 427–429
GREEN, C. *see* FRASER, S., (*ARS*) 289P
GREEN, C. J. *see* SAMUELS, T. A., (*ARS*) 278–279P
GREGORY, A. *see* TUCKER, G. T. 333–336
GRIFFITHS, D. and JONES, J. G. Awareness and memory in anaesthetized patients, (*E*) 603–606
GRIFFITHS, D. *see* NORTHWOOD, D., (*ARS*) 571–572P
GROPPER, M. A. *see* WIENER-KRONISH, J. P. 107–129
GROVES, N. D., LEACH, K. G. and ROSEN, M. Effects of halothane, enflurane and isoflurane anaesthesia on renal plasma flow 796–800
GRÜNERT, A. *see* ENSINGER, H. 786–790
GUO, Z., GENT, J. P. and GOODCHILD, C. S. Two GABA mechanisms for spinally-mediated antinociception: evidence from antagonism of 5-hydroxytryptamine by bicuculline, (*ARS*) 589–590P
GUPTA, B. *see* DZWONCZYK, R., (*C*) 842
GUZMAN, F., HEDLEY BROWN, A., BEEN, M., COOK, S., WREN, C. and RICHENS, D., (editors) *Manual of Cardiorespiratory Critical Care*, 1st Edn, (*R*) 600
GWINNUTT, C. L., EDDLESTON, J. M., EDWARDS, D. and POLLARD, B. J. Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma in three intensive care patients 829–832

HABERER, J. P. *see* SERVIN, F. 177–183
HADEN, R. M., SCOTT, P. V. and PINNOCK, C. A. Spinal obstetric anaesthesia with a 29-gauge needle, (*C*) 294–295
HALFACRE, J. A. *see* BRENNAN, L., (*C*) 594
HALJAMÄE, H. *see* WENNBERG, E. 654–660
HALL, G. M., LACOUMENTA, S., HART, G. R. and BURRIN, J. M. Site of action of fentanyl in inhibiting the pituitary–adrenal response to surgery in man 251–253
HALL, G. M. *see* IMRIE, M. M., (*C*) 439–440; LOUGHNAN, B. A. 643–647
HALLIDAY, D. *see* CARLI, F. 373–379
HALSALL, P. J. *see* URWYLER, A. 421–423
HANNING, C. D. *see* COLE, L., (*ARS*) 273–274P; LANGTON, J. A., 245–247; (*ARS*) 289–290P; 564–570
HANNON, V. *see* CROWLEY, K. 337–341
HANSEN, O. B. *see* LUND, C. 173–176
HARDY, P. *see* WENSTONE, R., (*C*) 731–732
HARDY, P. A. J. and WILLIAMS, N. E. Plasma concentrations of bupivacaine after stellate ganglion block using two volumes of 0.25% bupivacaine plain solution 243–244
HARGADEN, K. *see* MCCOY, D., (*ARS*) 584–585P
HARMER, M. *see* PIGGOTT, S. E. 325–329
HARRIS, J. *see* DYSON, A. 268–270
HARRISON, J. D. *see* FARQUHAR, I. K., (*ARS*) 580P
HARRISON, M. J. Intraoperative monitoring, (*C*) 597
HARROP-GRIFFITHS, A. W. *see* FELDMAN, S., (*ARS*) 585P
HARROP-GRIFFITHS, A. W., PLATT, M. W., FAUVEL, N. J., HIRSCH, N. P., PLUMLEY, M. H. and FELDMAN, S. Comparison of onset time and duration of actior of pipecuronium with high dose vecuronium during isoflurane and propofol anaesthesia, (*ARS*) 587P
HARROP-GRIFFITHS, W. *see* FELDMAN, S., (*R*) 297
HART, G. R. *see* HALL, G. M. 251–253
HATCH, D. J., CHAKRABARTI, M. K., WHITWAM, J. G., BINGHAM, R. M. and MACKERSIE, A. M. Comparison of two ventilators used with the T-piece in paediatric anaesthesia 262–267
HATCH, D. J. *see* BLACK, A. E. 461–467
HATTERSLEY, A. *see* DESBOROUGH, J. P. 833–836
HAUDECOEUR, G. *see* ADNET, P. J. 791–795
HEALY, T. E. J. *see* BEATTY, P. C. W., (*ARS*) 276P; BEECH, M., (*ARS*) 275P; DROPPERT, P. M., (*ARS*) 277P; (*ARS*) 591P
HEATH, M. L. *see* THOMAS, V. J., (*C*) 440
HEDLEY BROWN, A. *see* GUZMAN, F., (*R*) 600
VAN HEERDEN, P. V. *see* WILSON, I. H. 342–345
HEIJKE, S. *see* LUTSCH, P., (*ARS*) 282P
HEIJKE, S. A. M., SMITH, G. and KEY, A. Effect of the Trendelenburg position on lower oesophageal sphincter pressure, (*ARS*) 288P
HENNING, H. *see* STEPHAN, H. 380–387
HENSLEY JR, F. A. and MARTIN, D. F., (editors) *A Practice of Cardiac Anaesthesia*, 1st Edn, (*R*) 733
HERREGODS, L. *see* LERNO, G. 254–257
HETREED, M. A. *see* LOUGHNAN, B. A. 643–647
HILL, A. J. *see* GOLDHILL, D. R. 749–753
HILLER, A., OLKKOLA, K. T., ISOHANNI, P. and SAARNIVAARA, L. Unconsciousness associated with midazolam and erythromycin 826–828
HILLS, B. A. The role of lung surfactant 13–29
HIPKIN, L. J. *see* SAMUELS, T. A., (*ARS*) 278–279P
HIRABAYASHI, Y., SHIMIZU, R., MATSUDA, I. and INOUE, S. Effect of extradural compliance and resistance on spread of extradural analgesia 508–513
HIRSCH, N. *see* FELDMAN, S., (*R*) 297
HIRSCH, N. P. *see* HARROP-GRIFFITHS, A. W., (*ARS*) 587P
HIRSHMAN, C. A. and BERGMAN, C. A. Factors influencing intrapulmonary airway calibre during anaesthesia 30–42
HOFFSTEIN, V. and ZAMEL, N. Sleep apnoea and the upper airway 139–150
HOGAN, D. *see* PATTERSON, K. W., (*ARS*) 283–284P
HOGUE, C. W. *see* MARTYN, J. A. J., (*ARS*) 578P
HOLADAY, J. W. *see* BIHARI, D., (*R*) 297
HOLDCROFT, A. *see* SAMSOON, G., (*ARS*) 577P
HOLZER, J. F. *see* GRAVENSTEIN, J. S., (*R*) 297
HOPKINS, P. M. *see* URWYLER, A. 421–423
HORTON, W. A., FAHY, L. and CHARTERS, P. Factor analysis in difficult tracheal intubation: laryngoscopy-induced airway obstruction 801–805; Towards a single index for quantifying osseous factors in difficult laryngoscopy, (*ARS*) 583–584P
HORTON, W. A. *see* FAHY, L. 813–815
HOWARD, L. A. *see* LOUGHNAN, B. A. 643–647
HOWE, H. C. *see* JAMES, M. F. M. 430–432
HOWELL, P., DAVIES, W., WRIGLEY, M., TAN, P. and MORGAN, B. Comparison of four local extradural anaesthetic solutions for elective Caesarean section 648–653
HUIGEN, R. J. *see* VAN WOERKENS, L. J. 393–399
HULL, C. J. *see* JONES, J. G., (*E*) 1–3
HUNTER, J. M. *see* PARKER, C. J. R., (*ARS*) 272P; SHEARER, E. S., (*ARS*) 271P; (*ARS*) 586P
HUSEGAARD, H. C. *see* KRISTOFFERSEN, E. 504–507; OLSEN, K. H., (*C*) 293
HUSTED, J. C. *see* KRISTOFFERSEN, E. 504–507
HUTCHINSON, R. *see* LIN, E. S., (*ARS*) 279P
HUTCHISON, G. L., CROFTS, S. L. and GRAY, I. G. Preoperative piroxicam for postoperative analgesia in dental surgery 500–503

IAIZZO, P. A. *see* LEHMANN-HORN, F. 692–697
IMBENOTTE, M. *see* ADNET, P. J. 791–795
IMRIE, M. M. and HALL, G. M. Body temperature and anaesthesia, (*C*) 439–440
INGLIS, T. J. J. Pulmonary infection in intensive care units 94–106
INGRAM, S. *see* SMITH, M. 240–242
INOUE, S. *see* HIRABAYASHI, Y. 508–513

ISAAC, P. A. and ROSEN, M. Lower oesophageal contractility and detection of awareness during anaesthesia 319–324
ISOHANNI, P. *see* HILLER, A. 826–828

JAMES, I. G. EMLA: complications, (*C*) 295
JAMES, M. F. M. and HOWE, H. C. Prolonged paralysis following suxamethonium and the use of neostigmine 430–432
JANEWAY, D. *see* BUTTERWORTH, J. F. IV 537–539
JANSHON, G. *see* LEUWER, M., (*ARS*) 271–272P
JARVIS, A. P. *see* RICHARDS, M. J. 157–163
VON JESSEN, F. *see* ROSENBERG, J. 684–691
JEWKES, C. *see* SEAR, J. W., (*ARS*) 284–285P; YOUNG, J. D., (*ARS*) 572–573P
JEWKES, D. A. *see* SMITH, M. 240–242
JOHNSON, M. D. *see* AGLIO, L. S. 258–261
JOHNSTON, K. R. *see* YEE, M. K., (*ARS*) 276–277P
JONES, A. S. *see* CHARTERS, P. 424–426
JONES, J. G. and HULL, C. J. The influence of respiratory research on clinical progress, (*E*) 1–3
JONES, J. G. *see* GRIFFITHS, D., (*E*) 603–606; MURPHY, P. G., (*ARS*) 578–579P; NORTHWOOD, D., (*ARS*) 571–572P
JONES, M. J., MOTTRAM, S. D., LIN, E. S. and SMITH, G. Measurement of entrainment ratio during high frequency jet ventilation 197–203
JONES, R. D. M., CHAN, K. and ANDREWS, L. J. Pharmacokinetics of propofol in children 661–667
JONES, R. M. Desflurane and sevoflurane: inhalation anaesthetics for this decade? 527–536

KADIS, L. *see* KATZ, J., (*R*) 299
KALLI, I. Effect of surface electrode position on the compound action potential evoked by ulnar nerve stimulation during isoflurane anaesthesia 494–499
KAO, Y. J., TELLEZ, J. and TURNER, D. R. Dose-dependent effect of metoclopramide on cholinesterases and suxamethonium metabolism 220–224
KASHIMOTO, S., KUME, M. and KUMAZAWA, T. Functional and metabolic effects of bupivacaine and lignocaine in the rat heart–lung preparation 521–526
KATZ, J., BENUMOF, J. and KADIS, L., (editors) *Anesthesia and Uncommon Diseases*, 3rd Edn, (*R*) 299
KAYE, W. and BIRCHER, N. G., (editors) *Cardiopulmonary Resuscitation*, 1st Edn, (*R*) 298
KEELING, P. *see* GOLDHILL, D. R. 749–753
KEENS, S. J. *see* CAMPBELL, I. T. 726–729
KEHLET, H. *see* LUND, C. 173–176; ROSENBERG, J. 684–691
KELLY, D. G. *see* CROWLEY, K. 337–341
KENNY, G. N. C. Ketorolac trometamol—a new non-opioid analgesic, (*E*) 445–447
KESTIN, I. G. Incremental spinal anaesthesia using a 32-gauge catheter, (*ARS*) 280–281P
KEY, A. *see* HEIJKE, S. A. M., (*ARS*) 288P
KIMOVEC, M. A., KOHT, A. and SLOAN, T. B. Effects of sufentanil on median nerve somatosensory evoked potentials 169–172
KING, M., BEWES, P., CAIRNS, J. and THORNTON, J. *Primary Surgery—Volume 1—Non Trauma*, (*R*) 733
KING, T. A. and ADAMS, A. P. Failed tracheal intubation 400–414
KIRBY, R. J., BANNER, M. J. and DOWNS, J. B., (editors) *Clinical Applications of Ventilatory Support*, (*R*) 844–845
KIRBY, R. R. *see* MILLER, R. D., (*R*) 441–442
KIRKHAM, R. *see* PATTERSON, K. W., (*ARS*) 283–284P
KJELLMER, I. *see* WENNBERG, E. 654–660
KOH, S. O. and SEVERINGHAUS, J. W. Effect of halothane on hypoxic and hypercapnic ventilatory responses of goats 713–717
KOHT, A. *see* KIMOVEC, M. A. 169–172
KONIECZKO, K. *see* NEWTON, D. E. F. 609–615
KOOVARJEE, R. V. *see* BHAGWANJEE, S. 819–822
KOSKI, E. M. J. Transdermal hyoscine and postoperative nausea and vomiting, (*C*) 151
KOX, W. and BRYDON, C. Effect of sedation with alfentanil, midazolam or propofol on oxygen transport variables in the critically ill, (*ARS*) 278P
KOX, W. J. and GAMBLE, J., (editors) *Clinical Anaesthesiology, International Practice & Research, Volume 2, Number 3: Fluid Resuscitation.*, (*R*) 442
KRISTOFFERSEN, E., SLOTH, E., HUSTED, J. C., BACH, A. B., HUSEGAARD, H. C. and ZÜLOW, I. Spinal anaesthesia with plain 0.5% bupivacaine at 19 °C and 37 °C 504–507
KRISTOFFERSON, E. *see* OLSEN, K. H., (*C*) 293
KRIVOSIC-HORBER, R. M. *see* ADNET, P. J. 791–795
KUMAZAWA, T. *see* KASHIMOTO, S. 521–526
KUME, M. *see* KASHIMOTO, S. 521–526
KURKI, P. T. *see* KURKI, T. S. 558–563
KURKI, T. S., PIIRAINEN, H. I. and KURKI, P. T. Non-invasive monitoring of the finger arterial pressure in patients with Raynaud's phenomenon: effects of exposure to cold 558–563

LACOUMENTA, S. *see* HALL, G. M. 251–253
LAKE, C. L., (editor) *Clinical Monitoring*, 1st Edn, (*R*) 299–300
LAM, A. M. *see* CHUNG, D. C., (*R*) 600
LANGTON, J., STEVENS, R. and SMITH, G. A technique to assess laryngeal damage following tracheal intubation, (*ARS*) 590–591P
LANGTON, J., WILSON, I., BARKER, P. and SMITH, G. Preliminary observations of vocal cord movements on induction of anaesthesia with propofol or thiopentone, (*ARS*) 582–583P
LANGTON, J. A. and HANNING, C. D. Effect of motion artefact on pulse oximeters: evaluation of four instruments and finger probes 564–570; Effect of motion artefact on the function of four pulse oximeters, (*ARS*) 289–290P
LANGTON, J. A., LASSEY, D. and HANNING, C. D. Comparison of four pulse oximeters: effects of venous occlusion and cold-induced peripheral vasoconstriction 245–247
LANIER, W. L., MILDE, J. H. and SHARBROUGH, F. W. Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs 708–712
LASSEY, D. *see* LANGTON, J. A. 245–247
LAURENCE, A. S. *see* DESILVA, F., (*ARS*) 588–589P; SMITH, S. O., (*ARS*) 284P
LEACH, K. G. *see* GROVES, N. D. 796–800
LEANDER, E. *see* ERIKSSON, L. I., (*C*) 594–595
LE COULTRE, C. *see* PITTET, J. F. 779–785
LEEMANN, P. *see* PITTET, J. F. 779–785
LEHMANN-HORN, F. and IAIZZO, P. A. Are myotonias and periodic paralyses associated with susceptibility to malignant hyperthermia? 692–697
LEIGH, J. *see* WILSON, I. H. 342–345
LENNARD, M. S. *see* TUCKER, G. T. 333–336
LENNMARKEN, C. *see* ERIKSSON, L. I. 487–493; (*C*) 594–595
LEONARD, P. F. *see* BRUNER, J. M., (*R*) 600–601
LERMAN, J. *see* CHRISTENSEN, S. 456–460
LERNO, G., SLAATS, G., COENEN, E., HERREGODS, L. and ROLLY, G. Anaesthetic management of systemic mastocytosis 254–257
LEUWER, M. and JANSHON, G. Is the action of suxamethonium in children age-dependent?, (*ARS*) 271–272P
LEVRON, J. C. *see* MEISTELMAN, C., (*ARS*) 273P

LEWIS, I. H. *see* NIGHTINGALE, J. J., (*ARS*) 287–288P
LEWIS, R. *see* GILL, S. S., (*ARS*) 282–283P
LEWIS, R. P. *see* PEACOCK, J. E. 346–352
LIN, E. S., POON, W., HUTCHINSON, R. and OH, T. E. Spectral harmonic changes in intracranial pressure waveform occurring in patients with intracranial haemorrhage, (*ARS*) 279P
LIN, E. S. *see* JONES, M. J. 197–203
LIU, D. and AITKENHEAD, A. R. Comparison of contemporaneous and retrospective assessment of postoperative pain using a visual analogue scale, (*ARS*) 577–578P
LIU, D., THORP, T. A. S., GRAHAM, S. G. and AITKENHEAD, A. R. Incidence of recall of awareness during anaesthesia for non-obstetric surgery, (*ARS*) 575–576P
LLOYD-THOMAS, A. R., COLE, P. V. and PRIOR, P. F. Isoflurane prevents EEG depression during trimetaphan-induced hypotension in man 313–318; Quantitative EEG and brainstem auditory evoked potentials: comparison of isoflurane with halothane using the cerebral function analysing monitor 306–312
LOACH, A. B. *see* VENN, P. J. H., (*ARS*) 287P
LOH, L. *see* REEDER, M. K., (*ARS*) 572P; (*ARS*) 591–592P
LOUGHNAN, B. A., MURDOCH, L. J., HETREED, M. A., HOWARD, L. A. and HALL, G. M. Effects of 2% lignocaine on somatosensory evoked potentials recorded in the extradural space 643–647
LOWE, D. M. and MCCULLOUGH, A. M. 7th nerve palsy after extradural blood patch 721–722
LUBARSKY, D. A. *see* GALLACHER, C. J., (*R*) 843
LUCIER, G. C. *see* ELLIOT, R. H., (*ARS*) 573P
LUFF, N. P. *see* NEWTON, D. E. F. 609–615
LUGER, T. J., MORAWETZ, R. F. and MITTERSCHIFFTHALER, G. Subcutaneous flumazenil and recovery from midazolam, (*C*) 292–293
LUND, C., HANSEN, O. B. and KEHLET, H. Effect of surgery on sensory threshold and somatosensory evoked potentials after skin stimulation 173–176
LUTSCH, P., HEIJKE, S. and ROWBOTHAM, D. Preoperative ST abnormalities detected by the Compas ambulatory ECG monitor in patients scheduled to undergo peripheral arterial surgery, (*ARS*) 282P

MCALLISTER, A. *see* REASONER, D. K. 210–215
MCCARTHY, G. J. *see* MCLOUGHLIN, C. C., (*ARS*) 587–588P
MCCLUNE, S. *see* WRIGHT, P. M. C. 628–632
MCCOY, D., HARGADEN, K., BOUCHIER-HAYES, D. and CUNNINGHAM, A. J. Adrenoceptor and neuroendocrine responses to aortic cross clamp and release during abdominal aortic surgery, (*ARS*) 584–585P
MCCULLOUGH, A. M. *see* LOWE, D. M. 721–722
MCDONALD, J. S. *see* DZWONCZYK, R., (*C*) 842
MACFIE, A. G. *see* MAGIDES, A. D., (*ARS*) 580–581P
MCGRADY, E. M. *see* MARTIN, C. S. 330–332
MCGRATH, K., GIBNEY, E. J., BOUCHIER-HAYES, D. and CUNNINGHAM, A. J. Aortic cross clamp duration and haemodynamic performance in an experimental normovolaemic and hypovolaemic model, (*ARS*) 584P
MCKAY, A. C., MCKINNEY, M. S. and CLARKE, R. S. J. Effect of flumazenil on midazolam-induced amnesia 190–196
MACKERSIE, A. M. *see* HATCH, D. J. 262–267
MCKINNEY, M. S. *see* MCKAY, A. C. 190–196; MCLOUGHLIN, C. 620–623
MCLOUGHLIN, C., MCKINNEY, M. S., FEE, J. P. H. and BOULES, Z. Diclofenac for day-care arthroscopy surgery: comparison with a standard opioid therapy 620–623
MCLOUGHLIN, C. C., MIRAKHUR, R. K., TRIMBLE, E. R., MCCARTHY, G. J. and CLARKE, R. S. J. Study of biochemical changes following suxamethonium administration in children with strabismus, (*ARS*) 587–588P
MCQUAY, H. J. *see* NAGLE, C. J., (*C*) 730–731
MCSHANE, A. *see* CROWLEY, K. 337–341
MCSHANE, A. J. *see* BENSON, P., (*ARS*) 582P
MAGIDES, A. D., MACFIE, A. G., RICHMOND, M. N. and REILLY, C. S. Gastric emptying in pregnancy, (*ARS*) 580–581P
MAGORA, F. *see* SHIR, Y. 204–209
MAMELLE, G. *see* BOURGAIN, J. L. 737–743
MANNION, E. *see* BENSON, P., (*ARS*) 582P
MAPLESON, W. W. *see* YEE, M. K., (*ARS*) 276–277P
MARSZALEK, A. *see* RAIDOO, D. M. 248–250
MARTIN, C. S., MCGRADY, E. M., COLQUHOUN, A. and THORBURN, J. Extradural methadone and bupivacaine in labour 330–332
MARTIN, D. F. *see* HENSLEY JR, F. A., (*R*) 733
MARTYN, J. A. J. and HOGUE, C. W. Competitive antagonism of acetylcholine receptor increases receptor number and tolerance to tubocurarine, (*ARS*) 578P
MASSEY, N. J. A., SHERRY, K. M., OLDROYD, S. and PEACOCK, J. E. Pharmacokinetics of an infusion of propofol during cardiac surgery 475–479
MATHER, L. E., SELBY, D. G. and RUNCIMAN, W. B. Effects of propofol and of thiopentone anaesthesia on the regional kinetics of pethidine in the sheep 365–372
MATHER, L. E. *see* RUNCIMAN, W. B. 353–359; SELBY, D. G. 360–364; TUCKER, G. T. 333–336
MATSUDA, I. *see* HIRABAYASHI, Y. 508–513
MATTHAY, M. A. *see* WIENER-KRONISH, J. P. 107–129
MAYCOCK, P. *see* FRASER, S., (*ARS*) 289P
MEAKIN, G., WALKER, R. W. M. and DEARLOVE, O. R. Myotonic and neuromuscular blocking effects of increased doses of suxamethonium in infants and children 816–818
MEAKIN, G. *see* DROPPERT, P. M., (*ARS*) 277P; (*ARS*) 591P
MEDLEY, C. *see* PAVY, T. 624–627
MEHTA, R. L. *see* SMITH, D. 754–759
MEIKLEJOHN, B. *see* WILSON, I., (*ARS*) 288–289P
MEISTELMAN, C., LEVRON, J. C., BARRE, J. and BONNAY, M. Plasma protein binding of alfentanil: effects of age, pregnancy and cancer, (*ARS*) 273P
DE MELLO, W. F. and RESTALL, J. Management of major trauma, (*C*) 839–840
MENTHA, G. *see* PITTET, J. F. 779–785
MERRITT, H. *see* CARLI, F. 373–379
MICHAEL, S., APPLETON, D., RICHMOND, M. N. and REILLY, C. S. Diazepam pharmacokinetics: comparison of two formulations in three patient groups undergoing general anaesthesia, (*ARS*) 589P
MILDE, J. H. *see* LANIER, W. L. 708–712
MILIC-EMILI, J., ROBATTO, F. M. and BATES, J. H. T. Respiratory mechanics in anaesthesia 4–12
MILLER, C. D., ASBURY, A. J. and BROWN, J. H. Pupillary effects of alfentanil and morphine 415–417
MILLER, C. D., FITCH, W. and THOMSON, I. A. Effect of isoflurane on the canine hepatic circulation and hepatic oxygen balance 698–703
MILLER, C. D. and WARREN, S. J. I.v. lignocaine fails to attenuate the cardiovascular response to laryngoscopy and tracheal intubation 216–219
MILLER, R. D., KIRBY, R. R., OSTHEIMER, G. W., ROIZIN, M. F. and STOELTING, R. K., (editors) *Yearbook of Anaesthesia, 1989*, (*R*) 441–442
MINEO, R. *see* SHARROCK, N. E. 237–239
MIRAKHUR, R. K. *see* MCLOUGHLIN, C. C., (*ARS*) 587–588P
MITTERSCHIFFTHALER, G. *see* LUGER, T. J., (*C*) 292–293
MOORE, J. *see* WRIGHT, P. M. C. 628–632
MORAWETZ, R. F. *see* LUGER, T. J., (*C*) 292–293

MOREL, D. R. *see* PITTET, J. F. 779–785
MORGAN, B. *see* HOWELL, P. 648–653
MORGAN, M. *see* DESBOROUGH, J. P. 833–836
MORI, K. *see* AVRAMOV, M. N. 704–707
MORTIMER, A. J. *see* DROPPERT, P. M., (*ARS*) 277P; (*ARS*) 591P
MORTON, D. B. The Animals (Scientific Procedures) Act 1986 and Research into Anaesthesia, (*E*) 303–305
MOSS, E. and PRICE, D. J. Effect of propofol on brain retraction pressure and cerebral perfusion pressure 823–825
MOTTRAM, S. D. *see* JONES, M. J. 197–203
MOXHAM, J. Respiratory muscle fatigue: mechanisms, evaluation and therapy 43–53
MUIR, A. D. *see* REEDER, M. K., (*ARS*) 572P; (*ARS*) 591–592P
MULROY, M. F. *Regional Anesthesia: An Illustrated Procedural Guide*, 1st Edn, (*R*) 598
MURDOCH, L. J. *see* LOUGHNAN, B. A. 643–647
MURPHY, D. F. *see* PAVY, T. 624–627
MURPHY, M. R. *see* SEBEL, P. S., (*ARS*) 573–574P
MURPHY, P. G., MYERS, D. and JONES, J. G. Effect of oxpentifylline on endotoxin/smoke-induced lung injury, (*ARS*) 578–579P
MYERS, D. *see* MURPHY, P. G., (*ARS*) 578–579P

NAGLE, C. J. and MCQUAY, H. J. Extradural pethidine, (*C*) 730–731
NAKAKIMURA, K. *see* SCHELLER, M. S. 388–392
NAUTH-MISIR, N. *see* BLACK, A. E. 461–467
NEWTON, D. E. F., THORNTON, C., KONIECZKO, K., FRITH, C. D., DORÉ, C. J., WEBSTER, N. R. and LUFF, N. P. Levels of consciousness in volunteers breathing sub-MAC concentrations of isoflurane 609–615
NICOLE, A. *see* BORGEAT, A. 548–551
NIELSEN, T. H. *see* OLSEN, K. H., (*C*) 293
NIGHTINGALE, J. J. and LEWIS, I. H. Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, (*ARS*) 287–288P
NIMMO, W. S. *see* PEACOCK, J. E. 346–352
NOBLE, D. W. *see* POWER, I. 448–455
NOONAN, N. *see* PATTERSON, K. W., (*ARS*) 283–284P
NORTH, B. and REILLY, P. *Raised Intracranial Pressure—A Clinical Guide*, (*R*) 843–844
NORTHWOOD, D., SAPSFORD, D., WILKINS, C., GRIFFITHS, D. and JONES, J. G. Effect of nitrous oxide sedation on the ventilatory response during hypocapnia, (*ARS*) 571–572P
NUNN, J. F. Carbon dioxide cylinders on anaesthetic apparatus, (*E*) 155–156; Effects of anaesthesia on respiration 54–62

ØBERG, B. *see* ARENDT-NIELSEN, L. 164–168; 633–638
OH, T. E. *see* GIN, T. 616–619; LIN, E. S., (*ARS*) 279P
OLDROYD, S. *see* MASSEY, N. J. A. 475–479
OLKKOLA, K. T. *see* HILLER, A. 826–828
OLSEN, K. H., NIELSEN, T. H., KRISTOFFERSON, E., HUSEGAARD, H. C., WERNBERG, M. and DØRUP, J. Power and spinal analgesia, (*C*) 293
ORLOWSKI, M. *see* POLLARD, B. J., (*ARS*) 586P
ORR, D. A. *see* WRIGHT, P. M. C. 628–632
OSTHEIMER, G. W. *see* MILLER, R. D., (*R*) 441–442
O'SULLIVAN, E. P. *see* SHEARER, E. S., (*ARS*) 271P; (*ARS*) 586P
O'TOOLE, D. P. *see* WRIGHT, P. M. C., (*ARS*) 592–593P
OWEN, H. *see* CURRIE, J., (*ARS*) 576P

PARK, G. R. *see* BURNS, A. M. 418–420
PARKER, C. J. R. and HUNTER, J. M. Relationship of plasma concentration of atracurium to response using the train-of-four ratio, (*ARS*) 272P
PATTERSON, K. W., NOONAN, N., HOGAN, D. and KIRKHAM, R. Oxygen saturation change during upper gastrointestinal endoscopy: use of supplementary oxygen to prevent desaturation, (*ARS*) 283–284P
PATTERSON, K. W. and SCANLON, P. An unusual complication of brachial plexus sheath cannulation 542–543
PAVY, T., MEDLEY, C. and MURPHY, D. F. Effect of indomethacin on pain relief after thoracotomy 624–627
PEACOCK, J. E., LEWIS, R. P., REILLY, C. S. and NIMMO, W. S. Effect of different rates of infusion of propofol for induction of anaesthesia in elderly patients 346–352
PEACOCK, J. E. *see* MASSEY, N. J. A. 475–479
PEARSON, J. *see* SMITH, D. 754–759
PERRISS, B. W. and WILSON, I. H. Extradural pethidine, (*C*) 731
PIGGOTT, S. E., BOGOD, D. G., ROSEN, M., REES, G. A. D. and HARMER, M. Isoflurane with either 100% oxygen or 50% nitrous oxide in oxygen for Caesarean section 325–329
PIIRAINEN, H. I. *see* KURKI, T. S. 558–563
PINNOCK, C. A. *see* HADEN, R. M., (*C*) 294–295
PITTET, J. F., TASSONYI, E., SCHOPFER, C., MOREL, D. R., LEEMANN, P., MENTHA, G., LE COULTRE, C., STEINIG, D. A. and BENAKIS, A. Dose requirements and plasma concentrations of pipecuronium during bilateral renal exclusion and orthotopic liver transplantation in pigs 779–785
PLATT, M. W. *see* HARROP-GRIFFITHS, A. W., (*ARS*) 587P
PLUMLEY, M. H. *see* HARROP-GRIFFITHS, A. W., (*ARS*) 587P
PLUMMER, J. L. *see* CURRIE, J., (*ARS*) 576P
POEHLING, G. G. *see* BUTTERWORTH, J. F. IV 537–539
POLLARD, B. J. and ORLOWSKI, M. Doxapram- and neostigmine-evoked antagonism of vecuronium neuromuscular block, (*ARS*) 586P
POLLARD, B. J. *see* GWINNUTT, C. L. 829–832; RYAN, J. P., (*ARS*) 285–286P
PONTE, J. Extradurals and shivering, (*C*) 732
POON, W. *see* LIN, E. S., (*ARS*) 279P
POPAT, M. T., DYAR, O. J. and BLOGG, C. E. Comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH, (*ARS*) 581P
POPOVIC, V. *see* BORGEAT, A. 548–551
POWER, I., NOBLE, D. W., DOUGLAS, E. and SPENCE, A. A. Comparison of i.m. ketorolac trometamol and morphine sulphate for pain relief after cholecystectomy 448–455
POWER, K. J. Clinical evaluation of foam-cuffed tracheal tubes, (*ARS*) 284P; Foam cuffed tracheal tubes: clinical and laboratory assessment 433–437
PRICE, D. J. *see* MOSS, E. 823–825
PRIOR, P. F. *see* LLOYD-THOMAS, A. R. 306–312; 313–318
PRYS-ROBERTS, C. *see* RAFTERY, S., (*ARS*) 575P; RICHARDS, M. J. 157–163; SPENCER, E. M., (*ARS*) 574–575P

QUAYNOR, H., CORBEY, M. and BERG, P. Spinal anaesthesia in day-care surgery with a 26-gauge needle 766–769
QUILL, T. *see* SEBEL, P. S., (*ARS*) 573–574P
QUINN, K. *see* COLE, L., (*ARS*) 273–274P

RAFTERY, S., ENEVER, G. and PRYS-ROBERTS, C. Oesophageal contractility during total i.v. anaesthesia, (*ARS*) 575P
RAIDOO, D. M., ROCKE, D. A., BROCK-UTNE, J. G., MARSZALEK, A. and ENGELBRECHT, H. E. Critical volume for pulmonary acid aspiration: reappraisal in a primate model 248–250
RAMACHANDRA, V. *see* CARLI, F. 373–379
RASMUSSEN, V. *see* ROSENBERG, J. 684–691

READ, M. *see* CARLI, F. 373–379; YEE, M. K., (*ARS*) 276–277P
REASONER, D. K., WARNER, D. S., TODD, M. M. and MCALLISTER, A. Effects of nitrous oxide on cerebral metabolic rate in rats anaesthetized with isoflurane 210–215
REEDER, M. K., LOH, L., GOLDMAN, M. D., MUIR, A. D., CASEY, K. R. and SYKES, M. K. Postoperative hypoxaemia following major abdominal vascular surgery: a preoperative and postoperative study using pulse oximetry, (*ARS*) 591–592P; Preoperative overnight pulse oximetry as a predictor of pulmonary complications after major vascular surgery, (*ARS*) 572P
REES, G. A. D. *see* PIGGOTT, S. E. 325–329
REEVE, W. G. and TODD, J. G. Intraventricular diamorphine via an Ommaya shunt for intractable cancer pain 544–547
REILLY, C. S. *see* GILL, S. S., (*ARS*) 282–283P; 760–765; MAGIDES, A. D., (*ARS*) 580–581P; MICHAEL, S., (*ARS*) 589P; PEACOCK, J. E. 346–352
REILLY, P. *see* NORTH, B., (*R*) 843–844
REINHART, K. and EYRICH, K., (editors) *Sepsis—An Interdisciplinary Challenge*, 1st Edn, (*R*) 298
RENNIE, M. J. *see* SAMUELS, T. A., (*ARS*) 278–279P
RESTALL, J. *see* DE MELLO, W. F., (*C*) 839–840
REYFORD, G. H. *see* ADNET, P. J. 791–795
RICHARDS, M. J., SKUES, M. A., JARVIS, A. P. and PRYS-ROBERTS, C. Total i.v. anaesthesia with propofol and alfentanil: dose requirements for propofol and the effect of premedication with clonidine 157–163
RICHENS, D. *see* GUZMAN, F., (*R*) 600
RICHMOND, M. N. *see* MAGIDES, A. D., (*ARS*) 580–581P; MICHAEL, S., (*ARS*) 589P
ROBATTO, F. M. *see* MILIC-EMILI, J. 4–12
ROBERTSON, S. *see* COLE, L., (*ARS*) 273–274P
ROBINSON, B. J. *see* FALCONER, R. J. 552–557
ROCKE, D. A. *see* BHAGWANJEE, S. 819–822; RAIDOO, D. M. 248–250; ROUT, C. C. 468–474
ROIZEN, M. F., (editor) *Anesthesia for Vascular Surgery*, 1st Edn, (*R*) 599
ROIZIN, M. F. *see* MILLER, R. D., (*R*) 441–442
ROLLY, G. *see* LERNO, G. 254–257
ROS, P. *see* BOER, F. 184–189
ROSEN, M. *see* GROVES, N. D. 796–800; ISAAC, P. A. 319–324; PIGGOTT, S. E. 325–329; YEE, M. K., (*ARS*) 276–277P
ROSEN, M. R. *see* CLYBURN, P. A., (*C*) 596–597
ROSENBERG, J., RASMUSSEN, V., VON JESSEN, F., ULLSTAD, T. and KEHLET, H. Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities 684–691
ROSENBERG, P. H. *see* TAIVAINEN, T. 234–236
ROTH, S. H. *see* ELLIOT, R. H., (*ARS*) 573P
ROUT, C. C. and ROCKE, D. A. Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension 468–474
ROUT, C. C. *see* BHAGWANJEE, S. 819–822
ROWBOTHAM, D. *see* LUTSCH, P., (*ARS*) 282P
ROWBOTHAM, D. J. Omeprazole—a useful new agent?, (*E*) 607–608
RUNCIMAN, W. B., MATHER, L. E. and SELBY, D. G. Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep 353–359
RUNCIMAN, W. B. *see* MATHER, L. E. 365–372; SELBY, D. G. 360–364
RYAN, J. P., THOMAS, A. N. and POLLARD, B. J. Cardiovascular effects of etomidate, thiopentone or an etomidate–midazolam mixture, (*ARS*) 285–286P

SAARNIVAARA, L. *see* HILLER, A. 826–828
SAMSOON, G., BAUDOUIN, C. and HOLDCROFT, A. Relation of lumbar tissue damage and backache after delivery, (*ARS*) 577P
SAMUEL, M. P. *see* BUTTERWORTH, J. F. IV 537–539
SAMUELS, T. A., DEVLIN, J. C., GREEN, C. J., HIPKIN, L. J., CAMPBELL, I. T. and RENNIE, M. J. Plasma leucine turnover and oxidation in critical illness, (*ARS*) 278–279P
SANDERS, D. *see* SEAR, J. W., (*ARS*) 284–285P
SAPSFORD, D. *see* NORTHWOOD, D., (*ARS*) 571–572P
SCANLON, P. *see* PATTERSON, K. W. 542–543
SCHELLER, M. S., NAKAKIMURA, K., FLEISCHER, J. E. and ZORNOW, M. H. Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane 388–392
SCHOPFER, C. *see* PITTET, J. F. 779–785
SCHULTE-MONTING, J. *see* SHIR, Y. 204–209
SCHWANDER, D. *see* BORGEAT, A. 548–551
SCOTT, D. B. *Introduction to Regional Anaesthesia*, 1st Edn, (*R*) 296; *Techniques of Regional Anaesthesia*, 1st Edn, (*R*) 296
SCOTT, P. V. *see* HADEN, R. M., (*C*) 294–295
SCOTT, R. P. F. Clinical observations on Org 9426, (*C*) 839
SCOTT, W. A. C. *see* ENGLISH, M. J. M., (*C*) 438–439
SCURR, C., FELDMAN, S. and SONI, N., (editors) *Scientific Foundations of Anaesthesia: The Basis of Intensive Care*, (*R*) 843
SEAR, J. W. and GAVAGHAN, D. Dynamic–kinetic relationships for sufentanil during nitrous oxide–oxygen anaesthesia, (*ARS*) 290–291P
SEAR, J. W., JEWKES, C., SANDERS, D., VERHOEFF, F. and FOËX, P. Beta-adrenoceptor block affects only heart rate response to laryngoscopy and intubation in hypertensive patients, (*ARS*) 284–285P
SEBEL, P. S., GLASS, P. S. A., MURPHY, M. R., GALLAGHER, C., FLETCHER, J. and QUILL, T. MAC reduction of desflurane with fentanyl: comparison with isoflurane, (*ARS*) 573–574P
SELBY, D. G., MATHER, L. E. and RUNCIMAN, W. B. Effects of propofol and of thiopentone anaesthesia on the renal clearance of cefoxitin in the sheep 360–364
SELBY, D. G. *see* MATHER, L. E. 365–372; RUNCIMAN, W. B. 353–359
SEMB, G. *see* FORSMAN, M. 514–520
SERVIN, F., COCKSHOTT, I. D., FARINOTTI, R., HABERER, J. P., WINCKLER, C. and DESMONTS, J. M. Pharmacokinetics of propofol infusions in patients with cirrhosis 177–183
SEVERINGHAUS, J. W. *see* KOH, S. O. 713–717
SHAH, J. L. May extradural pressure be positive?, (*ARS*) 280P
SHARBROUGH, F. W. *see* LANIER, W. L. 708–712
SHARROCK, N. E., URQUHART, B. and MINEO, R. Extradural anaesthesia in patients with previous lumbar spine surgery 237–239
SHEARER, E. S., O'SULLIVAN, E. P. and HUNTER, J. M. Clearance of atracurium, laudanosine and monoquaternary alcohol by haemofiltration in the critically ill patient, (*ARS*) 271P; Urinary clearance of atracurium, laudanosine and monoquaternary alcohol in the intensive care patient with normal renal function, (*ARS*) 586P
SHELLEY, M. P. *see* BURNS, A. M. 418–420
SHELLY, M. P. *see* DROPPERT, P. M., (*ARS*) 591P
SHERRY, K. M. *see* MASSEY, N. J. A. 475–479
SHIMIZU, R. *see* HIRABAYASHI, Y. 508–513
SHIR, Y., EIMERL, D., MAGORA, F., DAMM, D., SCHULTE-MONTING, J. and CHRUBASIK, J. Plasma concentrations of methadone during postoperative patient-controlled extradural analgesia 204–209
SHUTT, L. E. Axillary brachial plexus block: choice of technique?, (*C*) 438

SIMONS, R. S. and CHAMNEY, A. R. Tests on airway adjuncts used for expired air resuscitation, (*ARS*) 579–580P
SIMPSON, D. S. and SOUTER, A. J. A computer designed graph for administration of atracurium by i.v. infusion 770–778
SKUES, M. A. *see* RICHARDS, M. J. 157–163
SLAATS, G. *see* LERNO, G. 254–257
SLOAN, T. B. *see* KIMOVEC, M. A. 169–172
SLOTH, E. *see* KRISTOFFERSEN, E. 504–507
SMITH, B. E. Developments in the safe use of high frequency jet ventilation, (*E*) 735–736; High frequency ventilation: past, present and future? 130–138
SMITH, D., WOOD, M., PEARSON, J., MEHTA, R. L. and CARLI, F. Effects of enflurane and isoflurane in air–oxygen on changes in thermal balance during and after surgery 754–759
SMITH, D. C. Central enhancement of evoked electromyography, (*ARS*) 290P
SMITH, G. *see* HEIJKE, S. A. M., (*ARS*) 288P; JONES, M. J. 197–203; LANGTON, J., (*ARS*) 582–583P; (*ARS*) 590–591P; WILSON, I., (*ARS*) 288–289P
SMITH, M., GRAY, B. M., INGRAM, S. and JEWKES, D. A. Double-blind comparison of topical lignocaine–prilocaine cream (EMLA) and lignocaine infiltration for arterial cannulation in adults 240–242
SMITH, S. O., LAURENCE, A. S. and DESILVA, F. Survey of day-case morbidity by domiciliary assessment, (*ARS*) 284P
SMITH, S. O. *see* DESILVA, F., (*ARS*) 588–589P
SONI, N. *see* SCURR, C., (*R*) 843
SONNTAG, H. *see* STEPHAN, H. 380–387
SOUTER, A. J. *see* SIMPSON, D. S. 770–778
SPANGSBERG, N. *see* ARENDT-NIELSEN, L. 639–642
SPEEDY, H. Halothane hepatitis, (*C*) 841
SPENCE, A. A. and WINTER, A. An international consensus on monitoring, (*C*) 295
SPENCE, A. A. *see* CAMPBELL, D., (*R*) 153; POWER, I. 448–455; WINTER, A. W., (*C*) 597
SPENCER, E. M., WILLATTS, S. M. and PRYS-ROBERTS, C. Effect of prolonged sedation with isoflurane on plasma fluoride concentrations in critically ill patients, (*ARS*) 574–575P
SPITTAL, M. *see* YOUNG, J. D., (*ARS*) 572–573P
STAFFORD, M. A. *see* BATCHELOR, A. M., (*ARS*) 576–577P
STAUN, P. *see* ERIKSSON, L. I. 487–493
STEEN, P. A. *see* FORSMAN, M. 514–520
STEINIG, D. A. *see* PITTET, J. F. 779–785
STEPHAN, H., SONNTAG, H., HENNING, H. and YOSHIMINE, K. Cardiovascular and renal haemodynamic effects of dopexamine: comparison with dopamine 380–387
STEVENS, R. *see* LANGTON, J., (*ARS*) 590–591P
STEWARD, D. J., *Manual of Pediatric Anesthesia*, 3rd Edn, (*R*) 598–599
STEWART, R. *see* BENSON, P., (*ARS*) 582P
STOELTING, R. K. *see* MILLER, R. D., (*R*) 441–442
SURESH, D. Blind nasal intubation—the only option?, (*C*) 294
SUTTON, D. A second time-study of the anaesthetist's intraoperative period, (*C*) 842
SYKES, M. K. *see* REEDER, M. K., (*ARS*) 572P; (*ARS*) 591–592P
SZALADOS, J. E., DONATI, F. and BEVAN, D. R. Nitrous oxide potentiates suxamethonium block in man, (*ARS*) 272–273P

TAIVAINEN, T., TUOMINEN, M. and ROSENBERG, P. H. Spinal anaesthesia with hypobaric 0.19% or plain 0.5% bupivacaine 234–236
TAM, Y. K. *see* WHITING, R. W., (*ARS*) 286P
TAN, P. *see* HOWELL, P. 648–653
TASSONYI, E. *see* PITTET, J. F. 779–785
TAYLOR, G. T. *see* CAMPBELL, I. T. 726–729
TAYLOR, I. *see* DESBOROUGH, J. P. 833–836
TEITZEL, R. *see* CURRIE, J., (*ARS*) 576P
TELLEZ, J. *see* KAO, Y. J. 220–224
THOMAS, A. N. *see* RYAN, J. P., (*ARS*) 285–286P
THOMAS, V. J. and HEATH, M. L. Postoperative patient-controlled analgesia, (*C*) 440
THOMSON, I. A. *see* MILLER, C. D. 698–703
THORBURN, J. *see* MARTIN, C. S. 330–332
THORNTON, C. *see* NEWTON, D. E. F. 609–615
THORNTON, J. *see* KING, M., (*R*) 733
THORP, T. A. S. *see* LIU, D., (*ARS*) 575–576P
TODD, J. G. *see* REEVE, W. G. 544–547
TODD, M. M. *see* REASONER, D. K. 210–215
TRACEY, J. A. *see* GALLAGHER, H., (*C*) 293–294
TRIMBLE, E. R. *see* MCLOUGHLIN, C. C., (*ARS*) 587–588P
TROTTER, T. N. Power and spinal analgesia, (*C*) 293
TRUFFA-BACHI, J. *see* BOURGAIN, J. L. 737–743
TUBYLEWICZ OLSNES, B. *see* FORSMAN, M. 514–520
TUCKER, G. T., MATHER, L. E., LENNARD, M. S. and GREGORY, A. Plasma concentrations of the stereoisomers of prilocaine after administration of the racemate: implications for toxicity? 333–336
TUOMINEN, M. *see* TAIVAINEN, T. 234–236
TURNER, D. R. *see* KAO, Y. J. 220–224
TWEEDIE, I. E. *see* CAMPBELL, I. T. 726–729

ULLSTAD, T. *see* ROSENBERG, J. 684–691
UNDERHILL, S. *see* FRASER, S., (*ARS*) 289P
URQUHART, B. *see* SHARROCK, N. E. 237–239
URWYLER, A., ELLIS, F. R., HALSALL, P. J. and HOPKINS, P. M. Muscle relaxation rates in individuals susceptible to malignant hyperthermia 421–423

VALENTINE, S. J. and BARROWCLIFFE, M. P. Effect of cardiopulmonary bypass flow on renal function, (*ARS*) 279–280P
VAN BRUMMELEN, P. *see* BOER, F. 184–189
VAN DER KROGT, J. *see* BOER, F. 184–189
VENN, P. J. H., LOACH, A. B. and COLLINS, P. D. Effect of speed of injection on the dose required to induce anaesthesia with propofol, (*ARS*) 287P
VERDOUW, P. D. *see* VAN WOERKENS, L. J. 393–399
VERHOEFF, F. *see* SEAR, J. W., (*ARS*) 284–285P
VIBY-MOGENSEN, J. *see* ERIKSSON, L. I. 487–493
VICKERS, M. D. *see* CLYBURN, P. A., (*C*) 596–597

WALKER, R. W. M. *see* MEAKIN, G. 816–818
WALKER, S. *see* BURNS, A. M. 418–420
WANG, C., CHAKRABARTI, M. K. and WHITWAM, J. G. Relative effects of intrathecal midazolam and fentanyl on Aδ and C reflexes, (*ARS*) 590P
WARK, H. Halothane hepatitis, (*C*) 840–841
WARNER, D. S. *see* REASONER, D. K. 210–215
WARREN, S. J. *see* MILLER, C. D. 216–219
WEBSTER, N. R. *see* NEWTON, D. E. F. 609–615
WENNBERG, E., FRID, I., HALJAMÄE, H., WENNERGREN, M. and KJELLMER, I. Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section 654–660
WENNERGREN, M. *see* WENNBERG, E. 654–660
WENSTONE, R. and HARDY, P. Extradurals and shivering, (*C*) 731–732
WERNBERG, M. *see* OLSEN, K. H., (*C*) 293
WHITBURN, R. H. *see* GOLDHILL, D. R. 749–753
WHITING, R. W., FINEGAN, B. A., TAM, Y. K. and CLANACHAN, A. S. Enhancement of bupivacaine toxicity by therapeutic plasma concentrations of diltiazem in the anaesthetized dog, (*ARS*) 286P
WHITWAM, J. G. *see* HATCH, D. J. 262–267; WANG, C., (*ARS*) 590P

WIENER-KRONISH, J. P., GROPPER, M. A. and MATTHAY, M. A. The adult respiratory distress syndrome: definition and prognosis, pathogenesis and treatment 107–129
WIERDA, J. M. K. H. and AGOSTON, S. Clinical observations on Org 9426, (*C*) 839
WILKINS, C. *see* NORTHWOOD, D., (*ARS*) 571–572P
WILLATTS, S. M. *see* SPENCER, E. M., (*ARS*) 574–575P
WILLIAMS, N. E. *see* HARDY, P. A. J. 243–244
WILSON, I., MEIKLEJOHN, B. and SMITH, G. Effect of i.v. lignocaine on the cardiovascular and catecholamine responses to laryngoscopy and intubation, (*ARS*) 288–289P
WILSON, I. *see* LANGTON, J., (*ARS*) 582–583P
WILSON, I. H., VAN HEERDEN, P. V. and LEIGH, J. Domiciliary oxygen concentrators in anaesthesia: preoxygenation techniques and inspired oxygen concentrations 342–345
WILSON, I. H. *see* PERRISS, B. W., (*C*) 731
WINCKLER, C. *see* SERVIN, F. 177–183
WINTER, A. *see* SPENCE, A. A., (*C*) 295
WINTER, A. W. and SPENCE, A. A. Intraoperative monitoring, (*C*) 597
VAN WOERKENS, L. J., DUNCKER, D. J., HUIGEN, R. J., VAN DER GIESSEN, W. J. and VERDOUW, P. D. Redistribution of cardiac output caused by opening of arteriovenous anastomoses by a combination of azaperone and metomidate 393–399
WOLFF, A. *see* DESBOROUGH, J. P. 833–836
WOLOSZCZUK-GEBICKA, B. Influence of halothane on the train-of-four fade after atracurium in children 540–541
WOOD, M. *see* SMITH, D. 754–759
WOODS, S. D. *see* BRENNAN, L., (*C*) 594
WREN, C. *see* GUZMAN, F., (*R*) 600
WRIGHT, E. M. *see* GILL, S. S. 760–765
WRIGHT, P. M. C., CARABINE, U. A., MCCLUNE, S., ORR, D. A. and MOORE, J. Preanaesthetic medication with clonidine 628–632
WRIGHT, P. M. C., O'TOOLE, D. P. and BARRON, D. W. Influence of low-dose naloxone infusion on hypothalamo–pituitary–adrenocortical activity, (*ARS*) 592–593P
WRIGLEY, M. *see* HOWELL, P. 648–653

YAKSH, T. L. Extradural somatostatin, (*C*) 152
YANG, J. *see* DUNDEE, J. W., (*ARS*) 281P
YATE, P. M. *see* EMMOTT, R. S. 480–486
YAU, G. *see* GIN, T. 616–619
YEE, M. K., READ, M., JOHNSTON, K. R., MAPLESON, W. W. and ROSEN, M. Ventilatory responses to sevoflurane and halothane in the rat, (*ARS*) 276–277P
YOSHIMINE, K. *see* STEPHAN, H. 380–387
YOUNG, J. D., JEWKES, C., SPITTAL, M. and BLOGG, C. Response time of pulse oximeters to rapid changes in saturation, (*ARS*) 572–573P

ZAMEL, N. *see* HOFFSTEIN, V. 139–150
ZORNOW, M. H. *see* SCHELLER, M. S. 388–392
ZÜLOW, I. *see* KRISTOFFERSEN, E. 504–507

SUBJECT INDEX

Acupuncture, P6 acupuncture antiemesis in cancer chemotherapy: comparison of needling and percutaneous electrical stimulation, DUNDEE, J. W., *et al.*, (*ARS*) 281P

Adductor pollicis, Muscle relaxation rates in individuals susceptible to malignant hyperthermia, URWYLER, A., *et al.* 421–423

Age factors, Diazepam pharmacokinetics: comparison of two formulations in three patient groups undergoing general anaesthesia, MICHAEL, S., *et al.*, (*ARS*) 589P

——, Effect of different rates of infusion of propofol for induction of anaesthesia in elderly patients, PEACOCK, J. E., *et al.* 346–352

——, Is the action of suxamethonium in children age-dependent? LEUWER, M., *et al.*, (*ARS*) 271–272P

——, Plasma protein binding of alfentanil: effects of age, pregnancy and cancer, MEISTELMAN, C., *et al.*, (*ARS*) 273P

Airway, adjuncts, Tests on airway adjuncts used for expired air resuscitation, SIMONS, R. S., *et al.*, (*ARS*) 579–580P

Airway, calibre, Factors influencing intrapulmonary airway calibre during anaesthesia, HIRSHMAN, C. A., *et al.* 30–42

Airway, elastance, Respiratory mechanics in anaesthesia, MILIC-EMILI, J., *et al.* 4–12

Airway, intrapulmonary, Factors influencing intrapulmonary airway calibre during anaesthesia, HIRSHMAN, C. A., *et al.* 30–42

Airway, obstruction, Blind nasal intubation—the only option? SURESH, D., (*C*) 294

——, Developments in the safe use of high frequency jet ventilation, SMITH, B. E., (*E*) 735–736

——, Factor analysis in difficult tracheal intubation: laryngoscopy-induced airway obstruction, HORTON, W. A., *et al.* 801–805

——, Sleep apnoea and the upper airway, HOFFSTEIN, V., *et al.* 139–150

——, Ultrasound assessment of the position of the tongue during induction of anaesthesia, ABERNETHY, L. J., *et al.* 744–748

Airway, pressure, Measurement of end-expiratory pressure during transtracheal high frequency jet ventilation for laryngoscopy, BOURGAIN, J. L., *et al.* 737–743

Airway, resistance, Respiratory mechanics in anaesthesia, MILIC-EMILI, J., *et al.* 4–12

Airway, tongue, Ultrasound assessment of the position of the tongue during induction of anaesthesia, ABERNETHY, L. J., *et al.* 744–748

Allergy, intradermal tests, Anaesthetic management of systemic mastocytosis, LERNO, G., *et al.* 254–257

Anaesthesia, dental, Preoperative piroxicam for postoperative analgesia in dental surgery, HUTCHISON, G. L., *et al.* 500–503

——, Sexual fantasies during midazolam sedation, DUNDEE, J. W., (*ARS*) 281P

——, Survey of day-case morbidity by domiciliary assessment, SMITH, S. O., *et al.*, (*ARS*) 284P

Anaesthesia, depth, Levels of consciousness in volunteers breathing sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 609–615

——, Lower oesophageal contractility and detection of awareness during anaesthesia, ISAAC, P. A., *et al.* 319–324

Anaesthesia, general, Breath by breath gas exchange measurement during general anaesthesia, BEECH, M., *et al.*, (*ARS*) 275P

——, Continuous measurement of FRC during general anaesthesia, BEATTY, P. C. W., *et al.*, (*ARS*) 276P

——, Effect of general anaesthesia on whole body protein turnover in patients undergoing elective surgery, CARLI, F., *et al.* 373–379

——, Effects of anaesthesia on respiration, NUNN, J. F. 54–62

——, Effects of anaesthetics on the pulmonary circulation, EISENKRAFT, J. B. 63–78

——, Factors influencing intrapulmonary airway calibre during anaesthesia, HIRSHMAN, C. A., *et al.* 30–42

——, Respiratory mechanics in anaesthesia, MILIC-EMILI, J., *et al.* 4–12

Anaesthesia, obstetric, Anaesthetic management of myocardial infarction in a parturient, AGLIO, L. S., *et al.* 258–261

——, Comparison of four local extradural anaesthetic solutions for elective Caesarean section, HOWELL, P., *et al.* 648–653

——, Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section, WENNBERG, E., *et al.* 654–660

——, Critical volume for pulmonary acid aspiration: reappraisal in a primate model, RAIDOO, D. M., *et al.* 248–250

——, Effect of oral omeprazole on intragastric pH and volume in women undergoing elective Caesarean section, GIN, T., *et al.* 616–619

——, Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension, ROUT, C. C., *et al.* 468–474

——, Extradural methadone and bupivacaine in labour, MARTIN, C. S., *et al.* 330–332

——, Extradural pethidine, NAGLE, C. J., *et al.*, (*C*) 730–731

——, Extradural pethidine, PERRISS, B. W., *et al.*, (*C*) 731

——, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S. 225–333

——, Factor analysis in patients with a history of failed tracheal intubation during pregnancy, FAHY, L., *et al.* 813–815

——, Isoflurane with either 100% oxygen or 50% nitrous oxide in oxygen for Caesarean section, PIGGOTT, S. E., *et al.* 325–329

——, Prevention of hypotension following spinal anaesthesia for elective Caesarean section by wrapping of the legs, BHAGWANJEE, S., *et al.* 819–822

——, Regional anaesthesia in porphyria, BRENNAN, L., *et al.*, (*C*) 594

——, Spinal obstetric anaesthesia with a 29-gauge needle, HADEN, R. M., *et al.*, (*C*) 294–295

Anaesthesia, outpatient, Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, NIGHTINGALE, J. J., *et al.*, (*ARS*) 287–288P

Anaesthesia, paediatric, Comparison of two ventilators used with the T-piece in paediatric anaesthesia, HATCH, D. J., *et al.* 262–267
——, Complications of nasotracheal intubation in neonates, infants and children: a review of 4 years' experience in a children's hospital, BLACK, A. E., *et al.* 461–467
——, Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children, CHRISTENSEN, S., *et al.* 456–460
——, Influence of halothane on the train-of-four fade after atracurium in children, WOLOSZCZUK-GEBICKA, B. 540–541
——, Is the action of suxamethonium in children age-dependent? LEUWER, M., *et al.*, (*ARS*) 271–272P
——, Myotonic and neuromuscular blocking effects of increased doses of suxamethonium in infants and children, MEAKIN, G., *et al.* 816–818
——, Pharmacokinetics of propofol in children, JONES, R. D. M., *et al.* 661–667
——, Unconsciousness associated with midazolam and erythromycin, HILLER, A., *et al.* 826–828
Anaesthesia, side effects, Acute pulmonary oedema following administration of ornithine-8-vasopressin, BORGEAT, A., *et al.* 548–551
Anaesthetic techniques, drawover, Domiciliary oxygen concentrators in anaesthesia: preoxygenation techniques and inspired oxygen concentrations, WILSON, I. H., *et al.* 342–345
Anaesthetic techniques, extradural, 7th nerve palsy after extradural blood patch, LOWE, D. M., *et al.* 721–722
——, Anaesthetic management of myocardial infarction in a parturient, AGLIO, L. S., *et al.* 258–261
——, Comparison of four local extradural anaesthetic solutions for elective Caesarean section, HOWELL, P., *et al.* 648–653
——, Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section, WENNBERG, E., *et al.* 654–660
——, Effect of extradural compliance and resistance on spread of extradural analgesia, HIRABAYASHI, Y., *et al.* 508–513
——, Effects of 2% lignocaine on somatosensory evoked potentials recorded in the extradural space, LOUGHNAN, B. A., *et al.* 643–647
——, Extradural abscess following local anaesthetic and steroid injection for chronic low back pain, GOUCKE, C. R., *et al.* 427–429
——, Extradural anaesthesia in patients with previous lumbar spine surgery, SHARROCK, N. E., *et al.* 237–239
——, Extradural methadone and bupivacaine in labour, MARTIN, C. S., *et al.* 330–332
——, Extradural pethidine, NAGLE, C. J., *et al.*, (*C*) 730–731
——, Extradural pethidine, PERRISS, B. W., *et al.*, (*C*) 731
——, Extradural somatostatin, DESBOROUGH, J., (*C*) 152
——, Extradural somatostatin, YAKSH, T. L., (*C*) 152
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S. 225–333
——, Extradurals and shivering, PONTE, J., (*C*) 732
——, Extradurals and shivering, WENSTONE, R., *et al.*, (*C*) 731–732
——, I.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.*, (*C*) 596–597
——, I.v. infusions of morphine and regional analgesia by extradural block, DRUMMOND, G. B., (*C*) 595–596
——, Onset phase of spinal bupivacaine analgesia assessed quantitatively by laser stimulation, ARENDT-NIELSEN, L., *et al.* 639–642
——, Plasma concentrations of methadone during postoperative patient-controlled extradural analgesia, SHIR, Y., *et al.* 204–209
——, Quantitative assessment of extradural bupivacaine analgesia, ARENDT-NIELSEN, L., *et al.* 633–638
Anaesthetic techniques, hypotensive, Isoflurane prevents EEG depression during trimetaphan-induced hypotension in man, LLOYD-THOMAS, A. R., *et al.* 313–318
Anaesthetic techniques, i.m., Analgesic efficacy of i.m. alfentanil, ARENDT-NIELSEN, L., *et al.* 164–168
——, Extradural pethidine, NAGLE, C. J., *et al.*, (*C*) 730–731
——, Extradural pethidine, PERRISS, B. W., *et al.*, (*C*) 731
Anaesthetic techniques, induction, Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension, ROUT, C. C., *et al.* 468–474
Anaesthetic techniques, infusion, Effect of different rates of infusion of propofol for induction of anaesthesia in elderly patients, PEACOCK, J. E., *et al.* 346–352
——, Total i.v. anaesthesia with propofol and alfentanil: dose requirements for propofol and the effect of premedication with clonidine, RICHARDS, M. J., *et al.* 157–163
Anaesthetic techniques, inhalation, Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, NIGHTINGALE, J. J., *et al.*, (*ARS*) 287–288P
Anaesthetic techniques, intubation fibreoptic, Rapidity and accuracy of tracheal intubation in a mannequin: comparison of the fibreoptic with the Bullard laryngoscope, DYSON, A., *et al.* 268–270
Anaesthetic techniques, intubation tracheal, Failed tracheal intubation, KING, T. A., *et al.* 400–414
Anaesthetic techniques, i.v., Effects of sufentanil on median nerve somatosensory evoked potentials, KIMOVEC, M. A., *et al.* 169–172
Anaesthetic techniques, i.v. infusion, A computer designed graph for administration of atracurium by i.v. infusion, SIMPSON, D. S., *et al.* 770–778
——, I.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.*, (*C*) 596–597
——, I.v. infusions of morphine and regional analgesia by extradural block, DRUMMOND, G. B., (*C*) 595–596
——, Pharmacodynamics of atracurium during propofol, thiopentone and opioid anaesthesia, BEEMER, G. H., *et al.* 675–683
——, Pharmacokinetics of atracurium during continuous infusion, BEEMER, G. H., *et al.* 668–674
——, Pharmacokinetics of propofol infusions in patients with cirrhosis, SERVIN, F., *et al.* 177–183
Anaesthetic techniques, laryngoscopy, Beta-adrenoceptor block affects only heart rate response to laryngoscopy and intubation in hypertensive patients, SEAR, J. W., *et al.*, (*ARS*) 284–285P
Anaesthetic techniques, preoxygenation, Domiciliary oxygen concentrators in anaesthesia: preoxygenation techniques and inspired oxygen concentrations, WILSON, I. H., *et al.* 342–345
Anaesthetic techniques, regional, Regional anaesthesia in porphyria, BRENNAN, L., *et al.*, (*C*) 594
Anaesthetic techniques, regional, axillary block, Axillary brachial plexus block: choice of technique? SHUTT, L. E., (*C*) 438
Anaesthetic techniques, regional, brachial plexus, An unusual complication of brachial plexus sheath cannulation, PATTERSON, K. W., *et al.* 542–543
——, Axillary brachial plexus block: choice of technique? SHUTT, L. E., (*C*) 438
Anaesthetic techniques, regional, intra-articular injection, Effect of adrenaline on plasma concentrations of bupivacaine following intra-articular injection of bupivacaine for knee arthroscopy, BUTTERWORTH, J. F. IV, *et al.* 537–539

Anaesthetic techniques, regional, knee, Effect of adrenaline on plasma concentrations of bupivacaine following intra-articular injection of bupivacaine for knee arthroscopy, BUTTERWORTH, J. F. IV, *et al.* 537–539

Anaesthetic techniques, regional, stellate ganglion block, Plasma concentrations of bupivacaine after stellate ganglion block using two volumes of 0.25% bupivacaine plain solution, HARDY, P. A. J., *et al.* 243–244

Anaesthetic techniques, subarachnoid, Extradural somatostatin, DESBOROUGH, J., (*C*) 152

——, Extradural somatostatin, YAKSH, T. L., (*C*) 152

——, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S. 225–333

——, Incremental spinal anaesthesia using a 32-gauge catheter, KESTIN, I. G., (*ARS*) 280–281P

——, Influence of low-dose naloxone infusion on hypothalamo–pituitary–adrenocortical activity, WRIGHT, P. M. C., *et al.*, (*ARS*) 592–593P

——, Power and spinal analgesia, OLSEN, K. H., *et al.*, (*C*) 293

——, Power and spinal analgesia, TROTTER, T. N., (*C*) 293

——, Prevention of hypotension following spinal anaesthesia for elective Caesarean section by wrapping of the legs, BHAGWANJEE, S., *et al.* 819–822

——, Relative effects of intrathecal midazolam and fentanyl on Aδ and C reflexes, WANG, C., *et al.*, (*ARS*) 590P

——, Spinal anaesthesia in day-care surgery with a 26-gauge needle, QUAYNOR, H., *et al.* 766–769

——, Spinal anaesthesia with hypobaric 0.19% or plain 0.5% bupivacaine, TAIVAINEN, T., *et al.* 234–236

——, Spinal anaesthesia with plain 0.5% bupivacaine at 19 °C and 37 °C, KRISTOFFERSEN, E., *et al.* 504–507

——, Spinal obstetric anaesthesia with a 29-gauge needle, HADEN, R. M., *et al.*, (*C*) 294–295

——, Unpredictable spinal anaesthesia, ALSTON, R. P., (*C*) 151

——, Unpredictable spinal anaesthesia, BANNISTER, J., (*C*) 152

Anaesthetic techniques, subcutaneous, Subcutaneous flumazenil and recovery from midazolam, BIRCH, B., (*C*) 292

——, Subcutaneous flumazenil and recovery from midazolam, LUGER, T. J., *et al.*, (*C*) 292–293

Anaesthetic techniques, topical, Double-blind comparison of topical lignocaine–prilocaine cream (EMLA) and lignocaine infiltration for arterial cannulation in adults, SMITH, M., *et al.* 240–242

Anaesthetic techniques, total i.v., Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, NIGHTINGALE, J. J., *et al.*, (*ARS*) 287–288P

Anaesthetic techniques, transdermal, Transdermal hyoscine and postoperative nausea and vomiting, FRANCIS, G. A., (*C*) 151

——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 151

Anaesthetics gases, nitrous oxide, Effect of nitrous oxide sedation on the ventilatory response during hypocapnia, NORTHWOOD, D., *et al.*, (*ARS*) 571–572P

——, Effects of nitrous oxide on cerebral metabolic rate in rats anaesthetized with isoflurane, REASONER, D. K., *et al.* 210–215

——, Nitrous oxide antagonizes CNS stimulation by laudanosine in mice, AVRAMOV, M. N., *et al.* 704–707

——, Nitrous oxide potentiates suxamethonium block in man, SZALADOS, J. E., *et al.*, (*ARS*) 272–273P

——, Quantitative EEG and brainstem auditory evoked potentials: comparison of isoflurane with halothane using the cerebral function analysing monitor, LLOYD-THOMAS, A. R., *et al.* 306–312

——, Sinus arrest induced by trivial nasal stimulation during alfentanil–nitrous oxide anaesthesia, BAILEY, P. L. 718–720

Anaesthetics gases, nitrous oxide in oxygen, Dynamic–kinetic relationships for sufentanil during nitrous oxide–oxygen anaesthesia, SEAR, J. W., *et al.*, (*ARS*) 290–291P

——, Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, NIGHTINGALE, J. J., *et al.*, (*ARS*) 287–288P

Anaesthetics i.v., etomidate, Cardiovascular effects of etomidate, thiopentone or an etomidate–midazolam mixture, RYAN, J. P., *et al.*, (*ARS*) 285–286P

Anaesthetics i.v., metomidate, Redistribution of cardiac output caused by opening of arteriovenous anastomoses by a combination of azaperone and metomidate, VAN WOERKENS, L. J., *et al.* 393–399

Anaesthetics i.v., morphine, I.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.*, (*C*) 596–597

——, I.v. infusions of morphine and regional analgesia by extradural block, DRUMMOND, G. B., (*C*) 595–596

——, Pupillary effects of alfentanil and morphine, MILLER, C. D., *et al.* 415–417

Anaesthetics i.v., pethidine, Extradural pethidine, NAGLE, C. J., *et al.*, (*C*) 730–731

——, Extradural pethidine, PERRISS, B. W., *et al.*, (*C*) 731

Anaesthetics i.v., propofol, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359

——, Chaos in ventilatory timing in anaesthetized man?, GOODMAN, N. W., (*ARS*) 274–275P

——, Comparative study of a stepdown infusion of propofol and a low dose infusion supplemented by boluses, GILL, S. S., *et al.*, (*ARS*) 282–283P

——, Comparison of onset time and duration of action of pipecuronium with high dose vecuronium during isoflurane and propofol anaesthesia, HARROP-GRIFFITHS, A. W., *et al.*, (*ARS*) 587P

——, Effect of different rates of infusion of propofol for induction of anaesthesia in elderly patients, PEACOCK, J. E., *et al.* 346–352

——, Effect of ibuprofen on pain during injection of propofol, BATCHELOR, A. M., *et al.*, (*ARS*) 576–577P

——, Effect of propofol on brain retraction pressure and cerebral perfusion pressure, MOSS, E., *et al.* 823–825

——, Effect of propofol on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 184–189

——, Effect of sedation with alfentanil, midazolam or propofol on oxygen transport variables in the critically ill, KOX, W., *et al.*, (*ARS*) 278P

——, Effect of speed of injection on the dose required to induce anaesthesia with propofol, VENN, P. J. H., *et al.*, (*ARS*) 287P

——, Effects of propofol and of thiopentone anaesthesia on the regional kinetics of pethidine in the sheep, MATHER, L. E., *et al.* 365–372

——, Effects of propofol and of thiopentone anaesthesia on the renal clearance of cefoxitin in the sheep, SELBY, D. G., *et al.* 360–364

——, Oesophageal contractility during total i.v. anaesthesia, RAFTERY, S., *et al.*, (*ARS*) 575P

——, Pharmacodynamics of atracurium during propofol, thiopentone and opioid anaesthesia, BEEMER, G. H., *et al.* 675–683

——, Pharmacokinetic interaction of propofol and fentanyl: single bolus injection study, GILL, S. S., *et al.* 760–765

——, Pharmacokinetics of an infusion of propofol during cardiac surgery, MASSEY, N. J. A., *et al.* 475–479

——, Pharmacokinetics of propofol in children, JONES, R. D. M., *et al.* 661–667

——, Pharmacokinetics of propofol infusions in patients with cirrhosis, SERVIN, F., *et al.* 177–183
——, Preliminary observations of vocal cord movements on induction of anaesthesia with propofol or thiopentone, LANGTON, J., *et al.*, (*ARS*) 582–583P
——, Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, NIGHTINGALE, J. J., *et al.*, (*ARS*) 287–288P
——, Total i.v. anaesthesia with propofol and alfentanil: dose requirements for propofol and the effect of premedication with clonidine, RICHARDS, M. J., *et al.* 157–163
Anaesthetics i.v., thiopentone, Cardiovascular effects of etomidate, thiopentone or an etomidate–midazolam mixture, RYAN, J. P., *et al.*, (*ARS*) 285–286P
——, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359
——, Effects of propofol and of thiopentone anaesthesia on the regional kinetics of pethidine in the sheep, MATHER, L. E., *et al.* 365–372
——, Effects of propofol and of thiopentone anaesthesia on the renal clearance of cefoxitin in the sheep, SELBY, D. G., *et al.* 360–364
——, Pharmacodynamics of atracurium during propofol, thiopentone and opioid anaesthesia, BEEMER, G. H., *et al.* 675–683
——, Preliminary observations of vocal cord movements on induction of anaesthesia with propofol or thiopentone, LANGTON, J., *et al.*, (*ARS*) 582–583P
Anaesthetics local, bupivacaine, Comparison of four local extradural anaesthetic solutions for elective Caesarean section, HOWELL, P., *et al.* 648–653
——, Effect of adrenaline on plasma concentrations of bupivacaine following intra-articular injection of bupivacaine for knee arthroscopy, BUTTERWORTH, J. F. IV, *et al.* 537–539
——, Effect of extradural compliance and resistance on spread of extradural analgesia, HIRABAYASHI, Y., *et al.* 508–513
——, Enhancement of bupivacaine toxicity by therapeutic plasma concentrations of diltiazem in the anaesthetized dog, WHITING, R. W., *et al.*, (*ARS*) 286P
——, Extradural abscess following local anaesthetic and steroid injection for chronic low back pain, GOUCKE, C. R., *et al.* 427–429
——, Extradural methadone and bupivacaine in labour, MARTIN, C. S., *et al.* 330–332
——, Extradurals and shivering, PONTE, J., (*C*) 732
——, Extradurals and shivering, WENSTONE, R., *et al.*, (*C*) 731–732
——, Functional and metabolic effects of bupivacaine and lignocaine in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 521–526
——, Onset phase of spinal bupivacaine analgesia assessed quantitatively by laser stimulation, ARENDT-NIELSEN, L., *et al.* 639–642
——, Plasma concentrations of bupivacaine after stellate ganglion block using two volumes of 0.25% bupivacaine plain solution, HARDY, P. A. J., *et al.* 243–244
——, Power and spinal analgesia, OLSEN, K. H., *et al.*, (*C*) 293
——, Power and spinal analgesia, TROTTER, T. N., (*C*) 293
——, Quantitative assessment of extradural bupivacaine analgesia, ARENDT-NIELSEN, L., *et al.* 633–638
——, Spinal anaesthesia with hypobaric 0.19% or plain 0.5% bupivacaine, TAIVAINEN, T., *et al.* 234–236
——, Spinal anaesthesia with plain 0.5% bupivacaine at 19 °C and 37 °C, KRISTOFFERSEN, E., *et al.* 504–507
——, Unpredictable spinal anaesthesia, ALSTON, R. P., (*C*) 151
——, Unpredictable spinal anaesthesia, BANNISTER, J., (*C*) 152
Anaesthetics local, EMLA, Double-blind comparison of topical lignocaine–prilocaine cream (EMLA) and lignocaine infiltration for arterial cannulation in adults, SMITH, M., *et al.* 240–242
——, EMLA: complications, JAMES, I. G., (*C*) 295
Anaesthetics local, lignocaine, Axillary brachial plexus block: choice of technique? SHUTT, L. E., (*C*) 438
——, Comparison of four local extradural anaesthetic solutions for elective Caesarean section, HOWELL, P., *et al.* 648–653
——, Double-blind comparison of topical lignocaine–prilocaine cream (EMLA) and lignocaine infiltration for arterial cannulation in adults, SMITH, M., *et al.* 240–242
——, Effect of ibuprofen on pain during injection of propofol, BATCHELOR, A. M., *et al.*, (*ARS*) 576–577P
——, Effect of i.v. lignocaine on the cardiovascular and catecholamine responses to laryngoscopy and intubation, WILSON, I., *et al.*, (*ARS*) 288–289P
——, Effects of 2% lignocaine on somatosensory evoked potentials recorded in the extradural space, LOUGHNAN, B. A., *et al.* 643–647
——, Functional and metabolic effects of bupivacaine and lignocaine in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 521–526
——, I.v. lignocaine fails to attenuate the cardiovascular response to laryngoscopy and tracheal intubation, MILLER, C. D., *et al.* 216–219
Anaesthetics local, lignocaine–bupivacaine, Comparison of four local extradural anaesthetic solutions for elective Caesarean section, HOWELL, P., *et al.* 648–653
Anaesthetics local, morphine suppository, Further development of the morphine hydrogel suppository, COLE, L., *et al.*, (*ARS*) 273–274P
Anaesthetics local, prilocaine, Plasma concentrations of the stereoisomers of prilocaine after administration of the racemate: implications for toxicity? TUCKER, G. T., *et al.* 333–336
Anaesthetics volatile, desflurane, Desflurane and sevoflurane: inhalation anaesthetics for this decade? JONES, R. M. 527–536
——, MAC reduction of desflurane with fentanyl: comparison with isoflurane, SEBEL, P. S., *et al.*, (*ARS*) 573–574P
Anaesthetics volatile, enflurane, Desflurane and sevoflurane: inhalation anaesthetics for this decade? JONES, R. M. 527–536
——, Effects of enflurane and isoflurane in air–oxygen on changes in thermal balance during and after surgery, SMITH, D., *et al.* 754–759
——, Effects of halothane, enflurane and isoflurane anaesthesia on renal plasma flow, GROVES, N. D., *et al.* 796–800
Anaesthetics volatile, halothane, Effect of halothane on hypoxic and hypercapnic ventilatory responses of goats, KOH, S. O., *et al.* 713–717
——, Effects of aminophylline on the isolated phrenic nerve–hemidiaphragm preparation are potentiated by halothane and isoflurane, ELLIOT, R. H., *et al.*, (*ARS*) 573P
——, Effects of halothane, enflurane and isoflurane anaesthesia on renal plasma flow, GROVES, N. D., *et al.* 796–800
——, Halothane hepatitis, SPEEDY, H., (*C*) 841
——, Halothane hepatitis, WARK, H., (*C*) 840–841
——, Influence of halothane on the train-of-four fade after atracurium in children, WOLOSZCZUK-GEBICKA, B. 540–541

——, Isoflurane prevents EEG depression during trimetaphan-induced hypotension in man, LLOYD-THOMAS, A. R., *et al.* 313–318
——, Quantitative EEG and brainstem auditory evoked potentials: comparison of isoflurane with halothane using the cerebral function analysing monitor, LLOYD-THOMAS, A. R., *et al.* 306–312
——, Use of the calcium agonist BAY K 8644 for *in vitro* diagnosis of susceptibility to malignant hyperthermia, ADNET, P. J., *et al.* 791–795
——, Ventilatory responses to sevoflurane and halothane in the rat, YEE, M. K., *et al.*, (*ARS*) 276–277P
Anaesthetics volatile, isoflurane, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392
——, Comparison of onset time and duration of action of pipecuronium with high dose vecuronium during isoflurane and propofol anaesthesia, HARROP-GRIFFITHS, A. W., *et al.*, (*ARS*) 587P
——, Desflurane and sevoflurane: inhalation anaesthetics for this decade? JONES, R. M. 527–536
——, Effect of isoflurane on the canine hepatic circulation and hepatic oxygen balance, MILLER, C. D., *et al.* 698–703
——, Effect of prolonged sedation with isoflurane on plasma fluoride concentrations in critically ill patients, SPENCER, E. M., *et al.*, (*ARS*) 574–575P
——, Effect of surface electrode position on the compound action potential evoked by ulnar nerve stimulation during isoflurane anaesthesia, KALLI, I. 494– 499
——, Effects of aminophylline on the isolated phrenic nerve–hemidiaphragm preparation are potentiated by halothane and isoflurane, ELLIOT, R. H., *et al.*, (*ARS*) 573P
——, Effects of enflurane and isoflurane in air–oxygen on changes in thermal balance during and after surgery, SMITH, D., *et al.* 754–759
——, Effects of halothane, enflurane and isoflurane anaesthesia on renal plasma flow, GROVES, N. D., *et al.* 796–800
——, Effects of nitrous oxide on cerebral metabolic rate in rats anaesthetized with isoflurane, REASONER, D. K., *et al.* 210–215
——, Isoflurane prevents EEG depression during trimetaphan-induced hypotension in man, LLOYD-THOMAS, A. R., *et al.* 313–318
——, Isoflurane with either 100% oxygen or 50% nitrous oxide in oxygen for Caesarean section, PIGGOTT, S. E., *et al.* 325–329
——, Levels of consciousness in volunteers breathing sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 609–615
——, MAC reduction of desflurane with fentanyl: comparison with isoflurane, SEBEL, P. S., *et al.*, (*ARS*) 573–574P
——, Quantitative EEG and brainstem auditory evoked potentials: comparison of isoflurane with halothane using the cerebral function analysing monitor, LLOYD-THOMAS, A. R., *et al.* 306–312
——, Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, NIGHTINGALE, J. J., *et al.*, (*ARS*) 287–288P
——, Use of post-tetanic count in assessment of a repetitive vecuronium-induced neuromuscular block, ERIKSSON, L. I., *et al.* 487–493
Anaesthetics volatile, sevoflurane, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392
——, Desflurane and sevoflurane: inhalation anaesthetics for this decade? JONES, R. M. 527–536
——, Ventilatory responses to sevoflurane and halothane in the rat, YEE, M. K., *et al.*, (*ARS*) 276–277P
Anaesthetist, activity, A second time-study of the anaesthetist's intraoperative period, DZWONCZYK, R., *et al.*, (*C*) 842
——, A second time-study of the anaesthetist's intraoperative period, GOODMAN, N. W., (*C*) 841–842
——, A second time-study of the anaesthetist's intraoperative period, SUTTON, D., (*C*) 842
Analeptics, doxapram, Doxapram- and neostigmine-evoked antagonism of vecuronium neuromuscular block, POLLARD, B. J., *et al.*, (*ARS*) 586P
Analgesia, patient-controlled, Plasma concentrations of methadone during postoperative patient-controlled extradural analgesia, SHIR, Y., *et al.* 204–209
——, Postoperative patient-controlled analgesia, CUNDY, J. M., (*C*) 440
——, Postoperative patient-controlled analgesia, THOMAS, V. J., *et al.*, (*C*) 440
——, Postoperative PCA with alfentanil: efficacy of background infusions, CURRIE, J., *et al.*, (*ARS*) 576P
Analgesia, postoperative, Ketorolac trometamol—a new non-opioid analgesic, KENNY, G. N. C., (*E*) 445–447
——, Pain relief after thoracotomy, CONACHER, I. D. 806–812
——, Postoperative patient-controlled analgesia, CUNDY, J. M., (*C*) 440
——, Postoperative patient-controlled analgesia, THOMAS, V. J., *et al.*, (*C*) 440
——, Preoperative piroxicam for postoperative analgesia in dental surgery, HUTCHISON, G. L., *et al.* 500–503
Analgesia, preoperative, Preoperative piroxicam for postoperative analgesia in dental surgery, HUTCHISON, G. L., *et al.* 500–503
Analgesic techniques, infiltration, Double-blind comparison of topical lignocaine–prilocaine cream (EMLA) and lignocaine infiltration for arterial cannulation in adults, SMITH, M., *et al.* 240–242
Analgesic techniques, infusion, Postoperative PCA with alfentanil: efficacy of background infusions, CURRIE, J., *et al.*, (*ARS*) 576P
Analgesic techniques, intraventricular, Intraventricular diamorphine via an Ommaya shunt for intractable cancer pain, REEVE, W. G., *et al.* 544–547
Analgesics non-opioid, diclofenac, Diclofenac for day-care arthroscopy surgery: comparison with a standard opioid therapy, MCLOUGHLIN, C., *et al.* 620–623
Analgesics non-opioid, ketorolac, Comparison of i.m. ketorolac trometamol and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.* 448–455
——, Ketorolac trometamol—a new non-opioid analgesic, KENNY, G. N. C., (*E*) 445–447
Analgesics non-opioid, piroxicam, Preoperative piroxicam for postoperative analgesia in dental surgery, HUTCHISON, G. L., *et al.* 500–503
Analgesics non-steroidal, indomethacin, Effect of indomethacin on pain relief after thoracotomy, PAVY, T., *et al.* 624–627
Analgesics opioid, alfentanil, Analgesic efficacy of i.m. alfentanil, ARENDT-NIELSEN, L., *et al.* 164–168
——, Chaos in ventilatory timing in anaesthetized man? GOODMAN, N. W., (*ARS*) 274–275P
——, Effect of sedation with alfentanil, midazolam or propofol on oxygen transport variables in the critically ill, KOX, W., *et al.*, (*ARS*) 278P
——, Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension, ROUT, C. C., *et al.* 468–474
——, Oesophageal contractility during total i.v. anaesthesia, RAFTERY, S., *et al.*, (*ARS*) 575P
——, Plasma protein binding of alfentanil: effects of age, pregnancy and cancer, MEISTELMAN, C., *et al.*, (*ARS*) 273P

——, Postoperative PCA with alfentanil: efficacy of background infusions, CURRIE, J., *et al.*, (*ARS*) 576P
——, Pupillary effects of alfentanil and morphine, MILLER, C. D., *et al.* 415–417
——, Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, NIGHTINGALE, J. J., *et al.*, (*ARS*) 287–288P
——, Sinus arrest induced by trivial nasal stimulation during alfentanil–nitrous oxide anaesthesia, BAILEY, P. L. 718–720
——, Total i.v. anaesthesia with propofol and alfentanil: dose requirements for propofol and the effect of premedication with clonidine, RICHARDS, M. J., *et al.* 157–163
Analgesics opioid, diamorphine, Intraventricular diamorphine via an Ommaya shunt for intractable cancer pain, REEVE, W. G., *et al.* 544–547
Analgesics opioid, fentanyl, Diclofenac for day-care arthroscopy surgery: comparison with a standard opioid therapy, MCLOUGHLIN, C., *et al.* 620–623
——, Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension, ROUT, C. C., *et al.* 468–474
——, MAC reduction of desflurane with fentanyl: comparison with isoflurane, SEBEL, P. S., *et al.*, (*ARS*) 573–574P
——, Pharmacodynamics of atracurium during propofol, thiopentone and opioid anaesthesia, BEEMER, G. H., *et al.* 675–683
——, Pharmacokinetic interaction of propofol and fentanyl: single bolus injection study, GILL, S. S., *et al.* 760–765
——, Relative effects of intrathecal midazolam and fentanyl on Aδ and C reflexes, WANG, C., *et al.*, (*ARS*) 590P
——, Site of action of fentanyl in inhibiting the pituitary–adrenal response to surgery in man, HALL, G. M., *et al.* 251–253
Analgesics opioid, methadone, Extradural methadone and bupivacaine in labour, MARTIN, C. S., *et al.* 330–332
——, Plasma concentrations of methadone during postoperative patient-controlled extradural analgesia, SHIR, Y., *et al.* 204–209
Analgesics opioid, morphine, Comparison of i.m. ketorolac trometamol and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.* 448–455
Analgesics opioid, pethidine, Effects of propofol and of thiopentone anaesthesia on the regional kinetics of pethidine in the sheep, MATHER, L. E., *et al.* 365–372
Analgesics opioid, sufentanil, Dynamic–kinetic relationships for sufentanil during nitrous oxide–oxygen anaesthesia, SEAR, J. W., *et al.*, (*ARS*) 290–291P
——, Effects of sufentanil on median nerve somatosensory evoked potentials, KIMOVEC, M. A., *et al.* 169–172
Anatomy, airway, Factor analysis in difficult tracheal intubation: laryngoscopy-induced airway obstruction, HORTON, W. A., *et al.* 801–805
——, Factor analysis in patients with a history of failed tracheal intubation during pregnancy, FAHY, L., *et al.* 813–815
Anatomy, cervical vertebra, Pivoting larynx—an unusual clinical observation at laryngoscopy, CHARTERS, P., *et al.* 424–426
Anatomy, larynx, Factor analysis in difficult tracheal intubation: laryngoscopy-induced airway obstruction, HORTON, W. A., *et al.* 801–805
——, Factor analysis in patients with a history of failed tracheal intubation during pregnancy, FAHY, L., *et al.* 813–815
——, Pivoting larynx—an unusual clinical observation at laryngoscopy, CHARTERS, P., *et al.* 424–426
——, Preliminary observations of vocal cord movements on induction of anaesthesia with propofol or thiopentone, LANGTON, J., *et al.*, (*ARS*) 582–583P
——, Towards a single index for quantifying osseous factors in difficult laryngoscopy, HORTON, W. A., *et al.*, (*ARS*) 583–584P
Anesthesia and Uncommon Diseases, 3rd Edn, KATZ, J., *et al.*, (editors), (*R*) 299
Anesthesia for Vascular Surgery, 1st Edn, ROIZEN, M. F., (editor), (*R*) 599
Animals Procedures Act, The Animals (Scientific Procedures) Act 1986 and Research into Anaesthesia, MORTON, D. B., (*E*) 303–305
Antacids, cimetidine, Omeprazole—a useful new agent? ROWBOTHAM, D. J., (*E*) 607–608
Antacids, metoclopramide, Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children, CHRISTENSEN, S., *et al.* 456–460
Antacids, nizatidine, Comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH, POPAT, M. T., *et al.*, (*ARS*) 581P
Antacids, omeprazole, Effect of oral omeprazole on intragastric pH and volume in women undergoing elective Caesarean section, GIN, T., *et al.* 616–619
——, Omeprazole—a useful new agent? ROWBOTHAM, D. J., (*E*) 607–608
Antacids, ranitidine, Comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH, POPAT, M. T., *et al.*, (*ARS*) 581P
——, Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children, CHRISTENSEN, S., *et al.* 456–460
——, Omeprazole—a useful new agent? ROWBOTHAM, D. J., (*E*) 607–608
Antagonists benzodiazepine, flumazenil, Effect of flumazenil on midazolam-induced amnesia, MCKAY, A. C., *et al.* 190–196
——, Subcutaneous flumazenil and recovery from midazolam, BIRCH, B., (*C*) 292
——, Subcutaneous flumazenil and recovery from midazolam, LUGER, T. J., *et al.*, (*C*) 292–293
Antagonists, neuromuscular block, Competitive antagonism of acetylcholine receptor increases receptor number and tolerance to tubocurarine, MARTYN, J. A. J., *et al.*, (*ARS*) 578P
Antagonists neuromuscular block, cholinesterase, Prolonged paralysis following suxamethonium and the use of neostigmine, JAMES, M. F. M., *et al.* 430–432
Antagonists neuromuscular block, neostigmine, Doxapram- and neostigmine-evoked antagonism of vecuronium neuromuscular block, POLLARD, B. J., *et al.*, (*ARS*) 586P
——, Prolonged paralysis following suxamethonium and the use of neostigmine, JAMES, M. F. M., *et al.* 430–432
Antagonists opioid, naloxone, Influence of low-dose naloxone infusion on hypothalamo–pituitary–adrenocortical activity, WRIGHT, P. M. C., *et al.*, (*ARS*) 592–593P
Antibiotics, cefoxitin, Effects of propofol and of thiopentone anaesthesia on the renal clearance of cefoxitin in the sheep, SELBY, D. G., *et al.* 360–364
Antibiotics, erythromycin, Unconsciousness associated with midazolam and erythromycin, HILLER, A., *et al.* 826–828
A Practice of Cardiac Anaesthesia, 1st Edn, HENSLEY JR, F. A., *et al.*, (editors), (*R*) 733
Arterial pressure, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359
Arterial pressure, drug effects, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392

——, Comparison of sedation with midazolam or diazemuls for upper gastrointestinal endoscopy, FARQUHAR, I. K., *et al.*, (*ARS*) 580P
——, Effect of different rates of infusion of propofol for induction of anaesthesia in elderly patients, PEACOCK, J. E., *et al.* 346–352
Arterial pressure, hypotension, Prevention of hypotension following spinal anaesthesia for elective Caesarean section by wrapping of the legs, BHAGWANJEE, S., *et al.* 819–822
Arterial pressure, peripheral vascular resistance, Effect of propofol on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 184–189
Arterial pressure, vasoconstriction, Comparison of four pulse oximeters: effects of venous occlusion and cold-induced peripheral vasoconstriction, LANGTON, J. A., *et al.* 245–247
Arteries, aortic clamp, Adrenoceptor and neuroendocrine responses to aortic cross clamp and release during abdominal aortic surgery, MCCOY, D., *et al.*, (*ARS*) 584–585P
——, Aortic cross clamp duration and haemodynamic performance in an experimental normovolaemic and hypovolaemic model, MCGRATH, K., *et al.*, (*ARS*) 584P
Awareness, Awareness and memory in anaesthetized patients, GRIFFITHS, D., *et al.*, (*E*) 603–606
——, Incidence of recall of awareness during anaesthesia for non-obstetric surgery, LIU, D., *et al.*, (*ARS*) 575–576P
——, Levels of consciousness in volunteers breathing sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 609–615
——, Lower oesophageal contractility and detection of awareness during anaesthesia, ISAAC, P. A., *et al.* 319–324

Bicuculline, Two GABA mechanisms for spinally-mediated antinociception: evidence from antagonism of 5-hydroxytryptamine by bicuculline, GUO, Z., *et al.*, (*ARS*) 589–590P
Biology, biochemistry, Study of biochemical changes following suxamethonium administration in children with strabismus, MCLOUGHLIN, C. C., *et al.*, (*ARS*) 587–588P
Biotransformation (drug), suxamethonium, Dose-dependent effect of metoclopramide on cholinesterases and suxamethonium metabolism, KAO, Y. J., *et al.* 220–224
Blood, anaesthetic concentration, Effect of adrenaline on plasma concentrations of bupivacaine following intra-articular injection of bupivacaine for knee arthroscopy, BUTTERWORTH, J. F. IV, *et al.* 537–539
——, Effect of propofol on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 184–189
Blood, filters, Clearance of atracurium, laudanosine and monoquaternary alcohol by haemofiltration in the critically ill patient, SHEARER, E. S., *et al.*, (*ARS*) 271P
Blood, loss, Comparison of i.m. ketorolac trometamol and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.* 448–455
Blood, platelets, Comparison of i.m. ketorolac trometamol and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.* 448–455
Blood, replacement, I.V. fluids during surgery, CAMPBELL, I. T., *et al.* 726–729
Blood, volume, dextran, Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section, WENNBERG, E., *et al.* 654–660
Book Reviews
A Practice of Cardiac Anaesthesia, 1st Edn. HENSLEY JR, F. A., *et al.*, (editors), (*R*) 733
Anesthesia and Uncommon Diseases, 3rd Edn, KATZ, J., *et al.*, (editors), (*R*) 299
Anesthesia for Vascular Surgery, 1st Edn, ROIZEN, M. F., (editor), (*R*) 599
Cardiopulmonary Resuscitation, 1st Edn, KAYE, W., *et al.*, (editors), (*R*) 298
Clinical Anaesthesiology, International Practice & Research, Volume 2, Number 3: Fluid Resuscitation. KOX, W. J., *et al.*, (editors), (*R*) 442
Clinical Applications of Ventilatory Support, KIRBY, R. J., *et al.*, (editors), (*R*) 844–845
Clinical Monitoring, 1st Edn, LAKE, C. L., (editor), (*R*) 299–300
Electricity, Safety and the Patient, BRUNER, J. M., *et al.*, (*R*) 600–601
Essentials of Anesthesiology, 2nd Edn, CHUNG, D. C., *et al.*, (editors), (*R*) 600
Introduction to Regional Anaesthesia, 1st Edn, SCOTT, D. B., (*R*) 296
Lectures on Anaesthetics and on Asphyxia (English translation of 1st Edn), BERNARD, C., (*R*) 441
Manual of Cardiorespiratory Critical Care, 1st Edn, GUZMAN, F., *et al.*, (editors), (*R*) 600
Manual of Pediatric Anesthesia, 3rd Edn, STEWARD, D. J., (*R*) 598–599
Metabolic Response to Surgery. Baillière's Clinical Anesthesiology. International Practice and Research, Vol. 3, No. 2, BEVAN, D. R., (editor), (*R*) 296
Noriss and Campbell's Anaesthetics, Resuscitation and Intensive Care, 7th Edn, CAMPBELL, D., *et al.*, (*R*) 153
Ostlere & Bryce-Smith's Anaesthetics for Medical Students, 10th Edn, BOULTON, T. B., *et al.*, (*R*) 601
Pharmacology of Neuromuscular Function, 2nd Edn, BOWMAN, W. C., (*R*) 600
Preparing for the Anesthesia Orals—Board Stiff, GALLACHER, C. J., *et al.*, (*R*) 843
Primary Surgery—Volume 1—Non Trauma, KING, M., *et al.*, (*R*) 733
Problems in Anaesthesia, Analysis and Management, FELDMAN, S., *et al.*, (editors), (*R*) 297
Raised Intracranial Pressure—A Clinical Guide, NORTH, B., *et al.*, (*R*) 843–844
Recent Advances in Anaesthesia and Analgesia, No. 16, ATKINSON, R. S., *et al.*, (editors), (*R*) 153
Regional Anesthesia: An Illustrated Procedural Guide, 1st Edn, MULROY, M. F., (*R*) 598
Resuscitation Handbook, BASKETT, P. J. F., (*R*) 844
Safety and Cost Containment in Anesthesia, GRAVENSTEIN, J. S., *et al.*, (editors), (*R*) 297
Scientific Foundations of Anaesthesia: The Basis of Intensive Care, SCURR, C., *et al.*, (editors), (*R*) 843
Sepsis—An Interdisciplinary Challenge, 1st Edn, REINHART, K., *et al.*, (editors), (*R*) 298
Techniques of Regional Anaesthesia, 1st Edn, SCOTT, D. B., (*R*) 296
Update in Intensive Care and Emergency Medicine, Volume 9: Brain Failure, BIHARI, D., *et al.*, (editors), (*R*) 297
Yearbook of Anaesthesia, 1989, MILLER, R. D., *et al.*, (editors), (*R*) 441–442
Brain, blood-brain barrier, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, LANIER, W. L., *et al.* 708–712
Brain, blood flow, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392

——, Effect of propofol on brain retraction pressure and cerebral perfusion pressure, Moss, E., *et al.* 823–825
——, Effects of nimodipine on cerebral blood flow and neuropsychological outcome after cardiac surgery, Forsman, M., *et al.* 514–520
——, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, Lanier, W. L., *et al.* 708–712
Brain, cerebrospinal fluid, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma in three intensive care patients, Gwinnutt, C. L., *et al.* 829–832
Brain, convulsions, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, Lanier, W. L., *et al.* 708–712
Brain, electroencephalography, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, Scheller, M. S., *et al.* 388–392
——, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, Lanier, W. L., *et al.* 708–712
Brain, evoked potentials, Effect of surgery on sensory threshold and somatosensory evoked potentials after skin stimulation, Lund, C., *et al.* 173–176
——, Onset phase of spinal bupivacaine analgesia assessed quantitatively by laser stimulation, Arendt-Nielsen, L., *et al.* 639–642
——, Quantitative assessment of extradural bupivacaine analgesia, Arendt-Nielsen, L., *et al.* 633–638
——, Quantitative EEG and brainstem auditory evoked potentials: comparison of isoflurane with halothane using the cerebral function analysing monitor, Lloyd-Thomas, A. R., *et al.* 306–312
Brain, GABA, Two GABA mechanisms for spinally-mediated antinociception: evidence from antagonism of 5-hydroxytryptamine by bicuculline, Guo, Z., *et al.*, (*ARS*) 589–590P
Brain, GABA antagonist, Two GABA mechanisms for spinally-mediated antinociception: evidence from antagonism of 5-hydroxytryptamine by bicuculline, Guo, Z., *et al.*, (*ARS*) 589–590P
Brain, hypothalamus, Influence of low-dose naloxone infusion on hypothalamo–pituitary–adrenocortical activity, Wright, P. M. C., *et al.*, (*ARS*) 592–593P
——, Site of action of fentanyl in inhibiting the pituitary–adrenal response to surgery in man, Hall, G. M., *et al.* 251–253
Brain, injury, Effects of nimodipine on cerebral blood flow and neuropsychological outcome after cardiac surgery, Forsman, M., *et al.* 514–520
Brain, intracranial haemorrhage, Spectral harmonic changes in intracranial pressure waveform occurring in patients with intracranial haemorrhage, Lin, E. S., *et al.*, (*ARS*) 279P
Brain, intracranial pressure, Effect of propofol on brain retraction pressure and cerebral perfusion pressure, Moss, E., *et al.* 823–825
——, Spectral harmonic changes in intracranial pressure waveform occurring in patients with intracranial haemorrhage, Lin, E. S., *et al.*, (*ARS*) 279P
Brain, metabolism, Effects of nitrous oxide on cerebral metabolic rate in rats anaesthetized with isoflurane, Reasoner, D. K., *et al.* 210–215
——, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, Lanier, W. L., *et al.* 708–712
Brain, nociceptive reflexes, Relative effects of intrathecal midazolam and fentanyl on Aδ and C reflexes, Wang, C., *et al.*, (*ARS*) 590P
Brain, oxygen consumption, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, Scheller, M. S., *et al.* 388–392
——, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, Lanier, W. L., *et al.* 708–712
Brain, pituitary, Influence of low-dose naloxone infusion on hypothalamo–pituitary–adrenocortical activity, Wright, P. M. C., *et al.*, (*ARS*) 592–593P

Calcium channel block, BAY K 8644, Use of the calcium agonist BAY K 8644 for *in vitro* diagnosis of susceptibility to malignant hyperthermia, Adnet, P. J., *et al.* 791–795
Calcium channel block, diltiazem, Enhancement of bupivacaine toxicity by therapeutic plasma concentrations of diltiazem in the anaesthetized dog, Whiting, R. W., *et al.*, (*ARS*) 286P
Calcium channel block, nimodipine, Effects of nimodipine on cerebral blood flow and neuropsychological outcome after cardiac surgery, Forsman, M., *et al.* 514–520
Cancer, Intraventricular diamorphine via an Ommaya shunt for intractable cancer pain, Reeve, W. G., *et al.* 544–547
——, P6 acupuncture antiemesis in cancer chemotherapy: comparison of needling and percutaneous electrical stimulation, Dundee, J. W., *et al.*, (*ARS*) 281P
——, Plasma protein binding of alfentanil: effects of age, pregnancy and cancer, Meistelman, C., *et al.*, (*ARS*) 273P
Carbon dioxide, exogenous, Carbon dioxide cylinders on anaesthetic apparatus, Nunn, J. F., (*E*) 155–156
Carbon dioxide, partial pressure, Pulse oximetry and the arterial to end-tidal P_{CO_2} difference in cyanotic children, Fletcher, R., (*ARS*) 274P
Carbon dioxide, rebreathing, Chaos in ventilatory timing in anaesthetized man? Goodman, N. W., (*ARS*) 274–275P
Cardiopulmonary Resuscitation, 1st Edn, Kaye, W., *et al.*, (editors), (*R*) 298
Cardiovascular system, effects, Cardiovascular effects of doxacurium, pancuronium and vecuronium in anaesthetized patients presenting for coronary artery bypass surgery, Emmott, R. S., *et al.* 480–486
——, Cardiovascular effects of etomidate, thiopentone or an etomidate–midazolam mixture, Ryan, J. P., *et al.*, (*ARS*) 285–286P
Cardiovascular system, haemodynamics, Effect of propofol on peripheral vascular resistance during cardiopulmonary bypass, Boer, F., *et al.* 184–189
Cardiovascular system, responses, Adrenoceptor and neuroendocrine responses to aortic cross clamp and release during abdominal aortic surgery, McCoy, D., *et al.*, (*ARS*) 584–585P
——, Aortic cross clamp duration and haemodynamic performance in an experimental normovolaemic and hypovolaemic model, McGrath, K., *et al.*, (*ARS*) 584P
——, Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section, Wennberg, E., *et al.* 654–660
——, Effect of i.v. lignocaine on the cardiovascular and catecholamine responses to laryngoscopy and intubation, Wilson, I., *et al.*, (*ARS*) 288–289P
——, Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension, Rout, C. C., *et al.* 468–474
——, I.v. lignocaine fails to attenuate the cardiovascular response to laryngoscopy and tracheal intubation, Miller, C. D., *et al.* 216–219
——, Redistribution of cardiac output caused by opening of arteriovenous anastomoses by a combination of azaperone and metomidate, van Woerkens, L. J., *et al.* 393–399

Children, Comparison of two ventilators used with the T-piece in paediatric anaesthesia, HATCH, D. J., *et al.* 262–267
——, Complications of nasotracheal intubation in neonates, infants and children: a review of 4 years' experience in a children's hospital, BLACK, A. E., *et al.* 461–467
——, Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children, CHRISTENSEN, S., *et al.* 456–460
——, EMLA: complications, JAMES, I. G., (*C*) 295
——, Influence of halothane on the train-of-four fade after atracurium in children, WOŁOSZCZUK-GEBICKA, B. 540–541
——, Is the action of suxamethonium in children age-dependent? LEUWER, M., *et al.*, (*ARS*) 271–272P
——, Myotonic and neuromuscular blocking effects of increased doses of suxamethonium in infants and children, MEAKIN, G., *et al.* 816–818
——, Pharmacokinetics of propofol in children, JONES, R. D. M., *et al.* 661–667
——, Pulse oximetry and the arterial to end-tidal P_{CO_2} difference in cyanotic children, FLETCHER, R., (*ARS*) 274P
——, Study of biochemical changes following suxamethonium administration in children with strabismus, MCLOUGHLIN, C. C., *et al.*, (*ARS*) 587–588P
——, Unconsciousness associated with midazolam and erythromycin, HILLER, A., *et al.* 826–828
Clinical Anaesthesiology, International Practice & Research, Volume 2, Number 3: Fluid Resuscitation., KOX, W. J., *et al.*, (editors), (*R*) 442
Clinical Applications of Ventilatory Support, KIRBY, R. J., *et al.*, (editors), (*R*) 844–845
Clinical Monitoring, 1st Edn, LAKE, C. L., (editor), (*R*) 299–300
Complications, adult respiratory distress syndrome, The adult respiratory distress syndrome: definition and prognosis, pathogenesis and treatment, WIENER-KRONISH, J. P., *et al.* 107–129
Complications, airway obstruction, Factor analysis in difficult tracheal intubation: laryngoscopy-induced airway obstruction, HORTON, W. A., *et al.* 801–805
Complications, anatomy, Pivoting larynx—an unusual clinical observation at laryngoscopy, CHARTERS, P., *et al.* 424–426
Complications, antibiotic injection, An unusual complication of brachial plexus sheath cannulation, PATTERSON, K. W., *et al.* 542–543
Complications, apnoea, Effect of nitrous oxide sedation on the ventilatory response during hypocapnia, NORTHWOOD, D., *et al.*, (*ARS*) 571–572P
Complications, arrhythmia, Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities, ROSENBERG, J., *et al.* 684–691
——, Sinus arrest induced by trivial nasal stimulation during alfentanil–nitrous oxide anaesthesia, BAILEY, P. L. 718–720
Complications, aspiration, Effect of oral omeprazole on intragastric pH and volume in women undergoing elective Caesarean section, GIN, T., *et al.* 616–619
——, Foam cuffed tracheal tubes: clinical and laboratory assessment, POWER, K. J. 433–437
——, Omeprazole—a useful new agent? ROWBOTHAM, D. J., (*E*) 607–608
——, Simultaneous intraoperative oesophageal and tracheal pH monitoring, BENSON, P., *et al.*, (*ARS*) 582P
Complications, backache, Extradural abscess following local anaesthetic and steroid injection for chronic low back pain, GOUCKE, C. R., *et al.* 427–429
——, Relation of lumbar tissue damage and backache after delivery, SAMSOON, G., *et al.*, (*ARS*) 577P
——, Spinal anaesthesia in day-care surgery with a 26-gauge needle, QUAYNOR, H., *et al.* 766–769
Complications, coma, Unconsciousness associated with midazolam and erythromycin, HILLER, A., *et al.* 826–828
Complications, convulsions, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, LANIER, W. L., *et al.* 708–712
——, Nitrous oxide antagonizes CNS stimulation by laudanosine in mice, AVRAMOV, M. N., *et al.* 704–707
Complications, diabetes, Extradural abscess following local anaesthetic and steroid injection for chronic low back pain, GOUCKE, C. R., *et al.* 427–429
Complications, drug interactions, Dose-dependent effect of metoclopramide on cholinesterases and suxamethonium metabolism, KAO, Y. J., *et al.* 220–224
Complications, endotoxaemia, Effect of oxpentifylline on endotoxin/smoke-induced lung injury, MURPHY, P. G., *et al.*, (*ARS*) 578–579P
Complications, extradural abscess, Extradural abscess following local anaesthetic and steroid injection for chronic low back pain, GOUCKE, C. R., *et al.* 427–429
Complications, fistula, Anaesthetic hazards of aortocaval fistula, BODENHAM, A. 723–725
Complications, headache, Spinal anaesthesia in day-care surgery with a 26-gauge needle, QUAYNOR, H., *et al.* 766–769
Complications, hepatic, Halothane hepatitis, SPEEDY, H., (*C*) 841
——, Halothane hepatitis, WARK, H., (*C*) 840–841
Complications, hyperkalaemia, The role of α_1-adrenoceptors in adrenaline-induced hyperkalaemia, ENSINGER, H., *et al.* 786–790
Complications, hypertension, Beta-adrenoceptor block affects only heart rate response to laryngoscopy and intubation in hypertensive patients, SEAR, J. W., *et al.*, (*ARS*) 284–285P
——, Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension, ROUT, C. C., *et al.* 468–474
Complications, hypotension, Isoflurane prevents EEG depression during trimetaphan-induced hypotension in man, LLOYD-THOMAS, A. R., *et al.* 313–318
——, Massive histamine release in a patient with systemic mastocytosis, DESBOROUGH, J. P., *et al.* 833–836
——, Preanaesthetic medication with clonidine, WRIGHT, P. M. C., *et al.* 628–632
——, Prevention of hypotension following spinal anaesthesia for elective Caesarean section by wrapping of the legs, BHAGWANJEE, S., *et al.* 819–822
Complications, hypoxaemia, Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities, ROSENBERG, J., *et al.* 684–691
Complications, hypoxia, Effect of nitrous oxide sedation on the ventilatory response during hypocapnia, NORTHWOOD, D., *et al.*, (*ARS*) 571–572P
Complications, intubation nasotracheal, Complications of nasotracheal intubation in neonates, infants and children: a review of 4 years' experience in a children's hospital, BLACK, A. E., *et al.* 461–467
Complications, intubation tracheal, Failed tracheal intubation, KING, T. A., *et al.* 400–414
Complications, masseter spasm, Myotonic and neuromuscular blocking effects of increased doses of suxamethonium in infants and children, MEAKIN, G., *et al.* 816–818
Complications, mastocytosis, Anaesthetic management of systemic mastocytosis, LERNO, G., *et al.* 254–257
——, Massive histamine release in a patient with systemic mastocytosis, DESBOROUGH, J. P., *et al.* 833–836

Complications, methaemoglobinaemia, Plasma concentrations of the stereoisomers of prilocaine after administration of the racemate: implications for toxicity? TUCKER, G. T., *et al.* 333–336
Complications, morbidity, I.v. dantrolene before day-case suxamethonium use: domiciliary assessment of morbidity, DESILVA, F., *et al.*, (*ARS*) 588–589P
——, Survey of day-case morbidity by domiciliary assessment, SMITH, S. O., *et al.*, (*ARS*) 284P
Complications, myocardial infarction, Anaesthetic management of myocardial infarction in a parturient, AGLIO, L. S., *et al.* 258–261
Complications, myotonic dystrophy, Are myotonias and periodic paralyses associated with susceptibility to malignant hyperthermia? LEHMANN-HORN, F., *et al.* 692–697
Complications, obesity, Diazepam pharmacokinetics: comparison of two formulations in three patient groups undergoing general anaesthesia, MICHAEL, S., *et al.*, (*ARS*) 589P
Complications, paralysis, 7th nerve palsy after extradural blood patch, LOWE, D. M., *et al.* 721–722
Complications, paralysis, periodic, Are myotonias and periodic paralyses associated with susceptibility to malignant hyperthermia? LEHMANN-HORN, F., *et al.* 692–697
Complications, porphyria, Regional anaesthesia in porphyria, BRENNAN, L., *et al.*, (*C*) 594
Complications, previous spinal surgery, Extradural anaesthesia in patients with previous lumbar spine surgery, SHARROCK, N. E., *et al.* 237–239
Complications, pulmonary aspiration, Critical volume for pulmonary acid aspiration: reappraisal in a primate model, RAIDOO, D. M., *et al.* 248–250
Complications, pulmonary infection, Pulmonary infection in intensive care units, INGLIS, T. J. J. 94–106
Complications, pulmonary oedema, Acute pulmonary oedema following administration of ornithine-8-vasopressin, BORGEAT, A., *et al.* 548–551
Complications, Raynaud's phenomenon, Non-invasive monitoring of the finger arterial pressure in patients with Raynaud's phenomenon: effects of exposure to cold, KURKI, T. S., *et al.* 558–563
Complications, regurgitation, Simultaneous intraoperative oesophageal and tracheal pH monitoring, BENSON, P., *et al.*, (*ARS*) 582P
Complications, sexual fantasies, Sexual fantasies during midazolam sedation, DUNDEE, J. W., (*ARS*) 281P
Complications, shivering, Extradurals and shivering, PONTE, J., (*C*) 732
——, Extradurals and shivering, WENSTONE, R., *et al.*, (*C*) 731–732
Complications, strabismus, Study of biochemical changes following suxamethonium administration in children with strabismus, MCLOUGHLIN, C. C., *et al.*, (*ARS*) 587–588P
Complications, trauma, Management of major trauma, CLARK, C., (*C*) 840
——, Management of major trauma, DE MELLO, W. F., *et al.*, (*C*) 839–840
Computers, model, A computer designed graph for administration of atracurium by i.v. infusion, SIMPSON, D. S., *et al.* 770–778

Developing country, Domiciliary oxygen concentrators in anaesthesia: preoxygenation techniques and inspired oxygen concentrations, WILSON, I. H., *et al.* 342–345
Dog, Aortic cross clamp duration and haemodynamic performance in an experimental normovolaemic and hypovolaemic model, MCGRATH, K., *et al.*, (*ARS*) 584P
——, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392
——, Effect of isoflurane on the canine hepatic circulation and hepatic oxygen balance, MILLER, C. D., *et al.* 698–703
——, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, LANIER, W. L., *et al.* 708–712
——, Enhancement of bupivacaine toxicity by therapeutic plasma concentrations of diltiazem in the anaesthetized dog, WHITING, R. W., *et al.*, (*ARS*) 286P
——, Relative effects of intrathecal midazolam and fentanyl on Aδ and C reflexes, WANG, C., *et al.*, (*ARS*) 590P
Drug delivery, bolus, Comparative study of a stepdown infusion of propofol and a low dose infusion supplemented by boluses, GILL, S. S., *et al.*, (*ARS*) 282–283P
Drug delivery, infusion, Comparative study of a stepdown infusion of propofol and a low dose infusion supplemented by boluses, GILL, S. S., *et al.*, (*ARS*) 282–283P
Drug delivery, injection speed, Effect of speed of injection on the dose required to induce anaesthesia with propofol, VENN, P. J. H., *et al.*, (*ARS*) 287P
Drug delivery, oral, Effect of oral omeprazole on intragastric pH and volume in women undergoing elective Caesarean section, GIN, T., *et al.* 616–619
Drug delivery, temperature, Extradurals and shivering, PONTE, J., (*C*) 732
——, Extradurals and shivering, WENSTONE, R., *et al.*, (*C*) 731–732
Drug disposition, Plasma concentrations of the stereoisomers of prilocaine after administration of the racemate: implications for toxicity? TUCKER, G. T., *et al.* 333–336
Drug effects, cardiovascular, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359
——, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392

Education, ambulance personnel, Management of major trauma, CLARK, C., (*C*) 840
——, Management of major trauma, DE MELLO, W. F., *et al.*, (*C*) 839–840
Electricity, Safety and the Patient, BRUNER, J. M., *et al.*, (*R*) 600–601
Enzymes, cholinesterase, Dose-dependent effect of metoclopramide on cholinesterases and suxamethonium metabolism, KAO, Y. J., *et al.* 220–224
——, Prolonged paralysis following suxamethonium and the use of neostigmine, JAMES, M. F. M., *et al.* 430–432
Equipment, alarms, A user-friendly disconnection alarm, BETHUNE, D. W., *et al.*, (*C*) 595
Equipment, breathing systems, Domiciliary oxygen concentrators in anaesthesia: preoxygenation techniques and inspired oxygen concentrations, WILSON, I. H., *et al.* 342–345
——, Efficiency of a new enclosed afferent reservoir breathing system during controlled ventilation, DROPPERT, P. M., *et al.*, (*ARS*) 277P
——, Fresh gas flow requirements of a new enclosed afferent reservoir breathing system during spontaneous ventilation, DROPPERT, P. M., *et al.*, (*ARS*) 591P
——, Tests on airway adjuncts used for expired air resuscitation, SIMONS, R. S., *et al.*, (*ARS*) 579–580P
Equipment, bronchoscopes, Rapidity and accuracy of

tracheal intubation in a mannequin: comparison of the fibreoptic with the Bullard laryngoscope, DYSON, A., *et al.* 268–270
Equipment, catheters, Incremental spinal anaesthesia using a 32-gauge catheter, KESTIN, I. G., (*ARS*) 280–281P
Equipment, Compas ambulatory units, Preoperative ST abnormalities detected by the Compas ambulatory ECG monitor in patients scheduled to undergo peripheral arterial surgery, LUTSCH, P., *et al.*, (*ARS*) 282P
Equipment, cuffs tracheal, Foam cuffed tracheal tubes: clinical and laboratory assessment, POWER, K. J. 433–437
Equipment, cylinders, Carbon dioxide cylinders on anaesthetic apparatus, NUNN, J. F., (*E*) 155–156
Equipment, Datex Relaxograph, Central enhancement of evoked electromyography, SMITH, D. C., (*ARS*) 290P
Equipment, Finapres, Non-invasive monitoring of the finger arterial pressure in patients with Raynaud's phenomenon: effects of exposure to cold, KURKI, T. S., *et al.* 558–563
Equipment, flowmeter, Carbon dioxide cylinders on anaesthetic apparatus, NUNN, J. F., (*E*) 155–156
Equipment, infusion systems, Postoperative patient-controlled analgesia, CUNDY, J. M., (*C*) 440
——, Postoperative patient-controlled analgesia, THOMAS, V. J., *et al.*, (*C*) 440
Equipment, laryngoscope, Rapidity and accuracy of tracheal intubation in a mannequin: comparison of the fibreoptic with the Bullard laryngoscope, DYSON, A., *et al.* 268–270
Equipment, lasers, Onset phase of spinal bupivacaine analgesia assessed quantitatively by laser stimulation, ARENDT-NIELSEN, L., *et al.* 639–642
——, Quantitative assessment of extradural bupivacaine analgesia, ARENDT-NIELSEN, L., *et al.* 633–638
Equipment, monitors, Isoflurane prevents EEG depression during trimetaphan-induced hypotension in man, LLOYD-THOMAS, A. R., *et al.* 313–318
——, Quantitative EEG and brainstem auditory evoked potentials: comparison of isoflurane with halothane using the cerebral function analysing monitor, LLOYD-THOMAS, A. R., *et al.* 306–312
Equipment, nasal temperature probe, Sinus arrest induced by trivial nasal stimulation during alfentanil–nitrous oxide anaesthesia, BAILEY, P. L. 718–720
Equipment, needles, Quantitative assessment of extradural bupivacaine analgesia, ARENDT-NIELSEN, L., *et al.* 633–638
——, Spinal anaesthesia in day-care surgery with a 26-gauge needle, QUAYNOR, H., *et al.* 766–769
——, Spinal obstetric anaesthesia with a 29-gauge needle, HADEN, R. M., *et al.*, (*C*) 294–295
Equipment, Ommaya shunt, Intraventricular diamorphine via an Ommaya shunt for intractable cancer pain, REEVE, W. G., *et al.* 544–547
Equipment, oxygen concentrator, Domiciliary oxygen concentrators in anaesthesia: preoxygenation techniques and inspired oxygen concentrations, WILSON, I. H., *et al.* 342–345
Equipment, pH probes, Simultaneous intraoperative oesophageal and tracheal pH monitoring, BENSON, P., *et al.*, (*ARS*) 582P
Equipment, pulse oximeters, Comparison of four pulse oximeters: effects of venous occlusion and cold-induced peripheral vasoconstriction, LANGTON, J. A., *et al.* 245–247
——, Comparison of pulse oximeters: accuracy at low arterial pressure in volunteers, FALCONER, R. J., *et al.* 552–557
——, Effect of motion artefact on pulse oximeters: evaluation of four instruments and finger probes, LANGTON, J. A., *et al.* 564–570
——, Effect of motion artefact on the function of four pulse oximeters, LANGTON, J. A., *et al.*, (*ARS*) 289–290P
——, Response time of pulse oximeters to rapid changes in saturation, YOUNG, J. D., *et al.*, (*ARS*) 572–573P
——, The influence of respiratory research on clinical progress, JONES, J. G., *et al.*, (*E*) 1–2
Equipment, tubes tracheal, Clinical evaluation of foam-cuffed tracheal tubes, POWER, K. J., (*ARS*) 284P
——, Foam cuffed tracheal tubes: clinical and laboratory assessment, POWER, K. J. 433–437
Equipment, ventilators, Comparison of two ventilators used with the T-piece in paediatric anaesthesia, HATCH, D. J., *et al.* 262–267
Equipment, ventilators with T-piece, Comparison of two ventilators used with the T-piece in paediatric anaesthesia, HATCH, D. J., *et al.* 262–267
Essentials of Anesthesiology, 2nd Edn, CHUNG, D. C., *et al.*, (editors), (*R*) 600
Eye, pupil, Pupillary effects of alfentanil and morphine, MILLER, C. D., *et al.* 415–417

Fatigue, Respiratory muscle fatigue: mechanisms, evaluation and therapy, MOXHAM, J. 43–53
Fluid balance, I.v. fluids during surgery, CAMPBELL, I. T., *et al.* 726–729
Fluid balance, volume loading, Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section, WENNBERG, E., *et al.* 654–660
Fluids, i.v., Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section, WENNBERG, E., *et al.* 654–660
——, I.v. fluids during surgery, CAMPBELL, I. T., *et al.* 726–729

Gastrointestinal tract, emptying, Gastric emptying in pregnancy, MAGIDES, A. D., *et al.*, (*ARS*) 580–581P
Gastrointestinal tract, endoscopy, Comparison of sedation with midazolam or diazemuls for upper gastrointestinal endoscopy, FARQUHAR, I. K., *et al.*, (*ARS*) 580P
——, Oxygen saturation change during upper gastrointestinal endoscopy: use of supplementary oxygen to prevent desaturation, PATTERSON, K. W., *et al.*, (*ARS*) 283–284P
Gastrointestinal tract, lower oesophageal contractility, Lower oesophageal contractility and detection of awareness during anaesthesia, ISAAC, P. A., *et al.* 319–324
——, Oesophageal contractility during total i.v. anaesthesia, RAFTERY, S., *et al.*, (*ARS*) 575P
Gastrointestinal tract, lower oesophageal sphincter, Effect of the Trendelenburg position on lower oesophageal sphincter pressure, HEIJKE, S. A. M., *et al.*, (*ARS*) 288P
Gastrointestinal tract, metoclopramide, Dose-dependent effect of metoclopramide on cholinesterases and suxamethonium metabolism, KAO, Y. J., *et al.* 220–224
Gastrointestinal tract, oesophageal pH, Simultaneous intraoperative oesophageal and tracheal pH monitoring, BENSON, P., *et al.*, (*ARS*) 582P
Gastrointestinal tract, pH, Comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH, POPAT, M. T., *et al.*, (*ARS*) 581P
——, Effect of oral omeprazole on intragastric pH and volume in women undergoing elective Caesarean section, GIN, T., *et al.* 616–619

——, Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children, CHRISTENSEN, S., *et al.* 456–460

Gastrointestinal tract, stomach antacids, Comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH, POPAT, M. T., *et al.*, (*ARS*) 581P

——, Effect of oral omeprazole on intragastric pH and volume in women undergoing elective Caesarean section, GIN, T., *et al.* 616–619

——, Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children, CHRISTENSEN, S., *et al.* 456–460

——, Omeprazole—a useful new agent? ROWBOTHAM, D. J., (*E*) 607–608

Gastrointestinal tract, volume, Comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH, POPAT, M. T., *et al.*, (*ARS*) 581P

——, Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children, CHRISTENSEN, S., *et al.* 456–460

Goat, Effect of halothane on hypoxic and hypercapnic ventilatory responses of goats, KOH, S. O., *et al.* 713–717

Heart arrhythmia, I.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.*, (*C*) 596–597

——, I.v. infusions of morphine and regional analgesia by extradural block, DRUMMOND, G. B., (*C*) 595–596

Heart arrhythmia, bradycardia, Sinus arrest induced by trivial nasal stimulation during alfentanil–nitrous oxide anaesthesia, BAILEY, P. L. 718–720

Heart block, diltiazem, Enhancement of bupivacaine toxicity by therapeutic plasma concentrations of diltiazem in the anaesthetized dog, WHITING, R. W., *et al.*, (*ARS*) 286P

Heart block, nimodipine, Effects of nimodipine on cerebral blood flow and neuropsychological outcome after cardiac surgery, FORSMAN, M., *et al.* 514–520

Heart, cardiac output, Cardiovascular and renal haemodynamic effects of dopexamine: comparison with dopamine, STEPHAN, H., *et al.* 380–387

——, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359

——, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392

——, Redistribution of cardiac output caused by opening of arteriovenous anastomoses by a combination of azaperone and metomidate, VAN WOERKENS, L. J., *et al.* 393–399

Heart, coronary artery bypass, Cardiovascular effects of doxacurium, pancuronium and vecuronium in anaesthetized patients presenting for coronary artery bypass surgery, EMMOTT, R. S., *et al.* 480–486

Heart, dopamine, Cardiovascular and renal haemodynamic effects of dopexamine: comparison with dopamine, STEPHAN, H., *et al.* 380–387

Heart, dopexamine, Cardiovascular and renal haemodynamic effects of dopexamine: comparison with dopamine, STEPHAN, H., *et al.* 380–387

Heart, electrocardiography, Preoperative ST abnormalities detected by the Compas ambulatory ECG monitor in patients scheduled to undergo peripheral arterial surgery, LUTSCH, P., *et al.*, (*ARS*) 282P

Heart, heart rate, Beta-adrenoceptor block affects only heart rate response to laryngoscopy and intubation in hypertensive patients, SEAR, J. W., *et al.*, (*ARS*) 284–285P

——, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359

——, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392

Heart, ischaemia, Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities, ROSENBERG, J., *et al.* 684–691

Heart, metabolism, Functional and metabolic effects of bupivacaine and lignocaine in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 521–526

Heart, output, Effects of halothane, enflurane and isoflurane anaesthesia on renal plasma flow, GROVES, N. D., *et al.* 796–800

Heart stimulant, dobutamine, Metabolic effects of dobutamine, FRASER, S., *et al.*, (*ARS*) 289P

Heart, surgery, Anaesthetic hazards of aortocaval fistula, BODENHAM, A. 723–725

Histamine, Massive histamine release in a patient with systemic mastocytosis, DESBOROUGH, J. P., *et al.* 833–836

Hormones, adrenal, Influence of low-dose naloxone infusion on hypothalamo–pituitary–adrenocortical activity, WRIGHT, P. M. C., *et al.*, (*ARS*) 592–593P

Hormones, corticosteroid, Extradural abscess following local anaesthetic and steroid injection for chronic low back pain, GOUCKE, C. R., *et al.* 427–429

Hormones, ornithine-8-vasopressin, Acute pulmonary oedema following administration of ornithine-8-vasopressin, BORGEAT, A., *et al.* 548–551

Hormones, pituitary, Site of action of fentanyl in inhibiting the pituitary–adrenal response to surgery in man, HALL, G. M., *et al.* 251–253

Hormones, prostaglandins, Effect of ibuprofen on pain during injection of propofol, BATCHELOR, A. M., *et al.*, (*ARS*) 576–577P

Hormones, somatostatin, Extradural somatostatin, DESBOROUGH, J., (*C*) 152

——, Extradural somatostatin, YAKSH, T. L., (*C*) 152

Hypnotics benzodiazepine, diazepam, Comparison of sedation with midazolam or diazemuls for upper gastrointestinal endoscopy, FARQUHAR, I. K., *et al.*, (*ARS*) 580P

——, Diazepam pharmacokinetics: comparison of two formulations in three patient groups undergoing general anaesthesia, MICHAEL, S., *et al.*, (*ARS*) 589P

Hypnotics benzodiazepine, midazolam, Cardiovascular effects of etomidate, thiopentone or an etomidate–midazolam mixture, RYAN, J. P., *et al.*, (*ARS*) 285–286P

——, Comparison of sedation with midazolam or diazemuls for upper gastrointestinal endoscopy, FARQUHAR, I. K., *et al.*, (*ARS*) 580P

——, Effect of flumazenil on midazolam-induced amnesia, MCKAY, A. C., *et al.* 190–196

——, Effect of sedation with alfentanil, midazolam or propofol on oxygen transport variables in the critically ill, KOX, W., *et al.*, (*ARS*) 278P

——, Relative effects of intrathecal midazolam and fentanyl on Aδ and C reflexes, WANG, C., *et al.*, (*ARS*) 590P

——, Sexual fantasies during midazolam sedation, DUNDEE, J. W., (*ARS*) 281P

——, Subcutaneous flumazenil and recovery from midazolam, BIRCH, B., (*C*) 292

——, Subcutaneous flumazenil and recovery from midazolam, LUGER, T. J., *et al.*, (*C*) 292–293

——, Unconsciousness associated with midazolam and erythromycin, HILLER, A., *et al.* 826–828

Hypnotics butyrophenone, azaperone, Redistribution of cardiac output caused by opening of arteriovenous anastomoses by a combination of azaperone and metomidate, VAN WOERKENS, L. J., *et al.* 393–399
Hypothermia, surgical, Body temperature and anaesthesia, ENGLISH, M. J. M., *et al.*, (*C*) 438–439
——, Body temperature and anaesthesia, IMRIE, M. M., *et al.*, (*C*) 439–440
Hypoxaemia, Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities, ROSENBERG, J., *et al.* 684–691
Hypoxaemia, pulse oximetry, Comparison of pulse oximeters: accuracy at low arterial pressure in volunteers, FALCONER, R. J., *et al.* 552–557
——, Postoperative hypoxaemia following major abdominal vascular surgery: a preoperative and postoperative study using pulse oximetry, REEDER, M. K., *et al.*, (*ARS*) 591–592P
Hypoxia, Comparison of pulse oximeters: accuracy at low arterial pressure in volunteers, FALCONER, R. J., *et al.* 552–557

Induction, anaesthesia, Ultrasound assessment of the position of the tongue during induction of anaesthesia, ABERNETHY, L. J., *et al.* 744–748
Infants, Complications of nasotracheal intubation in neonates, infants and children: a review of 4 years' experience in a children's hospital, BLACK, A. E., *et al.* 461–467
——, Myotonic and neuromuscular blocking effects of increased doses of suxamethonium in infants and children, MEAKIN, G., *et al.* 816–818
Infection, pulmonary, Pulmonary infection in intensive care units, INGLIS, T. J. J. 94–106
Intensive care, Clearance of atracurium, laudanosine and monoquaternary alcohol by haemofiltration in the critically ill patient, SHEARER, E. S., *et al.*, (*ARS*) 271P
——, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma in three intensive care patients, GWINNUTT, C. L., *et al.* 829–832
——, Effect of sedation with alfentanil, midazolam or propofol on oxygen transport variables in the critically ill, KOX, W., *et al.*, (*ARS*) 278P
——, Plasma leucine turnover and oxidation in critical illness, SAMUELS, T. A., *et al.*, (*ARS*) 278–279P
——, Urinary clearance of atracurium, laudanosine and monoquaternary alcohol in the intensive care patient with normal renal function, SHEARER, E. S., *et al.*, (*ARS*) 586P
Intensive care, pulmonary infection, Pulmonary infection in intensive care units, INGLIS, T. J. J. 94–106
Intensive care, sedation, Effect of prolonged sedation with isoflurane on plasma fluoride concentrations in critically ill patients, SPENCER, E. M., *et al.*, (*ARS*) 574–575P
Interactions, drug, Dose-dependent effect of metoclopramide on cholinesterases and suxamethonium metabolism, KAO, Y. J., *et al.* 220–224
——, Nitrous oxide potentiates suxamethonium block in man, SZALADOS, J. E., *et al.*, (*ARS*) 272–273P
——, Pharmacokinetic interaction of propofol and fentanyl: single bolus injection study, GILL, S. S., *et al.* 760–765
——, Unconsciousness associated with midazolam and erythromycin, HILLER, A., *et al.* 826–828
Introduction to Regional Anaesthesia, 1st Edn, SCOTT, D. B., (*R*) 296
Intubation, Beta-adrenoceptor block affects only heart rate response to laryngoscopy and intubation in hypertensive patients, SEAR, J. W., *et al.*, (*ARS*) 284–285P
Intubation nasotracheal, blind, Blind nasal intubation—the only option? SURESH, D., (*C*) 294
Intubation nasotracheal, complications, Blind nasal intubation—the only option? SURESH, D., (*C*) 294
——, Complications of nasotracheal intubation in neonates, infants and children: a review of 4 years' experience in a children's hospital, BLACK, A. E., *et al.* 461–467
Intubation tracheal, A technique to assess laryngeal damage following tracheal intubation, LANGTON, J., *et al.*, (*ARS*) 590–591P
——, Clinical observations on Org 9426, SCOTT, R. P. F., (*C*) 839
——, Clinical observations on Org 9426, WIERDA, J. M. K. H., *et al.*, (*C*) 839
——, Effect of i.v. lignocaine on the cardiovascular and catecholamine responses to laryngoscopy and intubation, WILSON, I., *et al.*, (*ARS*) 288–289P
——, Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension, ROUT, C. C., *et al.* 468–474
——, I.v. lignocaine fails to attenuate the cardiovascular response to laryngoscopy and tracheal intubation, MILLER, C. D., *et al.* 216–219
Intubation tracheal, complications, Failed tracheal intubation, KING, T. A., *et al.* 400–414
Intubation tracheal, difficult, Developments in the safe use of high frequency jet ventilation, SMITH, B. E., (*E*) 735–736
——, Factor analysis in difficult tracheal intubation: laryngoscopy-induced airway obstruction, HORTON, W. A., *et al.* 801–805
——, Factor analysis in patients with a history of failed tracheal intubation during pregnancy, FAHY, L., *et al.* 813–815
——, Failed tracheal intubation, KING, T. A., *et al.* 400–414
Intubation tracheal, technique, Blind nasal intubation—the only option? SURESH, D., (*C*) 294
——, Failed tracheal intubation, KING, T. A., *et al.* 400–414
——, Rapidity and accuracy of tracheal intubation in a mannequin: comparison of the fibreoptic with the Bullard laryngoscope, DYSON, A., *et al.* 268–270
Intubation tracheal, training, Rapidity and accuracy of tracheal intubation in a mannequin: comparison of the fibreoptic with the Bullard laryngoscope, DYSON, A., *et al.* 268–270
Ions, calcium, Are myotonias and periodic paralyses associated with susceptibility to malignant hyperthermia? LEHMANN-HORN, F., *et al.* 692–697
Ions, fluoride, Effect of prolonged sedation with isoflurane on plasma fluoride concentrations in critically ill patients, SPENCER, E. M., *et al.*, (*ARS*) 574–575P
Ions, potassium, The role of α_1-adrenoceptors in adrenaline-induced hyperkalaemia, ENSINGER, H., *et al.* 786–790

Kidney, blood flow, Cardiovascular and renal haemodynamic effects of dopexamine: comparison with dopamine, STEPHAN, H., *et al.* 380–387
——, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359
——, Effects of halothane, enflurane and isoflurane anaesthesia on renal plasma flow, GROVES, N. D., *et al.* 796–800
——, Effects of propofol and of thiopentone anaesthesia on the renal clearance of cefoxitin in the sheep, SELBY, D. G., *et al.* 360–364

Kidney, cefoxitin, Effects of propofol and of thiopentone anaesthesia on the renal clearance of cefoxitin in the sheep, SELBY, D. G., *et al.* 360–364
Kidney, diuretics, frusemide, Diuretics after transurethral prostatectomy: a double-blind controlled trial comparing frusemide and mannitol, CROWLEY, K., *et al.* 337–341
Kidney, diuretics, mannitol, Diuretics after transurethral prostatectomy: a double-blind controlled trial comparing frusemide and mannitol, CROWLEY, K., *et al.* 337–341
Kidney filtration, glomerular, Effects of propofol and of thiopentone anaesthesia on the renal clearance of cefoxitin in the sheep, SELBY, D. G., *et al.* 360–364
Kidney, function, Dose requirements and plasma concentrations of pipecuronium during bilateral renal exclusion and orthotopic liver transplantation in pigs, PITTET, J. F., *et al.* 779–785
——, Effect of cardiopulmonary bypass flow on renal function, VALENTINE, S. J., *et al.*, (*ARS*) 279–280P
——, Effect of prolonged sedation with isoflurane on plasma fluoride concentrations in critically ill patients, SPENCER, E. M., *et al.*, (*ARS*) 574–575P
——, Effects of halothane, enflurane and isoflurane anaesthesia on renal plasma flow, GROVES, N. D., *et al.* 796–800
Kidney, urine, I.v. fluids during surgery, CAMPBELL, I. T., *et al.* 726–729
Kidney, urine metabolites, Urinary clearance of atracurium, laudanosine and monoquaternary alcohol in the intensive care patient with normal renal function, SHEARER, E. S., *et al.*, (*ARS*) 586P
Kidney, water intoxication, Diuretics after transurethral prostatectomy: a double-blind controlled trial comparing frusemide and mannitol, CROWLEY, K., *et al.* 337–341

Labour, Relation of lumbar tissue damage and backache after delivery, SAMSOON, G., *et al.*, (*ARS*) 577P
Larynx, anatomy, Factor analysis in difficult tracheal intubation: laryngoscopy-induced airway obstruction, HORTON, W. A., *et al.* 801–805
——, Factor analysis in patients with a history of failed tracheal intubation during pregnancy, FAHY, L., *et al.* 813–815
——, Preliminary observations of vocal cord movements on induction of anaesthesia with propofol or thiopentone, LANGTON, J., *et al.*, (*ARS*) 582–583P
——, Towards a single index for quantifying osseous factors in difficult laryngoscopy, HORTON, W. A., *et al.*, (*ARS*) 583–584P
Larynx, damage, A technique to assess laryngeal damage following tracheal intubation, LANGTON, J., *et al.*, (*ARS*) 590–591P
Larynx, laryngoscopy, Effect of i.v. lignocaine on the cardiovascular and catecholamine responses to laryngoscopy and intubation, WILSON, I., *et al.*, (*ARS*) 288–289P
——, Factor analysis in difficult tracheal intubation: laryngoscopy-induced airway obstruction, HORTON, W. A., *et al.* 801–805
——, I.v. lignocaine fails to attenuate the cardiovascular response to laryngoscopy and tracheal intubation, MILLER, C. D., *et al.* 216–219
——, Measurement of end-expiratory pressure during transtracheal high frequency jet ventilation for laryngoscopy, BOURGAIN, J. L., *et al.* 737–743
——, Pivoting larynx—an unusual clinical observation at laryngoscopy, CHARTERS, P., *et al.* 424–426
——, Towards a single index for quantifying osseous factors in difficult laryngoscopy, HORTON, W. A., *et al.*, (*ARS*) 583–584P
Larynx, vocal cords, A technique to assess laryngeal damage following tracheal intubation, LANGTON, J., *et al.*, (*ARS*) 590–591P
——, Preliminary observations of vocal cord movements on induction of anaesthesia with propofol or thiopentone, LANGTON, J., *et al.*, (*ARS*) 582–583P
Lectures on Anaesthetics and on Asphyxia (English translation of 1st Edn), BERNARD, C., (*R*) 441
Liver, blood flow, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359
——, Effect of isoflurane on the canine hepatic circulation and hepatic oxygen balance, MILLER, C. D., *et al.* 698–703
Liver, cirrhosis, Pharmacokinetics of propofol infusions in patients with cirrhosis, SERVIN, F., *et al.* 177–183
Liver, function, Dose requirements and plasma concentrations of pipecuronium during bilateral renal exclusion and orthotopic liver transplantation in pigs, PITTET, J. F., *et al.* 779–785
——, Serum acute phase proteins after orthotopic liver transplantation, BURNS, A. M., *et al.* 418–420
Liver, hepatitis, Halothane hepatitis, SPEEDY, H., (*C*) 841
——, Halothane hepatitis, WARK, H., (*C*) 840–841
Liver, oxygenation, Effect of isoflurane on the canine hepatic circulation and hepatic oxygen balance, MILLER, C. D., *et al.* 698–703
Liver, protein synthesis, Serum acute phase proteins after orthotopic liver transplantation, BURNS, A. M., *et al.* 418–420
Liver, transplantation, Dose requirements and plasma concentrations of pipecuronium during bilateral renal exclusion and orthotopic liver transplantation in pigs, PITTET, J. F., *et al.* 779–785
——, Serum acute phase proteins after orthotopic liver transplantation, BURNS, A. M., *et al.* 418–420
Lung, blood flow, Effects of anaesthetics on the pulmonary circulation, EISENKRAFT, J. B. 63–78
Lung, complications, Preoperative overnight pulse oximetry as a predictor of pulmonary complications after major vascular surgery, REEDER, M. K., *et al.*, (*ARS*) 572P
Lung, endotoxaemia, Effect of oxpentifylline on endotoxin/smoke-induced lung injury, MURPHY, P. G., *et al.*, (*ARS*) 578–579P
Lung, fluid balance, The role of lung surfactant, HILLS, B. A. 13–29
Lung, function, Effects of anaesthesia on respiration, NUNN, J. F. 54–62
——, Pain relief after thoracotomy, CONACHER, I. D. 806–812
——, The influence of respiratory research on clinical progress, JONES, J. G., *et al.*, (*E*) 1–3
Lung, functional residual capacity, Continuous measurement of FRC during general anaesthesia, BEATTY, P. C. W., *et al.*, (*ARS*) 276P
Lung, high frequency jet ventilation, Measurement of entrainment ratio during high frequency jet ventilation, JONES, M. J., *et al.* 197–203
Lung, injury, Effect of oxpentifylline on endotoxin/smoke-induced lung injury, MURPHY, P. G., *et al.*, (*ARS*) 578–579P
Lung, mechanics, Respiratory mechanics in anaesthesia, MILIC-EMILI, J., *et al.* 4–12
Lung, metabolic function, Pharmacokinetic and metabolic properties of lung, BAKHLE, Y. S. 79–93
Lung, respiratory distress syndrome, The adult respiratory distress syndrome: definition and prognosis, pathogenesis and treatment, WIENER-KRONISH, J. P., *et al.* 107–129

Lung, surfactant, The role of lung surfactant, HILLS, B. A. 13–29
Lung, tidal volume, Ventilatory responses to sevoflurane and halothane in the rat, YEE, M. K., *et al.*, (*ARS*) 276–277P
Lung, tracheal pH, Simultaneous intraoperative oesophageal and tracheal pH monitoring, BENSON, P., *et al.*, (*ARS*) 582P

Malignant hyperthermia, Are myotonias and periodic paralyses associated with susceptibility to malignant hyperthermia? LEHMANN-HORN, F., *et al.* 692–697
——, Muscle relaxation rates in individuals susceptible to malignant hyperthermia, URWYLER, A., *et al.* 421–423
——, Use of the calcium agonist BAY K 8644 for *in vitro* diagnosis of susceptibility to malignant hyperthermia, ADNET, P. J., *et al.* 791–795
Manual of Cardiorespiratory Critical Care, 1st Edn, GUZMAN, F., *et al.*, (editors), (*R*) 600
Manual of Pediatric Anesthesia, 3rd Edn, STEWARD, D. J., (*R*) 598–599
Measurement techniques, airway elastance, Respiratory mechanics in anaesthesia, MILIC-EMILI, J., *et al.* 4–12
Measurement techniques, airway obstruction, Sleep apnoea and the upper airway, HOFFSTEIN, V., *et al.* 139–150
Measurement techniques, airway resistance, Respiratory mechanics in anaesthesia, MILIC-EMILI, J., *et al.* 4–12
Measurement techniques, autoradiography, Effects of nitrous oxide on cerebral metabolic rate in rats anaesthetized with isoflurane, REASONER, D. K., *et al.* 210–215
Measurement techniques, chiral chromatography, Plasma concentrations of the stereoisomers of prilocaine after administration of the racemate: implications for toxicity? TUCKER, G. T., *et al.* 333–336
Measurement techniques, computed tomography, The influence of respiratory research on clinical progress, JONES, J. G., *et al.*, (*E*) 1–3
Measurement techniques, contracture test for MH, Use of the calcium agonist BAY K 8644 for *in vitro* diagnosis of susceptibility to malignant hyperthermia, ADNET, P. J., *et al.* 791–795
Measurement techniques, electrocardiography, Preoperative ST abnormalities detected by the Compas ambulatory ECG monitor in patients scheduled to undergo peripheral arterial surgery, LUTSCH, P., *et al.*, (*ARS*) 282P
Measurement techniques, electromyography, Central enhancement of evoked electromyography, SMITH, D. C., (*ARS*) 290P
Measurement techniques, gas exchange, Breath by breath gas exchange measurement during general anaesthesia, BEECH, M., *et al.*, (*ARS*) 275P
——, Continuous measurement of FRC during general anaesthesia, BEATTY, P. C. W., *et al.*, (*ARS*) 276P
Measurement techniques, magnetic resonance spectroscopy, Relation of lumbar tissue damage and backache after delivery, SAMSOON, G., *et al.*, (*ARS*) 577P
Measurement techniques, mass spectroscopy, Breath by breath gas exchange measurement during general anaesthesia, BEECH, M., *et al.*, (*ARS*) 275P
——, Plasma leucine turnover and oxidation in critical illness, SAMUELS, T. A., *et al.*, (*ARS*) 278–279P
Measurement techniques, neuromuscular block, Influence of halothane on the train-of-four fade after atracurium in children, WOLOSZCZUK-GEBICKA, B. 540–541
——, Onset of neuromuscular block—an hypothesis, FELDMAN, S., *et al.*, (*ARS*) 585P
——, Relationship of plasma concentration of atracurium to response using the train-of-four ratio, PARKER, C. J. R., *et al.*, (*ARS*) 272P
——, Use of post-tetanic count in assessment of a repetitive vecuronium-induced neuromuscular block, ERIKSSON, L. I., *et al.* 487–493
Measurement techniques, oximeters, Carboxyhaemoglobin concentrations, pulse oximetry and arterial blood-gas tensions during jet ventilation for Nd–YAG laser bronchoscopy, GOLDHILL, D. R., *et al.* 749–753
——, Comparison of four pulse oximeters: effects of venous occlusion and cold-induced peripheral vasoconstriction, LANGTON, J. A., *et al.* 245–247
——, Comparison of pulse oximeters: accuracy at low arterial pressure in volunteers, FALCONER, R. J., *et al.* 552–557
——, Effect of motion artefact on pulse oximeters: evaluation of four instruments and finger probes, LANGTON, J. A., *et al.* 564–570
——, Effect of motion artefact on the function of four pulse oximeters, LANGTON, J. A., *et al.*, (*ARS*) 289–290P
——, Preoperative overnight pulse oximetry as a predictor of pulmonary complications after major vascular surgery, REEDER, M. K., *et al.*, (*ARS*) 572P
——, Pulse oximetry and the arterial to end-tidal P_{CO_2} difference in cyanotic children, FLETCHER, R., (*ARS*) 274P
——, The influence of respiratory research on clinical progress, JONES, J. G., *et al.*, (*E*) 1–3
Measurement techniques, pneumotachography, Breath by breath gas exchange measurement during general anaesthesia, BEECH, M., *et al.*, (*ARS*) 275P
——, Measurement of entrainment ratio during high frequency jet ventilation, JONES, M. J., *et al.* 197–203
Measurement techniques, spectral analysis, Spectral harmonic changes in intracranial pressure waveform occurring in patients with intracranial haemorrhage, LIN, E. S., *et al.*, (*ARS*) 279P
Measurement techniques, thoracic impedance cardiography, Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section, WENNBERG, E., *et al.* 654–660
Measurement techniques, ultrasound, Ultrasound assessment of the position of the tongue during induction of anaesthesia, ABERNETHY, L. J., *et al.* 744–748
Measurement techniques, visual analogue scale, Comparison of contemporaneous and retrospective assessment of postoperative pain using a visual analogue scale, LIU, D., *et al.*, (*ARS*) 577–578P
Memory, Awareness and memory in anaesthetized patients, GRIFFITHS, D., *et al.*, (*E*) 603–606
——, Levels of consciousness in volunteers breathing sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 609–615
Memory, amnesia, Effect of flumazenil on midazolam-induced amnesia, MCKAY, A. C., *et al.* 190–196
Metabolic effects, dobutamine, Metabolic effects of dobutamine, FRASER, S., *et al.*, (*ARS*) 289P
Metabolic Response to Surgery. Baillière's Clinical Anesthesiology. International Practice and Research, Vol. 3, No. 2, BEVAN, D. R., (editor), (*R*) 296
Metabolism, leucine, Plasma leucine turnover and oxidation in critical illness, SAMUELS, T. A., *et al.*, (*ARS*) 278–279P

Metabolism, metabolites, Clearance of atracurium, laudanosine and monoquaternary alcohol by haemofiltration in the critically ill patient, SHEARER, E. S., *et al.*, (*ARS*) 271P
Metabolism, paracetamol, Gastric emptying in pregnancy, MAGIDES, A. D., *et al.*, (*ARS*) 580–581P
Metabolism, protein, Effect of general anaesthesia on whole body protein turnover in patients undergoing elective surgery, CARLI, F., *et al.* 373–379
——, Plasma leucine turnover and oxidation in critical illness, SAMUELS, T. A., *et al.*, (*ARS*) 278–279P
Microcirculation, lung, oxpentifylline, Effect of oxpentifylline on endotoxin/smoke-induced lung injury, MURPHY, P. G., *et al.*, (*ARS*) 578–579P
Model, computer simulation, A computer designed graph for administration of atracurium by i.v. infusion, SIMPSON, D. S., *et al.* 770–778
Model, dog, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392
——, Relative effects of intrathecal midazolam and fentanyl on Aδ and C reflexes, WANG, C., *et al.*, (*ARS*) 590P
Model, heart–lung preparation, Functional and metabolic effects of bupivacaine and lignocaine in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 521–526
Model, limb hypoperfusion, Comparison of pulse oximeters: accuracy at low arterial pressure in volunteers, FALCONER, R. J., *et al.* 552–557
Model, lung injury, Effect of oxpentifylline on endotoxin/smoke-induced lung injury, MURPHY, P. G., *et al.*, (*ARS*) 578–579P
Model, monkey, Critical volume for pulmonary acid aspiration: reappraisal in a primate model, RAIDOO, D. M., *et al.* 248–250
Model, pulmonary aspiration, Critical volume for pulmonary acid aspiration: reappraisal in a primate model, RAIDOO, D. M., *et al.* 248–250
Model, rat, Two GABA mechanisms for spinally-mediated antinociception: evidence from antagonism of 5-hydroxytryptamine by bicuculline, GUO, Z., *et al.*, (*ARS*) 589–590P
Monitoring, anaesthetist activity, A second time-study of the anaesthetist's intraoperative period, DZWONCZYK, R., *et al.*, (*C*) 842
——, A second time-study of the anaesthetist's intraoperative period, GOODMAN, N. W., (*C*) 841–842
——, A second time-study of the anaesthetist's intraoperative period, SUTTON, D., (*C*) 842
Monitoring, carbon dioxide, Carbon dioxide cylinders on anaesthetic apparatus, NUNN, J. F., (*E*) 155–156
Monitoring, carboxyhaemoglobin, Carboxyhaemoglobin concentrations, pulse oximetry and arterial blood-gas tensions during jet ventilation for Nd–YAG laser bronchoscopy, GOLDHILL, D. R., *et al.* 749–753
Monitoring, electrocardiography, Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities, ROSENBERG, J., *et al.* 684–691
——, Oxygen saturation change during upper gastrointestinal endoscopy: use of supplementary oxygen to prevent desaturation, PATTERSON, K. W., *et al.*, (*ARS*) 283–284P
——, Preoperative ST abnormalities detected by the Compas ambulatory ECG monitor in patients scheduled to undergo peripheral arterial surgery, LUTSCH, P., *et al.*, (*ARS*) 282P
Monitoring, electroencephalography, Cerebral effects of sevoflurane in the dog: comparison with isoflurane and enflurane, SCHELLER, M. S., *et al.* 388–392
——, Isoflurane prevents EEG depression during trimetaphan-induced hypotension in man, LLOYD-THOMAS, A. R., *et al.* 313–318
——, Quantitative EEG and brainstem auditory evoked potentials: comparison of isoflurane with halothane using the cerebral function analysing monitor, LLOYD-THOMAS, A. R., *et al.* 306–312
Monitoring, ergonomic, Intraoperative monitoring, HARRISON, M. J., (*C*) 597
——, Intraoperative monitoring, WINTER, A. W., *et al.*, (*C*) 597
Monitoring, evoked potentials, Analgesic efficacy of i.m. alfentanil, ARENDT-NIELSEN, L., *et al.* 164–168
——, Effect of surface electrode position on the compound action potential evoked by ulnar nerve stimulation during isoflurane anaesthesia, KALLI, I. 494–499
——, Quantitative EEG and brainstem auditory evoked potentials: comparison of isoflurane with halothane using the cerebral function analysing monitor, LLOYD-THOMAS, A. R., *et al.* 306–312
Monitoring, finger arterial pressure, Non-invasive monitoring of the finger arterial pressure in patients with Raynaud's phenomenon: effects of exposure to cold, KURKI, T. S., *et al.* 558–563
Monitoring, international consensus, A user-friendly disconnection alarm, BETHUNE, D. W., *et al.*, (*C*) 595
Monitoring, intraoperative, Intraoperative monitoring, HARRISON, M. J., (*C*) 597
——, Intraoperative monitoring, WINTER, A. W., *et al.*, (*C*) 597
Monitoring, motion artefact, Effect of motion artefact on pulse oximeters: evaluation of four instruments and finger probes, LANGTON, J. A., *et al.* 564–570
Monitoring, neuromuscular function, Use of post-tetanic count in assessment of a repetitive vecuronium-induced neuromuscular block, ERIKSSON, L. I., *et al.* 487–493
Monitoring, non-invasive, Non-invasive monitoring of the finger arterial pressure in patients with Raynaud's phenomenon: effects of exposure to cold, KURKI, T. S., *et al.* 558–563
Monitoring, oesophageal pH, Simultaneous intraoperative oesophageal and tracheal pH monitoring, BENSON, P., *et al.*, (*ARS*) 582P
Monitoring, oxygen, Carboxyhaemoglobin concentrations, pulse oximetry and arterial blood-gas tensions during jet ventilation for Nd–YAG laser bronchoscopy, GOLDHILL, D. R., *et al.* 749–753
——, Comparison of pulse oximeters: accuracy at low arterial pressure in volunteers, FALCONER, R. J., *et al.* 552–557
——, Effect of motion artefact on pulse oximeters: evaluation of four instruments and finger probes, LANGTON, J. A., *et al.* 564–570
——, Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities, ROSENBERG, J., *et al.* 684–691
——, Postoperative hypoxaemia following major abdominal vascular surgery: a preoperative and postoperative study using pulse oximetry, REEDER, M. K., *et al.*, (*ARS*) 591–592P
——, Preoperative overnight pulse oximetry as a predictor of pulmonary complications after major vascular surgery, REEDER, M. K., *et al.*, (*ARS*) 572P
——, Response time of pulse oximeters to rapid changes in saturation, YOUNG, J. D., *et al.*, (*ARS*) 572–573P
——, The influence of respiratory research on clinical progress, JONES, J. G., *et al.*, (*E*) 1–3
Monitoring, safety standards, A user-friendly disconnection alarm, BETHUNE, D. W., *et al.*, (*C*) 595
——, An international consensus on monitoring, BAKER, A. B., (*C*) 295
——, An international consensus on monitoring, SPENCE, A. A., *et al.*, (*C*) 295

Monitoring, somatosensory evoked potentials, Effects of 2% lignocaine on somatosensory evoked potentials recorded in the extradural space, LOUGHNAN, B. A., *et al.* 643–647
——, Effects of sufentanil on median nerve somatosensory evoked potentials, KIMOVEC, M. A., *et al.* 169–172
Monitoring, tracheal pH, Simultaneous intraoperative oesophageal and tracheal pH monitoring, BENSON, P., *et al.*, (*ARS*) 582P
Monitoring, transtracheal, Measurement of end-expiratory pressure during transtracheal high frequency jet ventilation for laryngoscopy, BOURGAIN, J. L., *et al.* 737–743
Monkey, Critical volume for pulmonary acid aspiration: reappraisal in a primate model, RAIDOO, D. M., *et al.* 248–250
Muscle respiratory, fatigue, Respiratory muscle fatigue: mechanisms, evaluation and therapy, MOXHAM, J. 43–53
Muscle respiratory, function, Effects of anaesthesia on respiration, NUNN, J. F. 54–62
Muscle skeletal, Muscle relaxation rates in individuals susceptible to malignant hyperthermia, URWYLER, A., *et al.* 421–423

Neonates, Comparison of Ringer's acetate with 3% dextran 70 for volume loading before extradural Caesarean section, WENNBERG, E., *et al.* 654–660
——, Complications of nasotracheal intubation in neonates, infants and children: a review of 4 years' experience in a children's hospital, BLACK, A. E., *et al.* 461–467
Nerve–muscle preparations, Effects of aminophylline on the isolated phrenic nerve–hemidiaphragm preparation are potentiated by halothane and isoflurane, ELLIOT, R. H., *et al.*, (*ARS*) 573P
Neuromuscular block, atracurium, A computer designed graph for administration of atracurium by i.v. infusion, SIMPSON, D. S., *et al.* 770–778
——, Clearance of atracurium, laudanosine and monoquaternary alcohol by haemofiltration in the critically ill patient, SHEARER, E. S., *et al.*, (*ARS*) 271P
——, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma in three intensive care patients, GWINNUTT, C. L., *et al.* 829–832
——, Influence of halothane on the train-of-four fade after atracurium in children, WOLOSZCZUK-GEBICKA, B. 540–541
——, Nitrous oxide antagonizes CNS stimulation by laudanosine in mice, AVRAMOV, M. N., *et al.* 704–707
——, Pharmacodynamics of atracurium during propofol, thiopentone and opioid anaesthesia, BEEMER, G. H., *et al.* 675–683
——, Pharmacokinetics of atracurium during continuous infusion, BEEMER, G. H., *et al.* 668–674
——, Relationship of plasma concentration of atracurium to response using the train-of-four ratio, PARKER, C. J. R., *et al.*, (*ARS*) 272P
——, Surveillance and safety, ERIKSSON, L. I., *et al.*, (*C*) 594–595
——, Urinary clearance of atracurium, laudanosine and monoquaternary alcohol in the intensive care patient with normal renal function, SHEARER, E. S., *et al.*, (*ARS*) 586P
Neuromuscular block, dantrolene, I.v. dantrolene before day-case suxamethonium use: domiciliary assessment of morbidity, DESILVA, F., *et al.*, (*ARS*) 588–589P
Neuromuscular block, doxacurium, Cardiovascular effects of doxacurium, pancuronium and vecuronium in anaesthetized patients presenting for coronary artery bypass surgery, EMMOTT, R. S., *et al.* 480–486
Neuromuscular block, laudanosine, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma in three intensive care patients, GWINNUTT, C. L., *et al.* 829–832
——, Nitrous oxide antagonizes CNS stimulation by laudanosine in mice, AVRAMOV, M. N., *et al.* 704–707
——, Urinary clearance of atracurium, laudanosine and monoquaternary alcohol in the intensive care patient with normal renal function, SHEARER, E. S., *et al.*, (*ARS*) 586P
Neuromuscular block, measurement of response, Clinical observations on Org 9426, SCOTT, R. P. F., (*C*) 839
——, Clinical observations on Org 9426, WIERDA, J. M. K. H., *et al.*, (*C*) 839
——, Comparison of onset time and duration of action of pipecuronium with high dose vecuronium during isoflurane and propofol anaesthesia, HARROP-GRIFFITHS, A. W., *et al.*, (*ARS*) 587P
——, Onset of neuromuscular block—an hypothesis, FELDMAN, S., *et al.*, (*ARS*) 585P
——, Relationship of plasma concentration of atracurium to response using the train-of-four ratio, PARKER, C. J. R., *et al.*, (*ARS*) 272P
——, Use of post-tetanic count in assessment of a repetitive vecuronium-induced neuromuscular block, ERIKSSON, L. I., *et al.* 487–493
Neuromuscular block, measurement techniques, Central enhancement of evoked electromyography, SMITH, D. C., (*ARS*) 290P
Neuromuscular block, Org 9426, Clinical observations on Org 9426, SCOTT, R. P. F., (*C*) 839
——, Clinical observations on Org 9426, WIERDA, J. M. K. H., *et al.*, (*C*) 839
Neuromuscular block, pancuronium, Cardiovascular effects of doxacurium, pancuronium and vecuronium in anaesthetized patients presenting for coronary artery bypass surgery, EMMOTT, R. S., *et al.* 480–486
——, Effects of sufentanil on median nerve somatosensory evoked potentials, KIMOVEC, M. A., *et al.* 169–172
Neuromuscular block, pipecuronium, Comparison of onset time and duration of action of pipecuronium with high dose vecuronium during isoflurane and propofol anaesthesia, HARROP-GRIFFITHS, A. W., *et al.*, (*ARS*) 587P
——, Dose requirements and plasma concentrations of pipecuronium during bilateral renal exclusion and orthotopic liver transplantation in pigs, PITTET, J. F., *et al.* 779–785
Neuromuscular block, suxamethonium, Are myotonias and periodic paralyses associated with susceptibility to malignant hyperthermia? LEHMANN-HORN, F., *et al.* 692–697
——, Dose-dependent effect of metoclopramide on cholinesterases and suxamethonium metabolism, KAO, Y. J., *et al.* 220–224
——, Effects of suxamethonium on the cerebrum following disruption of the blood–brain barrier in dogs, LANIER, W. L., *et al.* 708–712
——, Is the action of suxamethonium in children age-dependent? LEUWER, M., *et al.*, (*ARS*) 271–272P
——, I.v. dantrolene before day-case suxamethonium use: domiciliary assessment of morbidity, DESILVA, F., *et al.*, (*ARS*) 588–589P
——, Myotonic and neuromuscular blocking effects of increased doses of suxamethonium in infants and children, MEAKIN, G., *et al.* 816–818
——, Nitrous oxide potentiates suxamethonium block in man, SZALADOS, J. E., *et al.*, (*ARS*) 272–273P
——, Prolonged paralysis following suxamethonium and the use of neostigmine, JAMES, M. F. M., *et al.* 430–432

——, Study of biochemical changes following suxamethonium administration in children with strabismus, McLOUGHLIN, C. C., *et al.*, (*ARS*) 587–588P

Neuromuscular block, tubocurarine, Competitive antagonism of acetylcholine receptor increases receptor number and tolerance to tubocurarine, MARTYN, J. A. J., *et al.*, (*ARS*) 578P

Neuromuscular block, vecuronium, Cardiovascular effects of doxacurium, pancuronium and vecuronium in anaesthetized patients presenting for coronary artery bypass surgery, EMMOTT, R. S., *et al.* 480–486

——, Comparison of onset time and duration of action of pipecuronium with high dose vecuronium during isoflurane and propofol anaesthesia, HARROP-GRIFFITHS, A. W., *et al.*, (*ARS*) 587P

——, Doxapram- and neostigmine-evoked antagonism of vecuronium neuromuscular block, POLLARD, B. J., *et al.*, (*ARS*) 586P

——, Use of post-tetanic count in assessment of a repetitive vecuronium-induced neuromuscular block, ERIKSSON, L. I., *et al.* 487–493

Neuromuscular junction, Effect of surface electrode position on the compound action potential evoked by ulnar nerve stimulation during isoflurane anaesthesia, KALLI, I. 494–499

Neuromuscular transmission, Effect of surface electrode position on the compound action potential evoked by ulnar nerve stimulation during isoflurane anaesthesia, KALLI, I. 494–499

——, Influence of halothane on the train-of-four fade after atracurium in children, WOLOSZCZUK-GEBICKA, B. 540–541

——, Use of post-tetanic count in assessment of a repetitive vecuronium-induced neuromuscular block, ERIKSSON, L. I., *et al.* 487–493

Neuropsychological responses, Effects of nimodipine on cerebral blood flow and neuropsychological outcome after cardiac surgery, FORSMAN, M., *et al.* 514–520

Non-steroidal anti-inflammatory drugs, Effect of ibuprofen on pain during injection of propofol, BATCHELOR, A. M., *et al.*, (*ARS*) 576–577P

——, Effect of indomethacin on pain relief after thoracotomy, PAVY, T., *et al.* 624–627

Noriss and Campbell's Anaesthetics, Resuscitation and Intensive Care, 7th Edn, CAMPBELL, D., *et al.*, (*R*) 153

Organophosphate poisoning, Organophosphorus insecticide poisoning, GALLAGHER, H., *et al.*, (*C*) 293–294

Organophosphorus insecticides, Organophosphorus insecticide poisoning, GALLAGHER, H., *et al.*, (*C*) 293–294

Ostlere & Bryce-Smith's Anaesthetics for Medical Students, 10th Edn, BOULTON, T. B., *et al.*, (*R*) 601

Oxygen, consumption, Effect of sedation with alfentanil, midazolam or propofol on oxygen transport variables in the critically ill, KOX, W., *et al.*, (*ARS*) 278P

Oxygen, cyanosis, Pulse oximetry and the arterial to end-tidal P_{CO_2} difference in cyanotic children, FLETCHER, R., (*ARS*) 274P

Oxygen, saturation, Comparison of sedation with midazolam or diazemuls for upper gastrointestinal endoscopy, FARQUHAR, I. K., *et al.*, (*ARS*) 580P

——, Postoperative hypoxaemia following major abdominal vascular surgery: a preoperative and postoperative study using pulse oximetry, REEDER, M. K., *et al.*, (*ARS*) 591–592P

Oxygen, transport, Effect of sedation with alfentanil, midazolam or propofol on oxygen transport variables in the critically ill, KOX, W., *et al.*, (*ARS*) 278P

Oxygenation, techniques, Isoflurane with either 100% oxygen or 50% nitrous oxide in oxygen for Caesarean section, PIGGOTT, S. E., *et al.* 325–329

Pain, antinociception, Relative effects of intrathecal midazolam and fentanyl on Aδ and C reflexes, WANG, C., *et al.*, (*ARS*) 590P

——, Two GABA mechanisms for spinaliy-mediated antinociception: evidence from antagonism of 5-hydroxytryptamine by bicuculline, GUO, Z., *et al.*, (*ARS*) 589–590P

Pain, chronic, Intraventricular diamorphine via an Ommaya shunt for intractable cancer pain, REEVE, W. G., *et al.* 544–547

Pain, experimental, Analgesic efficacy of i.m. alfentanil, ARENDT-NIELSEN, L., *et al.* 164–168

Pain, laser stimulation, Analgesic efficacy of i.m. alfentanil, ARENDT-NIELSEN, L., *et al.* 164–168

Pain, postoperative, Comparison of contemporaneous and retrospective assessment of postoperative pain using a visual analogue scale, LIU, D., *et al.*, (*ARS*) 577–578P

——, Comparison of i.m. ketorolac trometamol and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.* 448–455

——, Diclofenac for day-care arthroscopy surgery: comparison with a standard opioid therapy, McLOUGHLIN, C., *et al.* 620–623

——, Effect of indomethacin on pain relief after thoracotomy, PAVY, T., *et al.* 624–627

——, Extradural somatostatin, DESBOROUGH, J., (*C*) 152

——, Extradural somatostatin, YAKSH, T. L., (*C*) 152

——, Ketorolac trometamol—a new non-opioid analgesic, KENNY, G. N. C., (*E*) 445–447

——, Pain relief after thoracotomy, CONACHER, I. D. 806–812

——, Postoperative patient-controlled analgesia, CUNDY, J. M., (*C*) 440

——, Postoperative patient-controlled analgesia, THOMAS, V. J., *et al.*, (*C*) 440

Parasympathetic nervous system, atropine, Organophosphorus insecticide poisoning, GALLAGHER, H., *et al.*, (*C*) 293–294

Parasympathetic nervous system, glycopyrrolate, Organophosphorus insecticide poisoning, GALLAGHER, H., *et al.*, (*C*) 293–294

Partial pressure, carbon dioxide, Pulse oximetry and the arterial to end-tidal P_{CO_2} difference in cyanotic children, FLETCHER, R., (*ARS*) 274P

Pharmacodynamics, atracurium, Pharmacodynamics of atracurium during propofol, thiopentone and opioid anaesthesia, BEEMER, G. H., *et al.* 675–683

Pharmacokinetics, A computer designed graph for administration of atracurium by i.v. infusion, SIMPSON, D. S., *et al.* 770–778

——, Dynamic–kinetic relationships for sufentanil during nitrous oxide–oxygen anaesthesia, SEAR, J. W., *et al.*, (*ARS*) 290–291P

——, Pharmacokinetic interaction of propofol and fentanyl: single bolus injection study, GILL, S. S., *et al.* 760–765

Pharmacokinetics, atracurium, Pharmacokinetics of atracurium during continuous infusion, BEEMER, G. H., *et al.* 668–674

Pharmacokinetics, bupivacaine, Effect of adrenaline on plasma concentrations of bupivacaine following intra-articular injection of bupivacaine for knee arthroscopy, BUTTERWORTH, J. F. IV, *et al.* 537–539

Pharmacokinetics, diazepam, Diazepam pharmacokinetics: comparison of two formulations in three patient groups undergoing general anaesthesia, MICHAEL, S., *et al.*, (*ARS*) 589P

Pharmacokinetics, lung, Pharmacokinetic and metabolic properties of lung, BAKHLE, Y. S. 79–93

Pharmacokinetics, pethidine, Effects of propofol and of thiopentone anaesthesia on the regional kinetics of pethidine in the sheep, MATHER, L. E., *et al.* 365–372
Pharmacokinetics, pipecuronium, Dose requirements and plasma concentrations of pipecuronium during bilateral renal exclusion and orthotopic liver transplantation in pigs, PITTET, J. F., *et al.* 779–785
Pharmacokinetics, propofol, Pharmacokinetics of an infusion of propofol during cardiac surgery, MASSEY, N. J. A., *et al.* 475–479
——, Pharmacokinetics of propofol in children, JONES, R. D. M., *et al.* 661–667
——, Pharmacokinetics of propofol infusions in patients with cirrhosis, SERVIN, F., *et al.* 177–183
Pharmacology, aminophylline, Effects of aminophylline on the isolated phrenic nerve–hemidiaphragm preparation are potentiated by halothane and isoflurane, ELLIOT, R. H., *et al.*, (*ARS*) 573P
Pharmacology, clonidine, Preanaesthetic medication with clonidine, WRIGHT, P. M. C., *et al.* 628–632
Pharmacology of Neuromuscular Function, 2nd Edn, BOWMAN, W. C., (*R*) 600
Pig, Dose requirements and plasma concentrations of pipecuronium during bilateral renal exclusion and orthotopic liver transplantation in pigs, PITTET, J. F., *et al.* 779–785
——, Redistribution of cardiac output caused by opening of arteriovenous anastomoses by a combination of azaperone and metomidate, VAN WOERKENS, L. J., *et al.* 393–399
——, The role of α_1-adrenoceptors in adrenaline-induced hyperkalaemia, ENSINGER, H., *et al.* 786–790
Poisoning, Organophosphorus insecticide poisoning, GALLAGHER, H., *et al.*, (*C*) 293–294
Position, effects, Effect of the Trendelenburg position on lower oesophageal sphincter pressure, HEIJKE, S. A. M., *et al.*, (*ARS*) 288P
——, Spinal anaesthesia with plain 0.5% bupivacaine at 19 °C and 37 °C, KRISTOFFERSEN, E., *et al.* 504–507
Position, surface electrode, Effect of surface electrode position on the compound action potential evoked by ulnar nerve stimulation during isoflurane anaesthesia, KALLI, I. 494–499
Position, tongue, Ultrasound assessment of the position of the tongue during induction of anaesthesia, ABERNETHY, L. J., *et al.* 744–748
Position, Trendelenburg, Effect of the Trendelenburg position on lower oesophageal sphincter pressure, HEIJKE, S. A. M., *et al.*, (*ARS*) 288P
Potency, anaesthetic, Effect of speed of injection on the dose required to induce anaesthesia with propofol, VENN, P. J. H., *et al.*, (*ARS*) 287P
——, Nitrous oxide antagonizes CNS stimulation by laudanosine in mice, AVRAMOV, M. N., *et al.* 704–707
Potency, anaesthetic, age factors, MAC reduction of desflurane with fentanyl: comparison with isoflurane, SEBEL, P. S., *et al.*, (*ARS*) 573–574P
Potency, anaesthetic, MAC, MAC reduction of desflurane with fentanyl: comparison with isoflurane, SEBEL, P. S., *et al.*, (*ARS*) 573–574P
Potency, ED_{50} dose response, Nitrous oxide antagonizes CNS stimulation by laudanosine in mice, AVRAMOV, M. N., *et al.* 704–707
Pregnancy, Effects of alfentanil and fentanyl on induction of anaesthesia in patients with severe pregnancy-induced hypertension, ROUT, C. C., *et al.* 468–474
——, Gastric emptying in pregnancy, MAGIDES, A. D., *et al.*, (*ARS*) 580–581P
——, Plasma protein binding of alfentanil: effects of age, pregnancy and cancer, MEISTELMAN, C., *et al.*, (*ARS*) 273P
Premedication, Effects of ranitidine and metoclopramide on gastric fluid pH and volume in children, CHRISTENSEN, S., *et al.* 456–460
Premedication, clonidine, Preanaesthetic medication with clonidine, WRIGHT, P. M. C., *et al.* 628–632
Premedication, hyoscine, Transdermal hyoscine and postoperative nausea and vomiting, FRANCIS, G. A., (*C*) 151
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 151
Premedication, omeprazole, Effect of oral omeprazole on intragastric pH and volume in women undergoing elective Caesarean section, GIN, T., *et al.* 616–619
Preparing for the Anesthesia Orals—Board Stiff, GALLACHER, C. J., *et al.*, (*R*) 843
Primary Surgery—Volume 1—Non Trauma, KING, M., *et al.*, (*R*) 733
Problems in Anaesthesia, Analysis and Management, FELDMAN, S., *et al.*, (editors), (*R*) 297
Protein, metabolism, Effect of general anaesthesia on whole body protein turnover in patients undergoing elective surgery, CARLI, F., *et al.* 373–379
——, Plasma leucine turnover and oxidation in critical illness, SAMUELS, T. A., *et al.*, (*ARS*) 278–279P
Protein, plasma, Plasma protein binding of alfentanil: effects of age, pregnancy and cancer, MEISTELMAN, C., *et al.*, (*ARS*) 273P
Protein, total body, Effect of general anaesthesia on whole body protein turnover in patients undergoing elective surgery, CARLI, F., *et al.* 373–379
Raised Intracranial Pressure—A Clinical Guide, NORTH, B., *et al.*, (*R*) 843–844
Rat, Effects of aminophylline on the isolated phrenic nerve–hemidiaphragm preparation are potentiated by halothane and isoflurane, ELLIOT, R. H., *et al.*, (*ARS*) 573P
——, Functional and metabolic effects of bupivacaine and lignocaine in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 521–526
——, Two GABA mechanisms for spinally-mediated antinociception: evidence from antagonism of 5-hydroxytryptamine by bicuculline, GUO, Z., *et al.*, (*ARS*) 589–590P
——, Ventilatory responses to sevoflurane and halothane in the rat, YEE, M. K., *et al.*, (*ARS*) 276–277P
Recent Advances in Anaesthesia and Analgesia, No. 16, ATKINSON, R. S., *et al.*, (editors), (*R*) 153
Receptors, adrenergic block, Competitive antagonism of acetylcholine receptor increases receptor number and tolerance to tubocurarine, MARTYN, J. A. J., *et al.*, (*ARS*) 578P
Receptors, chemoreceptors, carotid body, Effect of halothane on hypoxic and hypercapnic ventilatory responses of goats, KOH, S. O., *et al.* 713–717
Records, anaesthesia, computerized, A second time-study of the anaesthetist's intraoperative period, DZWONCZYK, R., *et al.*, (*C*) 842
——, A second time-study of the anaesthetist's intraoperative period, GOODMAN, N. W., (*C*) 841–842
Recovery, Recovery from outpatient anaesthesia: comparison of total i.v. anaesthesia with an inhalation technique, NIGHTINGALE, J. J., *et al.*, (*ARS*) 287–288P
Regional Anesthesia: An Illustrated Procedural Guide, 1st Edn, MULROY, M. F., (*R*) 598
Research, anaesthetic, The Animals (Scientific Procedures) Act 1986 and Research into Anaesthesia, MORTON, D. B., (*E*) 303–305
Research, animal, The Animals (Scientific Procedures) Act 1986 and Research into Anaesthesia, MORTON, D. B., (*E*) 303–305

Research, respiration, The influence of respiratory research on clinical progress, JONES, J. G., *et al.*, (*E*) 1–3
Resuscitation Handbook, BASKETT, P. J. F., (*R*) 844

Safety and Cost Containment in Anesthesia, GRAVENSTEIN, J. S., *et al.*, (editors), (*R*) 297
Safety, drug, Surveillance and safety, ERIKSSON, L. I., *et al.*, (*C*) 594–595
Safety, equipment, A user-friendly disconnection alarm, BETHUNE, D. W., *et al.*, (*C*) 595
——, Developments in the safe use of high frequency jet ventilation, SMITH, B. E., (*E*) 735–736
Safety, techniques, A second time-study of the anaesthetist's intraoperative period, DZWONCZYK, R., *et al.*, (*C*) 842
——, A second time-study of the anaesthetist's intraoperative period, GOODMAN, N. W., (*C*) 841–842
——, An international consensus on monitoring, BAKER, A. B., (*C*) 295
——, An international consensus on monitoring, SPENCE, A. A., *et al.*, (*C*) 295
Saturation, oxygen, Carboxyhaemoglobin concentrations, pulse oximetry and arterial blood-gas tensions during jet ventilation for Nd–YAG laser bronchoscopy, GOLDHILL, D. R., *et al.* 749–753
——, Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities, ROSENBERG, J., *et al.* 684–691
——, Oxygen saturation change during upper gastrointestinal endoscopy: use of supplementary oxygen to prevent desaturation, PATTERSON, K. W., *et al.*, (*ARS*) 283–284P
——, Preoperative overnight pulse oximetry as a predictor of pulmonary complications after major vascular surgery, REEDER, M. K., *et al.*, (*ARS*) 572P
——, Response time of pulse oximeters to rapid changes in saturation, YOUNG, J. D., *et al.*, (*ARS*) 572–573P
Saturation, oxygen maternal, Isoflurane with either 100% oxygen or 50% nitrous oxide in oxygen for Caesarean section, PIGGOTT, S. E., *et al.* 325–329
Scientific Foundations of Anaesthesia: The Basis of Intensive Care, SCURR, C., *et al.*, (editors), (*R*) 843
Sepsis—An Interdisciplinary Challenge, 1st Edn, REINHART, K., *et al.*, (editors), (*R*) 298
Serotonin, (5-hydroxytryptamine), Two GABA mechanisms for spinally-mediated antinociception: evidence from antagonism of 5-hydroxytryptamine by bicuculline, GUO, Z., *et al.*, (*ARS*) 589–590P
Sheep, Cardiovascular effects of propofol and of thiopentone anaesthesia in the sheep, RUNCIMAN, W. B., *et al.* 353–359
——, Effects of propofol and of thiopentone anaesthesia on the regional kinetics of pethidine in the sheep, MATHER, L. E., *et al.* 365–372
Skin, temperature, Muscle relaxation rates in individuals susceptible to malignant hyperthermia, URWYLER, A., *et al.* 421–423
Sleep apnoea, Sleep apnoea and the upper airway, HOFFSTEIN, V., *et al.* 139–150
Spinal cord, 7th cranial nerve palsy, 7th nerve palsy after extradural blood patch, LOWE, D. M., *et al.* 721–722
Spinal cord, extradural pressure, Effect of extradural compliance and resistance on spread of extradural analgesia, HIRABAYASHI, Y., *et al.* 508–513
——, May extradural pressure be positive? SHAH, J. L., (*ARS*) 280P
Statistics, Power and spinal analgesia, OLSEN, K. H., *et al.*, (*C*) 293
——, Power and spinal analgesia, TROTTER, T. N., (*C*) 293
Surgery, abdominal, I.v. fluids during surgery, CAMPBELL, I. T., *et al.* 726–729
Surgery, aneurysm, Anaesthetic hazards of aortocaval fistula, BODENHAM, A. 723–725
Surgery, brain, Effect of propofol on brain retraction pressure and cerebral perfusion pressure, MOSS, E., *et al.* 823–825
Surgery, bronchoscopy, Carboxyhaemoglobin concentrations, pulse oximetry and arterial blood-gas tensions during jet ventilation for Nd–YAG laser bronchoscopy, GOLDHILL, D. R., *et al.* 749–753
Surgery, cardiovascular, Anaesthetic hazards of aortocaval fistula, BODENHAM, A. 723–725
——, Effect of cardiopulmonary bypass flow on renal function, VALENTINE, S. J., *et al.*, (*ARS*) 279–280P
——, Effect of propofol on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 184–189
——, Effects of nimodipine on cerebral blood flow and neuropsychological outcome after cardiac surgery, FORSMAN, M., *et al.* 514–520
——, Pharmacokinetics of an infusion of propofol during cardiac surgery, MASSEY, N. J. A., *et al.* 475–479
——, Preoperative ST abnormalities detected by the Compas ambulatory ECG monitor in patients scheduled to undergo peripheral arterial surgery, LUTSCH, P., *et al.*, (*ARS*) 282P
Surgery, cholecystectomy, Comparison of i.m. ketorolac trometamol and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.* 448–455
Surgery, coronary artery, Cardiovascular and renal haemodynamic effects of dopexamine: comparison with dopamine, STEPHAN, H., *et al.* 380–387
——, Cardiovascular effects of doxacurium, pancuronium and vecuronium in anaesthetized patients presenting for coronary artery bypass surgery, EMMOTT, R. S., *et al.* 480–486
Surgery, day-case, Comparison of sedation with midazolam or diazemuls for upper gastrointestinal endoscopy, FARQUHAR, I. K., *et al.*, (*ARS*) 580P
——, Comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH, POPAT, M. T., *et al.*, (*ARS*) 581P
——, Diclofenac for day-care arthroscopy surgery: comparison with a standard opioid therapy, MCLOUGHLIN, C., *et al.* 620–623
——, I.v. dantrolene before day-case suxamethonium use: domiciliary assessment of morbidity, DESILVA, F., *et al.*, (*ARS*) 588–589P
——, Spinal anaesthesia in day-care surgery with a 26-gauge needle, QUAYNOR, H., *et al.* 766–769
——, Survey of day-case morbidity by domiciliary assessment, SMITH, S. O., *et al.*, (*ARS*) 284P
Surgery, dental, I.v. dantrolene before day-case suxamethonium use: domiciliary assessment of morbidity, DESILVA, F., *et al.*, (*ARS*) 588–589P
Surgery, endoscopy, Oxygen saturation change during upper gastrointestinal endoscopy: use of supplementary oxygen to prevent desaturation, PATTERSON, K. W., *et al.*, (*ARS*) 283–284P
Surgery, gynaecological, Diazepam pharmacokinetics: comparison of two formulations in three patient groups undergoing general anaesthesia, MICHAEL, S., *et al.*, (*ARS*) 589P
——, Effect of general anaesthesia on whole body protein turnover in patients undergoing elective surgery, CARLI, F., *et al.* 373–379
——, Effect of surgery on sensory threshold and somatosensory evoked potentials after skin stimulation, LUND, C., *et al.* 173–176

——, Sinus arrest induced by trivial nasal stimulation during alfentanil–nitrous oxide anaesthesia, BAILEY, P. L. 718–720
Surgery, hormonal response, Site of action of fentanyl in inhibiting the pituitary–adrenal response to surgery in man, HALL, G. M., *et al.* 251–253
Surgery, laparotomy, Massive histamine release in a patient with systemic mastocytosis, DESBOROUGH, J. P., *et al.* 833–836
Surgery, laser, Carboxyhaemoglobin concentrations, pulse oximetry and arterial blood-gas tensions during jet ventilation for Nd–YAG laser bronchoscopy, GOLDHILL, D. R., *et al.* 749–753
Surgery, orthopaedic, Diclofenac for day-care arthroscopy surgery: comparison with a standard opioid therapy, MCLOUGHLIN, C., *et al.* 620–623
——, Effect of adrenaline on plasma concentrations of bupivacaine following intra-articular injection of bupivacaine for knee arthroscopy, BUTTERWORTH, J. F. IV, *et al.* 537–539
——, Extradural anaesthesia in patients with previous lumbar spine surgery, SHARROCK, N. E., *et al.* 237–239
Surgery, thoracic, Effect of indomethacin on pain relief after thoracotomy, PAVY, T., *et al.* 624–627
——, Pain relief after thoracotomy, CONACHER, I. D. 806–812
Surgery, transplantation, Dose requirements and plasma concentrations of pipecuronium during bilateral renal exclusion and orthotopic liver transplantation in pigs, PITTET, J. F., *et al.* 779–785
Surgery, transplantation liver, Serum acute phase proteins after orthotopic liver transplantation, BURNS, A. M., *et al.* 418–420
Surgery, urological, Diuretics after transurethral prostatectomy: a double-blind controlled trial comparing frusemide and mannitol, CROWLEY, K., *et al.* 337–341
Surgery, vascular, Adrenoceptor and neuroendocrine responses to aortic cross clamp and release during abdominal aortic surgery, MCCOY, D., *et al.*, (*ARS*) 584–585P
——, Postoperative hypoxaemia following major abdominal vascular surgery: a preoperative and postoperative study using pulse oximetry, REEDER, M. K., *et al.*, (*ARS*) 591–592P
——, Preoperative overnight pulse oximetry as a predictor of pulmonary complications after major vascular surgery, REEDER, M. K., *et al.*, (*ARS*) 572P
Sympathetic nervous system, Influence of low-dose naloxone infusion on hypothalamo–pituitary–adrenocortical activity, WRIGHT, P. M. C., *et al.*, (*ARS*) 592–593P
Sympathetic nervous system, adrenaline, The role of α_1-adrenoceptors in adrenaline-induced hyperkalaemia, ENSINGER, H., *et al.* 786–790
Sympathetic nervous system, adrenergic block, Beta-adrenoceptor block affects only heart rate response to laryngoscopy and intubation in hypertensive patients, SEAR, J. W., *et al.*, (*ARS*) 284–285P
——, The role of α_1-adrenoceptors in adrenaline-induced hyperkalaemia, ENSINGER, H., *et al.* 786–790
Sympathetic nervous system, catecholamines, Effect of i.v. lignocaine on the cardiovascular and catecholamine responses to laryngoscopy and intubation, WILSON, I., *et al.*, (*ARS*) 288–289P
Sympathetic nervous system, clonidine, Preanaesthetic medication with clonidine, WRIGHT, P. M. C., *et al.* 628–632
——, Total i.v. anaesthesia with propofol and alfentanil: dose requirements for propofol and the effect of premedication with clonidine, RICHARDS, M. J., *et al.* 157–163
Sympathetic nervous system, dobutamine, Metabolic effects of dobutamine, FRASER, S., *et al.*, (*ARS*) 289P
Sympathetic nervous system, ganglion block, Plasma concentrations of bupivacaine after stellate ganglion block using two volumes of 0.25% bupivacaine plain solution, HARDY, P. A. J., *et al.* 243–244
Sympathetic nervous system, ornithine-8-vasopressin, Acute pulmonary oedema following administration of ornithine-8-vasopressin, BORGEAT, A., *et al.* 548–551
Sympathetic nervous system, sympathoadrenal responses, Adrenoceptor and neuroendocrine responses to aortic cross clamp and release during abdominal aortic surgery, MCCOY, D., *et al.*, (*ARS*) 584–585P

Techniques of Regional Anaesthesia, 1st Edn, SCOTT, D. B., (*R*) 296
Temperature, Extradurals and shivering, PONTE, J., (*C*) 732
——, Extradurals and shivering, WENSTONE, R., *et al.*, (*C*) 731–732
Temperature, body, Body temperature and anaesthesia, ENGLISH, M. J. M., *et al.*, (*C*) 438–439
——, Body temperature and anaesthesia, IMRIE, M. M., *et al.*, (*C*) 439–440
Temperature, cold exposure, Non-invasive monitoring of the finger arterial pressure in patients with Raynaud's phenomenon: effects of exposure to cold, KURKI, T. S., *et al.* 558–563
Temperature, effect, Comparison of four pulse oximeters: effects of venous occlusion and cold-induced peripheral vasoconstriction, LANGTON, J. A., *et al.* 245–247
Temperature, injectate, Spinal anaesthesia with plain 0.5% bupivacaine at 19 °C and 37 °C, KRISTOFFERSEN, E., *et al.* 504–507
Temperature, regulation, Effects of enflurane and isoflurane in air–oxygen on changes in thermal balance during and after surgery, SMITH, D., *et al.* 754–759
Temperature, skin, Muscle relaxation rates in individuals susceptible to malignant hyperthermia, URWYLER, A., *et al.* 421–423
Theories of surfactant function, The role of lung surfactant, HILLS, B. A. 13–29
Toxicity, local anaesthetics, Plasma concentrations of the stereoisomers of prilocaine after administration of the racemate: implications for toxicity? TUCKER, G. T., *et al.* 333–336

Update in Intensive Care and Emergency Medicine, Volume 9: Brain Failure, BIHARI, D., *et al.*, (editors), (*R*) 297

Veins, vasodilatation, Massive histamine release in a patient with systemic mastocytosis, DESBOROUGH, J. P., *et al.* 833–836
Ventilation, apnoea, I.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.*, (*C*) 596–597
——, I.v. infusions of morphine and regional analgesia by extradural block, DRUMMOND, G. B., (*C*) 595–596
——, Sleep apnoea and the upper airway, HOFFSTEIN, V., *et al.* 139–150
Ventilation, carbon dioxide response, Effect of halothane on hypoxic and hypercapnic ventilatory responses of goats, KOH, S. O., *et al.* 713–717

Ventilation, controlled, Efficiency of a new enclosed afferent reservoir breathing system during controlled ventilation, DROPPERT, P. M., *et al.*, (*ARS*) 277P
Ventilation, failure, Respiratory muscle fatigue: mechanisms, evaluation and therapy, MOXHAM, J. 43–53
Ventilation, frequency, Ventilatory responses to sevoflurane and halothane in the rat, YEE, M. K., *et al.*, (*ARS*) 276–277P
Ventilation, fresh gas flow, Fresh gas flow requirements of a new enclosed afferent reservoir breathing system during spontaneous ventilation, DROPPERT, P. M., *et al.*, (*ARS*) 591P
Ventilation, high frequency jet, Carboxyhaemoglobin concentrations, pulse oximetry and arterial blood-gas tensions during jet ventilation for Nd–YAG laser bronchoscopy, GOLDHILL, D. R., *et al.* 749–753
——, Developments in the safe use of high frequency jet ventilation, SMITH, B. E., (*E*) 735–736
——, High frequency ventilation: past, present and future? SMITH, B. E. 130–138
——, Measurement of end-expiratory pressure during transtracheal high frequency jet ventilation for laryngoscopy, BOURGAIN, J. L., *et al.* 737–743
——, Measurement of entrainment ratio during high frequency jet ventilation, JONES, M. J., *et al.* 197–203
Ventilation, high frequency oscillation, High frequency ventilation: past, present and future? SMITH, B. E. 130–138
Ventilation, high frequency positive pressure, High frequency ventilation: past, present and future? SMITH, B. E. 130–138
Ventilation, hypercapnic response, Effect of halothane on hypoxic and hypercapnic ventilatory responses of goats, KOH, S. O., *et al.* 713–717
Ventilation, hypocapnic response, Effect of nitrous oxide sedation on the ventilatory response during hypocapnia, NORTHWOOD, D., *et al.*, (*ARS*) 571–572P
Ventilation, hypoxic response, Effect of halothane on hypoxic and hypercapnic ventilatory responses of goats, KOH, S. O., *et al.* 713–717
Ventilation, oesophageal balloon pressure, Respiratory mechanics in anaesthesia, MILIC-EMILI, J., *et al.* 4–12
Ventilation, pattern, Chaos in ventilatory timing in anaesthetized man? GOODMAN, N. W., (*ARS*) 274–275P
——, Ventilatory responses to sevoflurane and halothane in the rat, YEE, M. K., *et al.*, (*ARS*) 276–277P
Ventilation, respiratory muscle, Effects of anaesthesia on respiration, NUNN, J. F. 54–62
——, Respiratory muscle fatigue: mechanisms, evaluation and therapy, MOXHAM, J. 43–53
——, The influence of respiratory research on clinical progress, JONES, J. G., *et al.*, (*E*) 1–3
Ventilation, spontaneous, Fresh gas flow requirements of a new enclosed afferent reservoir breathing system during spontaneous ventilation, DROPPERT, P. M., *et al.*, (*ARS*) 591P
Vomiting, antiemetics, P6 acupuncture antiemesis in cancer chemotherapy: comparison of needling and percutaneous electrical stimulation, DUNDEE, J. W., *et al.*, (*ARS*) 281P
Vomiting, nausea, Subcutaneous flumazenil and recovery from midazolam, BIRCH, B., (*C*) 292
——, Subcutaneous flumazenil and recovery from midazolam, LUGER, T. J., *et al.*, (*C*) 292–293
——, Transdermal hyoscine and postoperative nausea and vomiting, FRANCIS, G. A., (*C*) 151
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 151
Vomiting, postoperative, Transdermal hyoscine and postoperative nausea and vomiting, FRANCIS, G. A., (*C*) 151
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 151

Yearbook of Anaesthesia, 1989, MILLER, R. D., *et al.*, (editors), (*R*) 441–442